



SPECIFICATION

RUBY-LINE SPG

Model		RUBY SPG 8600E2	RUBY SPG 8600E2
Generator	Starting Watts	6500Watts/6.5KW = 8.125KVA @50Hz	
	Running Watts	6000Watts/6.0KW = 7.5KVA @50Hz	
	Rated AC Voltage	220,230,240V	
	Phase	Single Phase	
	Voltage regulator	AVR	
	Power Factor	1 W-KW/0.8KW-KVA	
	Alternator Type	Brush	
Engine	Engine Model	SFE440E	SFE440E
	Engine Type	Single Cylinder, 4-Stroke OHV Air Cooled	
	Displacement	439cc	
	Maximum output	15HP	
	Ignition System	Breakless Ignition Type, Flywheel Magneto	
	Starting System	Recoil/Electric	Recoil/Electric/Remote
	Fuel	PMS (Petrol)	
	Capacity Fuel Tank	25 Litres	
	Lubricating Oil Capacity	1.1 L	
	Carburetor Type	Float	
	Air Cleaner	Polyurethane Type	
	P.T.O. shaft rotation	Counter Clockwise (Facing P.T.O.)	
Dimension	L X W X H	820 X 565 X 595 mm.	
	Dry Weight	95 KG	95 KG