

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**

**11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776**

**Request For a Standing Offer
Demande d'offre à commandes**

National Master Standing Offer (NMSO)

Offre à commandes principale et nationale (OCPN)

Canada, as represented by the Minister of Public Works and
Government Services Canada, hereby requests a Standing Offer
on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et
Services Gouvernementaux Canada, autorise par la présente,
une offre à commandes au nom des utilisateurs identifiés
énumérés ci-après.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Electrical & Electronics Products Division
11 Laurier St./11, rue Laurier
6B1, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet Carbine/Shotgun Vehicle Racks	
Solicitation No. - N° de l'invitation M7594-133174/A	Date 2013-03-19
Client Reference No. - N° de référence du client M7594-133174	GETS Ref. No. - N° de réf. de SEAG PW-\$\$HN-460-62446
File No. - N° de dossier hn460.M7594-133174	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-04-29	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
Delivery Required - Livraison exigée See Herein	
Address Enquiries to: - Adresser toutes questions à: Guertin, Benoit	Buyer Id - Id de l'acheteur hn460
Telephone No. - N° de téléphone (819)956-4479 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Specified Herein Précisé dans les présentes	
Security - Sécurité This request for a Standing Offer does not include provisions for security. Cette Demande d'offre à commandes ne comprend pas des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Introduction
2. Summary
3. Debriefings

PART 2 - OFFEROR INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Offers
3. Enquiries - Request for Standing Offers
4. Applicable Laws

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer
2. Additional Certifications Precedent to Issuance of a Standing Offer

PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer
2. Security Requirement
3. Standard Clauses and Conditions
4. Term of Standing Offer
5. Authorities
6. Identified Users
7. Call-up Instrument
8. Limitation of Call-ups
9. Priority of Documents
10. Certifications
11. Applicable Laws
12. Estimates

B. RESULTING CONTRACT CLAUSES

1. Requirement
2. Standard Clauses and Conditions
3. Term of Contract
4. Payment
5. Invoicing Instructions
6. Shipping - Delivery at Destination
7. Delivery Requirements Outside a CLCSA

List of Annexes:

- Annex A - Requirement
- Annex B - Price List
- Annex C - Standing Offer Quarterly Usage Report
- Annex D - Environmental Attributes
- Annex E - Evaluation Criteria

(End of page)

PART 1 - GENERAL INFORMATION

1. Introduction

The Request for Standing Offers (RFSO) template is divided into six parts:

- (i) Part 1, General Information;
- (ii) Part 2, Offeror Instructions;
- (iii) Part 3, Offer Preparation Instructions;
- (iv) Part 4, Evaluation Procedures and Basis of Selection;
- (v) Part 5, Certifications, and
- (vi) Part 6:
6A, Standing Offer, and
6B, Resulting Contract Clauses; and,

the Annexes.

Part 1: provides a general description of the requirement;

Part 2: provides the instructions applicable to the clauses and conditions of the RFSO and states that the Offeror agrees to be bound by the clauses and conditions contained in all parts of the RFSO;

Part 3: provides offerors with instructions on how to prepare their offer to address the evaluation criteria specified;

Part 4: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, the security requirement, if applicable, and the basis of selection;

Part 5: includes the certifications to be provided;

Part 6A: includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

Part 6B: includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer.

The Annexes include the Requirement, Evaluation Criteria, the Basis of Payment and any other annexes.

2. Summary

National Individual Standing Offer (NISO) for RCMP's Carbine/Shotgun Vehicle Racks.

The period will be for one year plus a right to request an extension of additional 4 periods of one year each. Only one Standing Offer will be awarded.

The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

(End of page)

Solicitation No. - N° de l'invitation

M7594-133174/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hn460M7594-133174

Buyer ID - Id de l'acheteur

hn460

CCC No./N° CCC - FMS No/ N° VME

M7594-133174

3. Debriefings

After issuance of a standing offer, offerors may request a debriefing on the results of the request for standing offers process. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of the results of the request for standing offers process. The debriefing may be in writing, by telephone or in person.

(End of page)

PART 2 - OFFEROR INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The 2006 (2013-01-28) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of 2006, Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) calendar days

Insert: ninety (90) calendar days

1.1 SACC Manual Clauses

Reference	Section	Date
A9033T	Financial Capability	2012-07-16
B1000T	Condition of Material	2007-11-30

1.2 Technical Documentation

TECHNICAL/DESCRIPTIVE LITERATURE MUST BE SUBMITTED AS PART OF THE BID PACKAGE PRIOR TO THE BID CLOSING DATE. FAILURE TO COMPLY WILL RENDER YOUR BID NON-RESPONSIVE.

1.3 Samples

Canada reserves the right to request a sample from the Offeror in order to determine if it meets the requirements of Annex A and E.

The Offeror must, upon request from the Contracting Authority, provide a sample to the Technical Authority, transportation charges prepaid, and without charge to Canada, within 30 calendar days from the date of request. The sample submitted by the Offeror will remain the property of Canada and will not be considered as part of the deliverables in any resulting contract. If the sample does not meet the requirements of the bid solicitation or the Offeror fails to comply with the request of the Contracting Authority, the bid will be declared non-responsive.

2. Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

Due to the nature of the offer, offers transmitted by facsimile to PWGSC will not be accepted.

3. Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than ten (10) calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that offerors do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all offerors. Enquiries not submitted in a form that can be distributed to all offerors may not be answered by Canada.

4. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the offerors.

(End of page)

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

- Section I: Technical Offer (2 copies)
- Section II: Financial Offer (1 copy)
- Section III: Certifications (1 copy)

If there is a discrepancy between the wording of the soft copy and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy. Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that offerors follow the format instructions described below in the preparation of their offer.

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, offerors should:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- (b) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

1.1 Offeror Contacts

Name and telephone number of the person responsible for :

Call-ups:

Name: _____
 Telephone No. _____
 Facsimile No. _____
 E-mail address: _____

Delivery follow-up

Name: _____
 Telephone No. _____
 Facsimile No. _____
 E-mail address: _____

Section I: Technical Offer

In their technical offer, offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

(End of page)

Offeror's **CONCEPT DRAWINGS MUST** be submitted as part of the bid package prior to the bid closing date. Failure to comply will render your offer **NON-RESPONSIVE**.

Section II: Financial Offer

Offerors must submit their financial offer in accordance with Annex "B" - Price List. The total amount of Goods and Services Tax or Harmonized Sales Tax must be shown separately, if applicable.

a. Exchange Rate Fluctuation

The requirement does not provide for exchange rate fluctuation protection. Any request for exchange rate fluctuation protection will not be considered and will render the bid non-responsive.

b. Pricing Basis

The offeror must quote, on all years, a firm unit price in Canadian dollars, for delivery from a Plant in Canada, Goods and Services Tax (GST) and/or the Harmonized Sales Tax (HST) extra, as applicable. All applicable Custom duties and Excise taxes must be included and freight charges DDP destination extra, as applicable.

c. Payment of Invoices by Credit Card

Canada requests that Offerors complete one of the following:

- Government of Canada Acquisition Cards (credit cards) will be accepted for payment of invoices.

The following credit card(s) are accepted:

- VISA MasterCard or

- Government of Canada Acquisition Cards (credit cards) will not be accepted for payment of invoices.

The Offeror is not obligated to accept payment by credit card.

Acceptance of credit cards for payment of invoices will not be considered as an evaluation criterion.

Section III: Certifications

Offerors must submit the certifications required under Part 5.

(End of page)

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria. An evaluation team composed of representatives of Canada will evaluate the offers.

1.1 Evaluation Criteria

All offers must be completed in full and provide all of the information requested in the RFSO document to enable full and complete evaluation.

1.1.1 Mandatory Technical Criteria

The following **Mandatory** factors will be taken into consideration in the evaluation of each offer:

- Mandatory Certifications Required Precedent to Issuance of a Standing Offer as specified in Part 5
- Technical compliance (description of items in Annex A);
- **Simply stating a compliancy to a criteria is insufficient.** Offerors must present a clearly organized, printed (i.e., not handwritten) proposal that includes all necessary technical and descriptive literature, (**including the CONCEPT DESIGN**) in order to clearly demonstrate their compliancy to all items presented in Annex "A".
- Acceptance of terms and conditions as mentioned in the RFSO;
- Compliance with pricing basis;
- Completion of the information requested in the RFSO
- Acceptance of Disclosure of Information clause in 2005 - General Conditions - Standing Offers - Goods or Services

The evaluation team will review all concept designs submitted in reference to Annex "A". Only the Offerors whose concept design meet the specifications in Annex "A" will be evaluated against the Point Rated Technical Evaluation.

Canada reserves the right to request a sample from the Offeror(s) in order to determine if it meets the requirements of Annex E - Evaluation Criteria, in order to complete the point rated technical criteria.

1.1.2 Point Rated Technical Criteria

The point rated technical criteria, as per Annex E, will be out of a total of 135 points. To be considered compliant, Offerors will need a passmark of 88 out of 135 (65%)

(End of page)

1.1.3 Financial Evaluation

The following **Mandatory** factors will be taken into consideration in the evaluation of each offer: *Compliance with Pricing Basis*;

The offers will be evaluated as follows: Sum of unit prices of each year (including the option years) divided by total number of possible years (5 years).

1.2 Conditions/Certifications Precedent to Contract

Federal Contractors Program for Employment Equity as specified in Part 5

Financial Capability as specified at Part 2, 1.1

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation, meet all mandatory technical evaluation criteria and obtain at least a score of 65% in the point rated technical criteria to be declared responsive. The responsive offer with the lowest evaluated price on an aggregate basis will be recommended for issuance of a standing offer.

(End of page)

PART 5 - CERTIFICATIONS

Offerors must provide the required certifications and related documentation to be issued a standing offer. Canada will declare an offer non-responsive if the required certifications and related documentation are not completed and submitted as requested.

Compliance with the certifications offerors provide to Canada is subject to verification by Canada during the offer evaluation period (before issuance of a standing offer) and after issuance of a standing offer. The Standing Offer Authority will have the right to ask for additional information to verify offerors' compliance with the certifications before issuance of a standing offer. The offer will be declared non-responsive if any certification made by the Offeror is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications, to provide the related documentation or to comply with the request of the Standing Offer Authority for additional information will also render the offer non-responsive.

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer

Code of Conduct and Certifications - Related documentation

By submitting an offer, the Offeror certifies, for himself and his affiliates, to be in compliance with the Code of Conduct and Certifications clause of the Standard instructions. The related documentation hereinafter mentioned will help Canada in confirming that the certifications are true. By submitting an offer, the Offeror certifies that it is aware, and that its affiliates are aware, that Canada may request additional information, certifications, consent forms and other evidentiary elements proving identity or eligibility. Canada may also verify the information provided by the Offeror, including the information relating to the acts or convictions specified herein, through independent research, use of any government resources or by contacting third parties. Canada will declare non-responsive any offer in respect of which the information requested is missing or inaccurate, or in respect of which the information contained in the certifications is found to be untrue, in any respect, by Canada. The Offeror and any of the Offeror's affiliates, will also be required to remain free and clear of any acts or convictions specified herein during the entire period of the Standing Offer and any call-ups made against the Standing Offer.

Offerors who are incorporated, including those submitting offers as a joint venture, must provide with their offer or promptly thereafter a complete list of names of all individuals who are currently directors of the Offeror. Offerors submitting offers as sole proprietorship, including those submitting offers as a joint venture, must provide the name of the owner with their offer or promptly thereafter. Offerors submitting offers as societies, firms, partnerships or associations of persons do not need to provide lists of names. If the required names have not been received by the time the evaluation of offers is completed, Canada will inform the Offeror of a time frame within which to provide the information. Failure to comply will render the offer non-responsive. Providing the required names is a mandatory requirement for issuance of a standing offer and award of a contract.

Canada may, at any time, request that an Offeror provide properly completed and Signed Consent Forms ([Consent to a Criminal Record Verification Form](http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/formulaires-forms-eng.html) - PWGSC-TPSGC 229)

(<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/formulaires-forms-eng.html>) for any or all individuals aforementioned within the time specified. Failure to provide such Consent Forms within the time period provided will result in the offer being declared non-responsive.

2. Additional Certifications Precedent to Issuance of a Standing Offer

The certifications listed below should be completed and submitted with the offer, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

2.1 Federal Contractors Program - Certification ractors Program - \$200,000 or more

1. The Federal Contractors Program (FCP) requires that some suppliers, including a supplier who is a member of a joint venture, bidding for federal government contracts, valued at \$200,000 or more (including all applicable taxes), make a formal commitment to implement employment equity. This is a condition precedent to the issuance of a standing offer. If the Offeror, or, if the Offeror is a joint venture and if any member of the joint venture, is subject to the FCP, evidence of its commitment must be provided before the issuance of a standing offer.

Suppliers who have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any offers from ineligible contractors, including an offer from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

2. If the Offeror does not fall within the exceptions enumerated in 3.(a) or (b) below, or does not have a valid certificate number confirming its adherence to the FCP, the Offeror must fax (819-953-8768) a copy of the signed form LAB 1168, Certificate of Commitment to Implement Employment Equity, to the Labour Branch of HRSDC.
3. The Offeror, or, if the Offeror is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Offeror or the member of the joint venture

- (a) () is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada;
- (b) () is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
- (c) () is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC (having not bid on requirements of \$200,000 or more), in which case a duly signed certificate of commitment is attached;
- (d) () is subject to FCP, and has a valid certificate number as follows: _____ (e.g. has not been declared an ineligible contractor by HRSDC).

Further information on the FCP is available on the HRSDC Web site.

Signature

Date

(End of page)

PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer

The Offeror offers to fulfill the requirement in accordance with the Requirement at Annex "A".

2. Security Requirement

There is no security requirement associated with the requirement.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2005 (2012-11-19) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

3.2 Standing Offers Reporting

The Offeror must compile and maintain records on its provision of goods, services or both to the federal government under contracts resulting from the Standing Offer. This data must include all purchases, including those paid for by a Government of Canada Acquisition Card.

The Offeror must provide this data in accordance with the reporting requirements detailed in Annex "C". If some data is not available, the reason must be indicated. If no goods or services are provided during a given period, the Offeror must still provide a "nil" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority.

The quarterly reporting periods are defined as follows:

1st quarter: April 1 to June 30; 2nd quarter: July 1 to September 30;
3rd quarter: October 1 to December 31; 4th quarter: January 1 to March 31.

The data must be submitted to the Standing Offer Authority no later than fifteen (15) calendar days after the end of the reporting period.

(End of page)

4. Term of Standing Offer

4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is from _____ to _____ (to be included at issuance of standing offer)

4.2 Extension of Standing Offer

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for four (4) additional periods of up to 12 months per option, under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority thirty (30) days before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority.

5. Authorities

5.1 Standing Offer Authority

The Standing Offer Authority is:

Benoit Guertin - Supply Specialist

Public Works and Government Services Canada - Acquisitions Branch

Logistics, Electrical, Fuel and Transportation Directorate - "HN" Division

7B3, Place du Portage, Phase III, 11 Laurier Street, Gatineau, QC, K1A 0S5

Telephone : (819) 956-4479 Facsimile: (819) 953-4944

E-mail address: benoit.guertin@pwgsc-tpsgc.gc.ca

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

5.2 Project Authority

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

5.3 Offeror's Representative (to be included at issuance of standing offer)

Name and telephone number of the person responsible for :

Call-ups:**Delivery follow-up**

Name: _____

Name: _____

Telephone No. _____

Telephone No. _____

Facsimile No. _____

Facsimile No. _____

E-mail address: _____

E-mail address: _____

6. Identified Users

The Identified User authorized to make call-ups against the Standing Offer is: The Royal Canadian Mounted Police (RCMP).

7. Call-up Instrument

The Work will be authorized or confirmed by the Identified User using form "Call-up Against a Standing Offer", form PWGSC 942 .

7.1 Government Acquisition Cards (Credit Cards)

Government Acquisition Cards (Credit Cards) may be used, as **an alternative to other payment methods** as identified in the Standing Offer. A PWGSC-TPSGC 942 Call Up Against a Standing Offer is a mandatory requirement in the SO procurement method. Credit Cards are **a method of payment** that can be used **after SO procurement procedures have been followed**. All of the terms and conditions found in the SO must be followed to purchase products. Government Acquisition Cards (Credit Cards) cannot be used to circumvent in any way, the terms, conditions or procedures of the SO.

8. Limitation of Call-ups

Individual call-ups by a Requisitioning Authority made pursuant to the Standing Offer must not exceed \$40,000.00 (including GST/HST). Individual call-ups in excess of \$40,000.00 made pursuant to this Standing Offer must be approved by the PWGSC Contracting Authority.

9. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2012-11-19), General Conditions - Standing Offers - Goods or Services;
- d) the general conditions 2010A (2012-11-19) General Conditions - Goods (Medium Complexity);
- e) Annex A, Requirement;

f) Annex B, Price List;

g) Annex C, Quarterly Report

h) the Offeror's offer _____ (*insert date of offer*), _____ (*if the offer was clarified or amended, insert at the time of issuance of the offer: "as clarified on _____" or "as amended _____". (insert date(s) of clarification(s) or amendment(s) if applicable).*

10. Certifications - Compliance

Compliance with the certifications and related documentation provided by the Offeror is a condition of authorization of the Standing Offer and subject to verification by Canada during the term of the Standing Offer and of any resulting contract that would continue beyond the period of the Standing Offer. In the event that the Offeror does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

11. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

12. Estimates

Where an estimate of the cost of performing specific work is required, the Identified User will provide the Offeror with a statement of the work required and the Offeror must provide the Identified User with an estimate of the cost of performing the specified work in accordance with the pricing provision of the Standing Offer. The Offeror must not undertake any of the specified work unless and until a call-up is issued by the Identified User. The estimated cost stated in the call-up must not be exceeded without the specific written authorization of the Identified User.

(End of page)

B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

1. Requirement

The Contractor must provide the items detailed in the call-up against the Standing Offer.

2. Standard Clauses and Conditions

2.1 General Conditions

2010A (2012-11-19) General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.

Section 16 Interest on Overdue Accounts, of 2010A (2012-11-19) will not apply to payments made by credit cards at point of sale. (if applicable)

2.2 SACC Manual Clauses

SACC Reference	Section	Date
B7500C	Excess Goods	2006-06-16

3. Term of Contract - Delivery Date

Delivery must be completed in accordance with the call-up against the Standing Offer.

4. Payment

4.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit prices as specified in the standing offer, DDP Destination, freight charges and installation extra and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

The Contractor will prepay transportation costs. Prepaid transportation costs must be shown as a separate item on the invoice, supported by a certified copy of the prepaid transportation bill of lading.

4.2 Limitation of Price

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

4.3 SACC Manual Clauses

SACC Reference	Section	Date
C5201C	Prepaid Transportation Costs	2008-05-12
G1005C	Insurance	2008-05-12
H1001C	Multiple Payments	2008-05-12

4.4 Payment by Credit Card (if applicable)

The following credit card is accepted: _____.

OR

The following credit cards are accepted: _____ and _____.

5. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

2. Invoices must be distributed as follows:

- (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6. Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered:

Delivered Duty Paid -DDP- (as indicated in the call-up) Incoterms 2000 for shipments from a commercial contractor.

7. Delivery Requirements Outside a CLCSA

The resulting (Standing Offer/Contract) is not to be used for deliveries within a Comprehensive Land Claims Settlement Area (CLCSA). All requirements for delivery within a CLCSA are to be submitted to the Department of Public Works and Government Services for individual processing.

(End of page)



ANNEX "A"

MECHANICAL SECURITY SYSTEM SECTION ON BEHALF OF CAPS SPECIFICATION FOR

CAPS 820/12

**VEHICLE GUN RACK WITH ELECTRONIC LOCK FOR
RCMP C8 AND REMINGTON 870 SHOTGUN**

FOR PROCUREMENT CONTRACT PURPOSES ONLY



Table of Content

1	Definition	3
2	General Requirements.....	3
2.1	Design.....	3
2.2	Construction	3
2.3	Welds (where applicable).....	3
2.4	Material.....	4
2.5	Finish	4
2.5.1	Paint Preparation	4
2.5.2	Paint and Color.....	4
2.6	Hardware.....	4
3	Operational Requirements	4
3.1	Installation Flexibility	4
3.1.1	Minimum space available	5
3.1.2	Fleet Marked Vehicles	5
3.2	Mounting Base	6
3.3	Locking mechanism.....	6
3.3.1	Forced and Surreptitious Resistance	6
3.3.2	Electrical Circuit.....	7
3.4	Firearm Support Bracket.....	7
3.5	Guards	7
3.5.1	Trigger Guard	7
3.5.2	Assembly Pins Guard	8
3.5.3	Magazine Guard	8
4	Usability of the Rack Assessment.....	8
5	Installation Instructions.....	8
6	Guarantee.....	8
7	Preparation for Shipping.....	8
8	Inspection and Acceptance	8



8.1	General	8
8.2	Sample.....	9

Annex 1 – C8 Carbine Specification

Annex 2 – Remington 870 shotgun Specification

Annex 3 – Evaluation Criteria



1 Definition

This specification applies to a vehicle gun rack with an electronic delayed lock for securing RCMP C8 carbines or the Remington 870 shotguns with all their accessories. The gun rack must be able to be mounted vertically between the seats where a partition exists and fit in the listed RCMP marked vehicle.

2 General Requirements

2.1 Design

The vehicle gun rack shall consist of mounting plate, a lock mechanism, support bracket and various guards as per this document, forming the rack that can be vertically mounted on the steel portion of partition of a police vehicle. Where space allow for two racks, the racks must be able to be mounted side by side vertically on the steel portion of the partition between the front seats. The driver and passenger must be able to operate the rack closest to them without interfering with each other. The gun rack shall be of rigid, non-flexing design, reliable in operation, ease of adjustment and replacement. The gun rack shall be able to accommodate the RCMP C8 carbine complete with all the accessories as per Annex 1 and a 30 round mag or the Remington 870 shotgun with minimal adjustment. The design shall be such as to provide security, convenience and safety of operation.

2.2 Construction

All parts of the gun rack shall be of rugged construction, properly supported and secured. All surfaces shall be free from sharp edges, burrs and any other safety hazards. All exposed surfaces, including material workmanship, shall be free from characteristics and defects that may render the equipment unsuitable for its intended use. Parts shall be interchangeable and of a good fit with other gun racks from the same manufacturer satisfying this specification. All moving parts shall be treated to resist corrosion and reduce to a minimum the wear of moving parts. Parts touching the firearm must include a protective material in order not to damage or permanently mark the firearms. Components shall be designed and constructed in a manner to permit convenient replacement or repair.

2.3 Welds (where applicable)

All welds shall be structurally sound and free from cracks, surface voids and inclusions. They shall be clean, smooth and uniform in appearance and free from scale, flux or trapped foreign matter, which may be detrimental to the application of primer or finish. All exposed welds shall be ground flush. The



welds are specified on each drawing and should be in accordance with the best industry practice and CSA W59.

2.4 Material

Materials used in the construction of the gun rack shall be of uniform quality and condition, and shall be free from all defects and imperfections that might affect the serviceability and appearance of the finished product.

2.5 Finish

2.5.1 Paint Preparation

Prior to painting, all grease, oil, flux and metal splatter shall be removed from metal surfaces, which shall then be thoroughly cleaned.

2.5.2 Paint and Color

The main component of the gun rack shall have the same finish. The color shall be black matte. The type of paint must be for exterior application with corrosion resistance properties.

The average thickness of the dried film shall be not less than 1.2 mils (0.030 mm), and in no area shall the film thickness be less than 1 mil (0.025 mm), when measured in accordance with CGSB I-GP-71, Method 128.1.

2.6 Hardware

All hardware must be corrosion resistant (zinc plated acceptable) and were applicable a minimum of grade 5. The hardware shall be of the same type where achievable.


3 Operational Requirements

3.1 Installation Flexibility

The gun rack must be installed between the front seats on the steel portion of the partition separating the front and back seat where applicable. The rack must fit both style of partition, flat panel and recess "space saver" panel. The rack must be primarily accessible from the driver seat when the space only allows for one rack to be installed. When space allows for two racks, the second rack must be accessible by the passenger and must not interfere with each other. The gun rack must be versatile and be adjustable to fit marked vehicles in our fleet listed in paragraph 3.1.2.

3.1.1 Minimum space available

The diagram below shows the minimum space available in our current fleet. A two rack installation is preferred, but at least one rack must fit an area of 19" height by 9" wide and 7" deep. Picture taken from a Chevy Impala.



3.1.2 Fleet Marked Vehicles

- Ford Crown Vic - Flat Partition
- Ford Interceptor Sedan - Recess Panel
- Ford Interceptor Utility - Recess Panel
- Chevy Impala - Flat Partition
- Dodge Charger - Recess Panel
- Ford F150/250 Truck - Partition
- Chevy 1500/2500 Truck - Partition
- Chevy Tahoe - Partition



3.2 Mounting Base

The mounting base shall be used as the main point of attachment to the partition with a minimum of three mounting holes with a diameter between 1/4" and 3/8". The lock mechanism, support brackets and the guards shall be mounted to the mounting base. The mounting base must be designed to allow adjustment to those components and the overall assembly.

3.3 Locking mechanism

The locking mechanism must be activated electronically with an 8 second delay (± 2 sec.), and must have a mechanical key override. Where two racks are needed, both locking mechanisms must be able to be activated simultaneously with the same control. If only one firearm is retrieved from its rack the other rack lock mechanism must relock after the 8 second delay by itself. The locking mechanism must be designed with security in mind in order to provide as much resistance possible to the listed attacks below. The locking mechanism must be able to lock the C8 carbine or the Remington 870 shotgun with all their accessories.

3.3.1 Forced and Surreptitious Resistance

The lock mechanism will be assessed for its vulnerability and may be subject to the attacks listed below. Some attacks may be deemed impractical for the type of mechanism and will be removed from the evaluation criteria. The score given to the lock mechanism will be based on the time of resistance of the attack performed as listed in the evaluation criteria.

Picking

To compromise a keyed lock mechanism by manipulating the tumblers, pins or wafers through the keyway in order to open the lock.

Impressioning

To compromise a keyed lock mechanism by using an imprint of a key in order to open the lock.

Bypass

To open the lock using any trick, artifice or other technique to exploit any possible weakness of the lock mechanism.

Bouncing and Impact

To open a container using impulsive force to cause movement or rebound of the locking mechanism.

Drilling



To compromise the lock by creating an opening using rotary tool techniques.

Lock Bolt Attack

To punch or drive the lock bolt or any other part of the locking mechanism from its contact area to allow actuation of the mechanism.

Cutting

To sever any part of the lock mechanism in order to retrieve the firearm.

Prying

To compromise the lock mechanism by separating or deforming the various parts of the lock mechanism.

3.3.2 Electrical Circuit

The electronic circuit must be low voltage maximum 24 volts and be suitable for a vehicle application and must not interfere with the performance of the other electronic components the unit cannot draw more than 10 amps. The lock mechanism can only be activated electronically when the key is in the ignition. The wires powering the lock mechanism must be protected for the full length of the gun rack going towards the floor of the vehicle in such a way to prevent tampering.

3.4 Firearm Support Bracket

The firearm must be supported at two locations, not including the lock. Preferable support areas would be the stock and the foregrip of the firearm. The support bracket must be design in such a way that will minimize the vibration and must not damage the firearm. Those supports must be design to fit the C8 Carbine or the Remington 870 shotgun with all their accessories.

3.5 Guards

The trigger, assembly pin and magazine guards can be made in one piece. The guards must not interfere with the normal operation of the gun rack.

3.5.1 Trigger Guard

A trigger guard must be included with every gun rack. The guard must be design in such a way that the trigger cannot be easily accessible and tampered with. Ideally no part shall go through the firearm trigger guard.



3.5.2 Assembly Pins Guard

An assembly pins guard must be included with every gun rack. The guard must be design in such a way that prevents any assembly hardware to be removed and tampered with.

3.5.3 Magazine Guard

A magazine guard must be included with every gun rack. The guard must be design in such a way that prevents the magazine from being removed and tampered with.

4 Usability of the Rack Assessment

The rack will be installed in marked vehicles listed in section 3.1.2 fully up fitted including a mobile work station and mounting system. Both firearms must be able to be inserted and removed from the rack with ease, repetition and a minimum of interferences with the rack's components and the vehicle accessories'. Preferably this operation along with locking and unlocking should be able to be done with one hand. Refer to the evaluation criteria for the point system.

5 Installation Instructions

A printed installation instruction in English and French of the unit shall be temporarily attached to rack each unit. The instructions shall be easily removable by the user when the method of operation becomes familiar.

6 Guarantee

Unit should be free from defects or workmanship for a period of 3 years.

7 Preparation for Shipping

Unless otherwise specified in the purchase documents, commercial packaging, labeling, packing and marking shall be acceptable.

8 Inspection and Acceptance

8.1 General

Unless otherwise stipulated in the NISO, it is the prime contractor's responsibility to satisfy the inspection authority that the commodity conforms to this specification. This may be accomplished by performing an inspection of a sample.



8.2 Sample

A sample of the gun rack is required for the inspection of the article as part of the RFSO. This sample shall be inspected and tested by RCMP.



Appendix 1 – C8 Carbine Specification

RCMP 5.56 x 45mm NATO Colt C8 Carbine Specification

Colt C8 (15.7") Integrated Upper Receiver (IUR)

General Specifications of IUR:

- Semi-Automatic (No full auto. lower receiver parts/modifications required)
- Bolt Carrier to be C7-C8 pattern/type Colt Part #: 62 286 (no AR type modifications, standard full auto bolt carrier)
- Standard Magazine Catch Colt Part #: 61 604
- Rifle Receiver to have RCMP- GRC corporate markings/insignia
- Receiver Fire Control Markings to be legible on both sides of receiver i.e. Fire & Safe, F & S etc. Depth .020" min.
- Firearms to be delivered with long term preservative oils/chemicals omitted if possible.

Upper Receiver:

1. Integral flush cup sling swivel adaptors to be added to IUR at rear of rail/upper receiver (flush with surface). Adaptors must be manufactured from steel, suitable to the application.
2. Upper receiver requires feeding cuts to allow LE hollow point munitions to feed reliably (i.e. Similar to Colt USA M4 feed cuts).
3. Charging handle upgraded to: Colt Charging Handle Assembly, Tactical Part #: 11080C-1
4. Ergo 18 - Slot Ladder Low Pro Rail Covers, package of 3 covers Colour Black (BK) Item #: 4373-3PK to protect rail and user form rail interface

Lower Receiver:

1. Aftermarket Trigger Guard: Magpul Enhanced Trigger Guard "Aluminum" Item #: MAG015
2. Colt Canada Selector Group, Fire Group, Ambidextrous – Semi-automatic – Part # 15345C-1.
3. Aftermarket Pistol Grip: Ergo Grip Suregrip Ambidextrous for AR15/M16 Item #:4005 Colour Black (BK)
4. Aftermarket Stock Plate for sling mounting: Tactical Link X-180 Item #: 1MS180

5. Stock Adjustment; Six Position Receiver Extension

6. Sliding Butt stock Assembly & Rubber Butt pad

Ancillaries:

Requirement	Market comparable	
	Manufacturer	Model / Part No.
Colt OEM substitutions		
Trigger assembly / fire control	Geissele Automatics	05-101 Super Semi-Automatic Trigger
Rear folding iron sight	Troy Industries	SSIG-FBS-R0BT-00 Flip-up Iron Sight
Collapsible stock	Lewis Machine & Tool	L7LA2BA SOPMOD Buttstock
Sub-total: OEM substitutions		
Ancillaries		
Optical sight	Aimpoint	CompM4s
	Aimpoint	EPM01 Reinforcement Rings
	Aimpoint	12223 Front Flip-Up Lens Cover
	Aimpoint	12224 Rear Flip-Up Lens Cover
Sight mount	LaRue	LT-659 Quick Disconnect Tactical Mount
Tactical light	Surefire	M600C Scout Light
Light mount	LaRue	LT-752 Tactical Offset Quick Disconnect Mount
Vertical fore-grip	TangoDown	BGV-MK46K Stubby Vertical Grip, Black
Sling	Blue Force Gear	VCA-125-BK Vickers Combat Application Sling
		Push Button Sling Swivel
		SOC-C-PB-XX Push Button Adapter
		IWC-TRG-BFG Push Button Triglides

Magazine:

Colt Canada Aluminum with Magpul Anti-tilt follower and L-Plate





Appendix 2 – Remington 870 shotgun Specification

SHOTGUN, 12 GAUGE, STANDARD STOCK

DETAILED DESCRIPTION

Remington, Model No. 870P (Police), 12 gauge 3" chamber with a **18 inch** improved cylinder bore barrel, sight option as specified, **R3** recoil pad, Parkerized finish. Stock and Forend to be Solid Synthetic material or Remington Synthetic material, standard shape stock.

SHOTGUN BARREL OPTIONS

Rifle Sights

Remington Part Number: 4417

Description: 870 Police 12 ga. 18"(inch) Barrel, Parkerized Finish, Improved Cylinder(IC) Choke, Rifle Sights, Speed Feed Stock (Standard Configuration), R3 Recoil Pad and Front/Rear Swivel Studs.

Bead Sights

Remington Part Number: 4403

Description: 870 Police 12 ga. 18"(inch) Barrel, Parkerized Finish, Improved Cylinder(IC) Choke, Bead Sight, Speed Feed Stock (Standard Configuration), R3 Recoil Pad and Front/Rear Swivel Studs.

ANNEX "B" - Price List

Initial Unit Price \$ _____

Option Year 1 \$ _____

Option Year 2 \$ _____

Option Year 3 \$ _____

Option Year 4 \$ _____

Evaluated price: \$ _____

The lowest evaluated price will be determined as follows: Sum of unit prices of each year (including the option years) divided by total number of possible years (5 years)

Annex “D” - Environmental Attributes

The purpose of this questionnaire is to assist the Government of Canada (GoC) in understanding the industry's progress in greening its supply chain and operations.

Canada is committed to greening its supply chain. In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to acquire products and services that have a lower impact on the environment than those traditionally acquired. Assessing the environmental impact of a product or service involves considering the whole life cycle of the product or service, from the extraction of the raw material to its disposition at the end of its useful life.

GoC wants to understand how the industry has progressed in greening its own supply chain and operations and the goods and services it provides. Upcoming bid solicitations may include evaluation criteria (either mandatory or rated) or contractual requirements related to the environment and GoC is currently gathering information so that it can consider appropriate environmental evaluation criteria and/or contractual requirements for future procurements.

Questionnaire

Please fill out the questionnaire on the following pages and return it with your bid.

	Yes	No	Expected Completion Date	Additional Comments
General Environmental Considerations Required for All Services				
Invoices, correspondence and/or draft reports are sent and processed electronically				
Uses electronic signatures to reduce paper consumption				
Paper is certified as originating from a sustainably managed forest and/or has a minimum of 30% recycled content				
Travel policy includes environmental considerations (e.g. Statement of preference for travel type that minimizes environmental impact including use of hybrid vehicles and environmentally preferable fuels).				

	Yes	No	Expected Completion Date	Additional Comments
Supplier Environmental Attributes				
Policies and Programs				
Environmental management policies and practices				
Effective waste disposal programs				
Action programs and performance measurements in place to address major environmental impacts associated with service delivery. If yes, please provide examples.				
Regularly reporting on greenhouse gas emissions. If yes, please provide sample report.				
Regular completion of waste audits				
ISO 14001 certification or an equivalent (please specify) that indicates certification of supplier process				

	Yes	No	In progress (% completed)	Additional Comments
Supplier Operations when delivering a Service				
Travel (if applicable)				
Minimization of travel during service delivery (e.g. via use of video/telephone conferencing and/or use of local employees)				
Accommodation preference for green-rated hotels, where value for money is demonstrated				

	Yes	No	In progress (% completed)	Additional Comments
Specification relating to goods and equipment used in delivery of Service				
Energy Star qualified products such as Office Equipment, Lighting, Products, HVAC Equipment, Consumer Electronics, Appliances, etc. (Note: For complete list of Energy Star qualified products and information and tools.				
Packaging (if applicable)				
Reduction of packing material. Specify.				
Recycled material used in packaging. Specify %.				
Supplier has take-back programs for packaging.				
Reduction/elimination of toxic material in packaging				



ANNEXE E – Evaluation Criteria

General Criteria			
Criteria	Evaluation	Points System	Earn Pts.
1. Overall design and construction *Refer to SOW para. #2.1 and 2.2	The gun rack must be free of the following deficiencies: <ul style="list-style-type: none"> - sharp edges, burrs - any other safety hazards - defects that may render the equipment unsuitable for its intended use - cracks, surface voids and inclusions. - uneven welds - scale, flux or trapped foreign matter - weld detrimental to the application of primer or finish - some components not properly supported - some components are damaging the firearm 	10 pts. Fully compliant 5 pts. The rack shows minor deficiencies. Maximum two deficiencies as per evaluation paragraph. 3 pts. The rack shows moderate deficiencies Maximum 3 deficiencies as per evaluation paragraph. 0 pts. The rack shows major deficiencies Minimum 4 deficiencies as per evaluation paragraph.	
2. Finish *Refer to SOW para. #2.5	Prior to painting, all grease, oil, flux and metal splatter shall be removed from metal surfaces, which shall then be thoroughly cleaned. The average thickness of the dried film shall be not less than 1.2 mils (0.030 mm)	5 pts. Fully compliant 3 pts. The finish shows an area with minor deficiencies. 0 pts. The finish shows areas with moderate deficiencies, or the average film thickness is below 1.2 mil.	
Total earn points			



Operational requirement (refer to paragraph 3)			
Criteria	Evaluation	Points System	Earn Pts.
Installation			
<p>3. Installation versatility, and adjustment and mountable side to side.</p> <p>*Refer to SOW para. #3.1 and 3.2</p>	<p>The rack will be installed in marked vehicle listed in section 3.1.2. The rack must be versatile and allow adjustment to fit on both partition style and offer enough adjustment and not interfere with the existing accessories. (E.g. armrest, laptop console, etc.) Where two racks are needed, the rack must be able to be mounted side to side on both partition style and can be operated by the driver and passage without interfering each other.</p>	<p>15 pts. Fully compliant</p> <p>10 pts. Fit on both style of partition, mountable side to side, but interferes slightly with existing accessories or, with each other.</p> <p>5 pts. Fit only on one style of partition no interference</p> <p>3 pts. Fit only on one style of partition, but interferes slightly with existing accessories or, with each other.</p> <p>0 pts. Does not fit on the partition or interferes heavily with existing accessories.</p>	
<p>4. Rigid, non-flexing design rugged construction, properly supported and secured</p> <p>*Refer to SOW para. #3.2, 3.3, 3.4 and 3.5.</p>	<p>The rack installed as per the manufacturer instruction must be rigid and non-flexible. All components, (mounting base, lock mechanism, support brackets and the guards) must be properly supported and secured.</p>	<p>5 pts. Fully compliant</p> <p>3 pts. Rigid and non-flexible, but some components are not properly support causing malfunction in the operation.</p> <p>0 pts. Not rigid and flexible and components are not properly support causing malfunction in the operation.</p>	
<p>5. Installation instruction</p> <ul style="list-style-type: none"> - English - French <p>*Refer to SOW para. #5</p>	<p>Installation instruction must be complete and each step must be described. Must be supplied with every rack in English and French.</p>	<p>5 pts. Fully compliant</p> <p>3 pts. Complete and each step are described, but only supplied in one language.</p> <p>0 pts. Installation instruction not complete.</p>	

Lock Mechanism			
<p>6. Fitment - C8 - Shotgun</p> <p>*Refer to SOW para. #3.3</p>	<p>The lock mechanism can accommodate both the C8 and the Remington 870 shotgun with minimal field adjustment. The firearms must fit snugly in the lock mechanism and it must stay in place during patrols. The lock must operate smoothly at all times.</p>	<p>15 pts. Fully compliant and no field adjustment. 10 pts. Fully compliant with small field adjustment. 5 pts. Can accommodate both firearms, but: - does not fit snugly in the lock mechanism or, - the lock does not operate smoothly. 5 pts. Can only accommodate the RCMP C8 Carbine. 0 pts. Cannot accommodate listed firearm, or the firearms doesn't fit snugly in the lock mechanism and the lock doesn't operate smoothly.</p>	
<p>7. Electronic Release Delay</p> <p>*Refer to SOW para. #3.3</p>	<p>The lock mechanism can be electronically release and a have a delay between 6 to 10 seconds before relocking itself. If the firearm is untouched and still in the rack the lock must be able to relock without interaction from the user.</p>	<p>5 pts. Fully compliant 3 pts. Delay within range, but intermittent relock. 0 pt. Not in delay range, and does not relock most time.</p>	
<p>8. Two rack simultaneously release capability</p> <p>*Refer to SOW para. #3.3</p>	<p>When two racks are used both lock mechanisms can be release simultaneously, and if only one firearm is retrieve, the lock will relock after the delay.</p>	<p>5 pts. Fully compliant 3 pts. Delay within range, but intermittent relock. 0 pt. Not in delay range, and does not relock most time.</p>	
<p>9. Security - Force - Surreptitious</p> <p>*Refer to SOW para. #3.3</p>	<p>The lock mechanism will be access for its vulnerability and may be subject to the attack listed in section 3.3.1. Some attack may be deemed impractical for the type of mechanism and will</p>	<p>15 pts. The lock mechanism offer resistance minimum of 5 minutes during each attacks performed. 10 pts. The lock mechanism offer resistance between</p>	

	be removed from the evaluation criteria. The score given to the lock mechanism will be based on the time of resistance of the attack performed as listed in the evaluation criteria. The skill level of the atticipate attack is a semi-skilled amateur.	5 pts. 0 pts.	5 and 3 minutes during each attacks performed. The lock mechanism offer resistance between 3 and 1.5 minutes during each attacks performed. The lock mechanism only offers resistance up to 1.5 min during each attacks performed.	
10. Electrical Circuit *Refer to SOW para. #3.3.2	The electronic circuit must be low voltage and draw less than 10 amps without interfere with the performance of the other electronic components in the vehicle. The wires powering the lock mechanism must be protected for the full length of the gun rack going towards the floor of the vehicle preventing tampering.	5 pts. 3 pts. 0 pts.	Fully compliant. When the lock mechanism is activated it causes minior interference with other electrical components, or the wires are not completely protected. When the lock mechanism is activated it causes major interference with other electrical components, or the wires are not protected.	
Support Bracket				
11. Overall Support - C8 - Shotgun Minimize vibration Minimize damages to firearm. *Refer to SOW para. #3.4	The support brackets can accommodate both the C8 and the Remington 870 shotgun with minimal field adjustment. The firearms must fit snugly in the support bracket and it must stay in place during patrols. The lock must operate smoothly when the firearm in inserted in the support bracket.	15 pts. 10 pts. 5 pts.	Fully compliant and no field adjustment. Fully compliant with small field adjustment. Can accommodate both firearms, but: - does not fit snugly, causing the firearm to vibrate and coming loose in the rack and damaging the firearm. or, - the lock does not operate smoothly.	



		5 pts.	Can only accommodate the RCMP C8 Carbine with no other deficiencies.	
		0 pts.	Cannot accommodate listed firearm, or does not fit snugly, causing the firearm to vibrate and coming loose in the rack, damaging the firearm and the lock does not operate smoothly.	

Guards				
12. Fitment - C8 - Shotgun *Refer to SOW para. #3.5	The guards can accommodate both the C8 and the Remington 870 shotgun with minimal field adjustment. The guards must not interfere with the normal operation of the gun rack.	5 pts. 3 pts. 0 pt.	Fully compliant and no field adjustment. Fully compliant with small field adjustment. Cannot accommodate listed firearm.	
13. Protection - Assembly pins - Magazine - Trigger *Refer to SOW para. #3.5	The guard must be design in such a way that the following componenets: 1) assembly pins 2) magazine, and 3) the trigger cannot be easily accessible and tampered with. Ideally no part shall go through the firearm trigger guard.	15 pts. 10 pts. 6 pts. 3 pts. 0 pt.	Fully compliant Fully compliant but the guard(s) goes through the trigger. Only 2 of the 3 components are protected. Only 1 of the 3 components is protected. No protection	
Total earn points				



Usability of the Rack (refer to paragraph)			
Criteria	Evaluation	Points System	Earn Pts.
Installation			
14. Inserting and removing the firearms *Refer to SOW para. #4	The rack will be installed in marked vehicle listed in section 3.1.2. Both firearms must be able to be inserted and removed from the rack with minimum interferences with the rack component and the vehicle accessories'. Preferably this operation along with locking and unlocking should be able to be done with one hand.	15 pts. Fully compliant with one hand. 10 pts. Fully compliant, but two hands are needed. 6 pts. Operation can be performed, but with moderate interference, causing this operation to be awkward. 3 pts. Operation can be performed, but with lots of interference causing this operation to be difficult. 0 pt. Operation can't be performed due to high interference.	
Total earn points			

Summary (Totals)		
Criteria Section	Percentage	Earned points
General	33.3	
Operational requirement	33.3	
Usability of the Rack	33.3	
Total		