

GUIDE TO ASSEMBLY & USAGE

**T2
Sack
Truck
Assembly**



Information

If in doubt, contact supplier:

- Read this guide thoroughly before commencing assembly and retain for future reference.
- Before Commencing assembly, unpack carefully and check that all components ordered are included.
- You may need a mallet during assembly.

Caution

During assembly, ensure to:

- Take care during assembly and in use, particularly when lifting or stretching, and when using tools.
- Wear appropriate clothing - protective gloves and footwear are recommended.
- Dispose of packaging materials responsibly.

Warning

Rules for safe use:

- Ensure these instructions are retained for reference and that users are aware of the rules for safe use.
- Never attempt to pack a load above the recommended weight capacity, or that you cannot handle - get help or split the load.
- Ensure you are in full control of the truck when in movement at all times.
- Not for use on stairs.
- If you have to move loads around the corridors then get somebody else to open fire doors for you.
- Never intentionally create large loads when a number of small loads is a safer alternative.

Tel: 0191 500 6000

Email: info@rhinoracking.co.uk

Component

Check List



- A** Body x 1
- B** Wheels x 2
- C** Washers x 2
- D** End Caps x 2

Note: Illustrations not to scale

If you have any missing or damaged components please take note of the part name and contact your supplier.

1



Slide wheels **B** on to the axle,
on both sides of the body **A**

2



Slide washers **C** on to the axle,
one next to each wheel **B**

3



Cap the end of each axle with the end caps **D**
Secure in place with a mallet if required.

4



Your truck is now complete.



Tel: 0191 500 6000

Email: info@rhinoracking.co.uk