

Medicines that can help a patient to find Rhinitis and seasonal allergies

Ciplactin 4mg is prescribed for those that suffer from Rhinitis, allergic conjunctivitis etc. When a patient is consuming this medicine, he may gain weight as this medicine stimulates appetite. Cyproheptadine Hydrochloride is the main ingredient of this medicine and the patients that are allergic to this ingredient must not consume this. The dosage for the adults must not exceeded 4mg three times a day.



The dosage for the child of age between 7 to 14 years must not consume [Ciplactin 4mg](#) more than twice a day. But the dosages depend on the patient and the condition of the patient. The side effects of this medicine start from hallucination to cardiac arrest and eventually death! This medicine highly effects with alcohol, tranquilisers and sedatives. So the patients that are having sedatives and other such stuff must not consume this medicine! As the rest can be fatal, patients should follow the prescription to the T.

Medicine to fight Rhinitis

Deslor 5mg is prescribed for the patients suffering from seasonal allergy and Rhinitis. This is an antihistamine tablet and can only be consumed after prescribing by the doctor. Children over the age of 12 and adults can have a dosage of 5 mg per day. The patient must not consume the medicine for longer period of time. If one dosage is missed, the patient should not take it again with the next one, a missed dosage should be missed.



Dry mouth and fatigue can be seen in the patients. Some more side effects can also be seen. If you have swell lips or having continuous breathing problem, you should call for immediate medical attention. This medicine can instigate your appetite and hence gaining a little weight can be possible. So the patient must check the weight while having medicine. If the patient has kidney and liver related problems, he mustn't consume [Deslor 5mg](#).

Medicine for allergic reactions

Alerid 10mg is a medicine that blocks the work of histamine. Histamine is a substance that instigates allergic reactions. This antihistamine tablet cures sneezing, running nose and control fever sometimes. The medicine must be taken by the prescription of the doctor. The patient can have the medicine with water and can be taken with food or without food. Dizziness, nausea, fatigue can

be seen in the patients using this medicine. In some major cases, vomiting and diarrhoea can also be seen.



Some severe side effects can be seen. If the patient faces breathing problems or low vision or insomnia, then the patient must take immediate medical attention. [Alerid 10mg](#) is not suitable for every people of every age! If the patient is a breastfeeding mother or a mother to be, then it is highly recommended that she consults her doctor.