



PRODUCT CATALOG SAFETY EQUIPMENT



#5 LUZON ST. FILIPINAS VILLAGE, MALANDAY, MARIKINA CITY 1805
9482516 • 9482517 • JRCJID@YAHOO.COM • [FACEBOOK.COM/JRCIS](https://www.facebook.com/JRCIS)



TABLE OF CONTENTS

	ARC FLASH PROTECTION Arc flash head gear, electrical gloves, electrical sleeves, clamp and blankets	2
	BODY PROTECTION Aluminized Suit, Aprons & Sleeves, Chemical Suit, Cover-all Suit, Disposable clothing, Ergonomics, Freezer Clothing, Hoods, Rainwear	3 - 4
	CHEMICALS, FLUIDS & LUBRICANTS Anti-Seize, Cleaners, Crack Detector, Coolants, Cutting Fluids, Degreasers, Kolor Kut, Lubricant, Markers, Metal & Special Preparation, Oils, Penetrants	5 - 6
	EYE & FACE PROTECTION Face Shields, Safety Goggles, Safety Spectacles	7 - 12
	FACILITY MAINTENANCE Electrical, Ladders, Lighting, Lockout Tagout, Material Handling & Storage, Security, Signs/Tags & Labels, Spill Control, Waste Receptacles	13 - 15
	FALL PROTECTION Harnesses, Lanyards/Lifelines, Lineman's Equipments, Safety Belts	17 - 18
	FIRE PROTECTION Fireman Helmets, Hoods, Gloves, Coats, Pants, Boots, Sleeves, Gloves and Suits, Fire axe, Fire hose, Fire nozzles, Fire blankets, Aluminized Suits	19 - 20
	FIRST AID/EMERGENCY RESPONSE Emergency Showers/Eyewash, First Aid Supplies, Marine Safety, Stretchers, Rescue Equipment	21 - 23
	FOOT PROTECTION Safety Shoes, Safety Boots	24 - 27
	HAND PROTECTION Chemical Resistant Gloves, Cut Resistant Gloves, Electrical Gloves, Disposable Gloves, General Purpose Gloves, High Temperature Gloves, Leather Working Gloves	28 - 31
	HEAD PROTECTION Bump Caps, Hard Hats & Accessories	32
	HEARING PROTECTION Earmuff, Earplugs	33 - 34
	RESPIRATORY PROTECTION Dust Masks, Full and Half Face Gas Masks, SCBA	35 - 38
	TRAFFIC SAFETY Barricade Tapes, Traffic Cones & Barriers, Traffic Vests & Apparels, Directoral Lights	39 - 41
	WELDING SUPPLIES & SAFETY Welding Electrodes, Arc Welding, TIG Welding, Gas/Cutting, Welding Goggles, Welding Masks, Welding Clothing, Welding Gloves, Welding Blankets/Curtains	42 - 45



ARC FLASH PROTECTION

ARC FLASH HEAD KIT



The **Salisbury Pro-Shield Hard Hat** has a **face shield**, chin cup and slotted dielectric bracket to fully protect your head. Together, these items protect you while doing work that has a potential arc thermal protection value (ATPV) rating of 15cal/cm or less. The face shield is a light-enhancing amber color and should not be used for electric arc welding. The face shield is made of a propionate plastic and chemical alloy, and has a window opening of 10"H x 14"W. The shield is 0.06" thick, absorbs 99.9% of UV rays and has anti-fog treatment on both sides. The

Honeywell **SALISBURY**

ELECTRICAL INSULATING GLOVES



White
Available in 10 KV (14", 16" & 18"), 20 KV (16" & 18"), (**USA**)



NORTH

North
Available in 5 KV (14"), 10 KV (14", 16" & 18"), 20 KV (18"), (**USA**)

CLASS	TEST AC VOLTS
00	2,500
0	5,000
1	10,000
2	20,000
3	30,000
4	40,000



SALISBURY

Salisbury
Available in 20 KV, 30 KV and 40 KV(16") (**USA**)



SPERRAN

Electrosoft
Available 2.5 KV, 5 KV, 10 KV, 30 KV, 40 KV (**FRANCE**)



NOVAX

Novax
Available 2.5 KV, 5 KV, 10 KV, 20 KV, 30 KV, 40 KV

ELECTRICAL INSULATING SLEEVES / BLANKET



Electrical Sleeves
10, 20, 40 KV



Blanket Clamp Pin



SALISBURY

Electrical Blanket
20, 40 KV (36 x 36)



Leather Protector
Worn over electrical gloves



BODY PROTECTION

CHEMICAL PROTECTION



Lakeland 3 ChemMAX

Also available
- **apron style**
and **apron with long sleeves**



Lakeland Interceptor

Fully encapsulated front entry vapor-protective suit (Level A), expanded back, sealed seams inside and out, 48" zipper, double storm flap with hook and loop, 2 layer faceshield (10 mil Teflon/40 mil PVC), Anti-Reversing Butyl and North Silvershield glove system, 2 exhaust valves, attached sock boots with boot flaps, 1.5" waist belt with 3 belt loops sewn (inside) and sealed.



Rivercity Dominator

Tough nylon scrim material double coated with 2 thick layers of PVC, Flame resistant **3881**-coverall, .42mm, PVC/HT Poly/PVC, zipper front w/ double storm flap, attached hood **2981** -.35 mm green PVC on polyester fabric



Rivercity Concord

Premium quality neoprene, Flame resistant, double stitched and taped **800JH** - Yellow jacket with attached hood and snap storm fly front.



Rivercity Hydrblast

two-piece suite offers excellent strength made of a lightweight double-coated material. **8402** - rainsuit & neoprene



Koken CS-1
Jacket & Pants
(Light Blue) Japan



Dupont Tychem C



Nitrile Rubber Apron



PVC sleeves and apron



Lakeland MacroMAX



Kleenguard A20
Kleenguard A40
Anti - static with zipper front



Dupont Tyvek and Dupont Nexgen
(anti-static)



Also available:
Dupont Shoe cover
and
Dupont Bouffant Cap



Vinyl Apron
(transparent)



BODY PROTECTION

WORKWEAR



Coverall Suit
Cotton twiddle in
white, blue,
orange, gray



Cold Storage Jacket
with fixed hood
(nylon or cotton)



Cold Storage Pants
(nylon or cotton)



**Cryo Apron
and gloves**



Back Support Belt
(S - XL)



Kneepads

RAIN AND SPLASH PROTECTION



SIT material
2620ST - Knee length
2030ST/2654ST - Jacket &
pants



Transparent
- Knee length
- Jacket & pants



**Reflective Neon
Green Rainwear**
- Jacket & pants



Panoply Rainwear
Polyester with PVC
coated jacket and
pants in navy blue,
yellow, green



Poncho
Army type,
Transparent or SIT
material



CHEMICALS, FLUIDS, & LUBRICANTS



LPS OFFERS HIGH PERFORMANCE CHEMICAL PRODUCTS SUCH AS:



A. LUBRICANTS/ PENETRANTS:

LPS No. 1
LPS No. 2
LPS DRY FILM
LPS MAGNUM
LPS No. 3
LPS TKX

LPS SILICONE
LPS HARD COAT
LPS PROCYON
LPS FORMULA (B-1007)
LPS CHAIN MATE
LPS FORCE 842
LPS 500 PLUS
LPS MOLD RELEASE

- > dry film greaseless lubricant
- > wet film heavy duty lubricant
- > dry film PTFE lubricant
- > wet film PTFE lubricant
- > premier rust inhibitor
- > all purpose penetrant, lubricant and protectant
- > high performance lubricant
- > hard film rust & corrosion protection
- > corrosion inhibitor
- > heavy duty avionic corrosion inhibitor
- > chain wire rope lubricant
- > wet film moly lubricant
- > dry film moly lubricant
- > MR 450



LPS BELT DRESSING
LPS ANTI-SPATTER
LPS WHITE LITHIUM
LPS TORQUE LST PENETRANT

B. CLEANER:

LPS CONTACT CLEANER 140
LPS PSC
LPS NO FLASH ECC
LPS CFC FREE ECC
LPS MICRO-X

- > low surface tension fast penetrating action

C. DEGREASER:

LPS ISC
LPS SUPER 140
LPS A- 151
LPS ZERO TRI-SUPER CLEANER
LPS F-104
LPS CABLE CLEANER
LPS TRI-FREE BRAKE CLEANER
LPS PRE-SOLVE



LPS Q.B.
LPS ICG

- > instant contact cleaner/ degreaser
- > penetrating degreaser, h.d.
- > cleaner / degreaser
- > heavy duty degreaser
- > fast dry cleaner / degreaser
- > cable degreaser
- > No CFC
- > multi-purpose cleaner (water based or concentrate)
- > precision duster
- > instant cold galvanize (concentrate and pre-mixed)



CHEMICALS, FLUIDS, & LUBRICANTS



D. ANTI-SEIZE:

- LPS
- LPS
- LPS

- all purpose , anti-seize
- copper, anti-seize
- nickel, anti-seize

E. CUTTING FLUID:

- LPS TAPMATIC No.1
- LPS TAPMATIC, NATURAL
- LPS TAPMATIC, AQUA CUT
- LPS TAPMATIC, TRIPLE-E CUTTING FLUID
- LPS TAPMATIC, DUAL ACTION
- LPS TAP-ALL



WE ALSO OFFER INDUSTRIAL MAINTENACE CHEMICALS FOR:

A. METAL PREPARATION:

- RUST REMOVER
- CORROSION PREVENTIVE
- ANTI-RUST COATING
- RUST CONVERTER & METAL CONDITIONER

H. OILS

- SILICON OIL

I. KOLOR CUT:

- WATER FINDING PASTE
- GASOLINE GAUGING PASTE



B. INDUSTRIAL DEGREASER:

- ELECTRO SOLV
- STANDARD SOLVENT DEGREASER
- WATER SOLUBLE DEGREASER
- EMULSIFIABLE DEGREASER
- COLD TANK DEGREASER & CARBON REMOVER

J. SKIN TECT & SKIN TECT PLUS

- = invisible second skin



K. Markers

- Nisse and Dykem Dalo industrial marker



K. Temperature Indicator

- Tempilstik - temperature measurement. USA

C. LUBRICANT:

- PENETRATING OIL
- OPEN GEAR LUBRICANT
- HIGH TEMP GREASE (MOLYBDENUM DISULFIDE OR RED)
- WIRE ROPE LUBRICANT

L. Tigkleen - heat stain remover for TIG welding



M. Weldwell Flux

- Duzall Soldering Flux
- 509 Flux
- AMCO-49 Aluminum

D. COOLANT

- CUTTING OIL (WATER SOLUBLE)
- BOLIER & COOLING SYSTEM DESCALER
- RADIATOR CLEANER

N. Devon (Steel, Aluminum, Stainless Steel Putty)



O. Crack Detector (Penetrant, Cleaner, Developer)

- Magnaflux, Taseto, Dynaflux

E. INSTITUTIONAL PRODUCTS:

- MULTI-PURPOSE CLEANER
- TILE & BOWL CLEANER
- LIQUID DRAIN OPENER

F. SKIN TECT & SKIN TECT PLUS

- = invisible second skin

G. SPECIAL PREPARATION:

- INSULATING VARNISH (RED & CLEAR)
- STEAM CLEANER
- CEMENT REMOVER

Method of Application		
Item	Figure	Application
Pre-cleaning		Remove oil, grease and dirt off the test surface with the remover to let flaws open, and then dry the surface well.
Penetration		Apply the dye penetrant over the test surface. --Normal dwelling time is the range of 5 to 20 minutes. If the test is performed under cold temperatures, increase the dwelling time.
Cleaning		Wipe off superficial dye penetrant with a waste soaked with the remover. -- If you used the water washable penetrant, spray shower water.
Developing		Apply a thin coat of the well agitated developer to the test surface. -- Normal developing time is 7 to 30 minutes.
Inspection		Evaluate flaw indication after the developer has dried.





EYES & FACE PROTECTION

FACE SHIELDS

Honeywell NORTH 



FM F500
with
4199



FM F400
with 4178



FM F300
with 4118



FM FH66 -
Aluminum
attachment
FM70 - ABS
attachment
hardhat sold
separately



FM 4199
Extended View,
Proportionate,
.060" thickness,
9 3/4 x 19".



FM 4178
Wide View
Proportionate,
.060" thickness,
8 x 16 1/2"



FM 4118
Standard View
Window,
Proportionate,
.060" thickness,
8x 11 1/4



A2 - Impact resistance,
ABS attachment.

A3 - Semi-aluminum
attachment

A4- All aluminum
attachment



FS- 801
Impact-resistant,
Adjustable headgear
economic type



FS- 802
Impact-resistant,
Fixed front
economic type



FS- 832
Disposable, light
weight faceshield



K-4
Impact-resistant
ABS browguard, use
with "K" series
visors, with HG4



B1
Impact-resistant
ABS browguard, use
with "FC"
series



B1 with FC-83
Face shield with
chin guard



B1 with FC-29
Face shield with
screen mesh visor



H-85 with VC-25
Impact Resistant
Face shield



FC25 - Protection against chemical splash
and light impact. Clear, 8" x 12" x 0.8mm

FC45 - Protection against chemical splash
and light impact. Clear, 8" x 15" x 0.8mm.


FC28 - For heat and impact resistance.
Clear, 8" x 12" x 1.0mm.

FC48 - For heat and impact resistance.
Clear, 8" x 15" x 1.0mm.



FC29 - STEEL MESH 8" x
12", aluminum bound.

FC49 -STEEL MESH 8" x 15",
aluminum bound.



FC28G - For heat and impact
resistance. Green, 8" x 12" x 1.0mm.

FC48G -For heat and impact
resistance. Green, 8" x 15" x 1.0mm.



EYES & FACE PROTECTION








SAFETY GOGGLES

Safety goggles are constructed of soft, comfortable vinyl with a wide adjustable headband for maximum comfort and durability. With polycarbonate lenses that meets all appropriate safety regulations and impact standards. Lenses provide 99% UV protection and exceed **ANSI Z87.1** requirements; **CE EN166** certified. All goggles are available with anti-fog lens.

 <p>BE-8008 - Wide vision direct ventilation, general purpose</p>	 <p>BE-8008-B - Wide vision indirect ventilation, chemical</p>	 <p>BE SG-131 - Widevision, Anti-dust and impact</p>	 <p>BE SG-131 - Widevision, chemical</p>
 <p>Yamamoto 900-A Rubberized, anti-fog</p>	 <p>Uvex Ultrasonic Sporty wide vision</p>	 <p>Astro Crystal PVC</p>	 <p>ENCON 160 Chemical splash</p>
 <p>Twin Lens Dust Goggles Green Nylon frame, PC lens with anti-scratch coating</p>	 <p>AO Centurion Wide vision, anti-fog.</p>	 <p>Koken 2503 Wide Vision, High Elastic Band</p>	 <p>Koken 294 Cup Style Goggles, In Clear, Smoke, Amber Lens</p>
 <p>Wings Rubberized goggles (KOREA)</p>	 <p>Koken 2501 PVC frame with comfort foam, scratch Resistant</p>	 <p>Koken 295 Rubberized sport</p>	 <p>Uvex Futura Wide vision</p>

SAFETY SPECTACLES

General working conditions for safety spectacles where there is a low risk from dust, chips, fragments or flying particles. These spectacles are designed for a comfortable fit that won't compromise safety. Coated PC lenses filter 99.9% of all harmful UV light and feature high impact, scratch resistant lenses and FOG-FREE coating. These glasses meet or exceed current **ANSI** and **CE** requirements and are manufactured to the highest standards. Safety spectacles are inexpensive, stylish, lightweight, and comfortable for a labor-intensive environment. And we offer a full range of stylish and functional eyewear accessories from various brands and models to choose from.

 <p>Spectacle Cord Hard with clip</p>	 <p>Magnetic Closure Prescription Glasses Available in different grades and colors</p>	 <p>Tacoma White/black frame, clear or gray lens</p>	 <p>Tomahawk Black frame; clear lens</p>
 <p>Spectacle Case Hard with clip</p>	 <p>Excalibur Blue/red/white frame, clear, amber, gray or mirror lens</p>		



EYES & FACE PROTECTION

Enco
SAFETY PRODUCTS



Apollo
Black frame, Clear or
smoke lens



Crimson
Red/black frame,
clear or smoke lens



Cohen
Gray/red frame,
clear lens



Calypso
Yellow/black frame,
clear or gray lens



Cypher
Jelly blue frame,
clear lens



Dirk
Metal gold frame,
clear lens



Eclipse
Black frame,
clear lens



Exodus
White/black
frame, clear lens



Falcon
Black frame,
clear lens



Furion
Black frame,
clear lens



Gemini
Black frame, clear
or green lens



Golem
Black frame, clear
or green lens



Grifter
Black frame,
clear lens



Hawkeye
Black or blue /black
frame, clear lens



Hercules
Black frame,
clear lens



Hueston
Light brown frame,
clear lens



Janus
Brown/red frame,
clear lens



Jupiter
Black frame, clear
lens



Kronik
Clear frame, clear
lens



Lyger
White/orange
frame, clear lens



Magnator
Black frame, clear,
mirror or gray lens



Moonwalker
Brown frame,
clear lens



Morpheus
Gray frame,
clear lens



Nemik
Smoke or White frame,
mirror or clear lens



Octane
Black frame,
clear lens



Onyx
White frame, clear
or gray lens



Optimus
Black frame,
clear lens



Oxide
Black frame,
clear lens



Spyke
Black frame,
clear lens



Raxwel
Black frame, clear
or amber lens



Shockwave
Black/red frame,
mirror lens



Titan
Black/orange
frame, clear lens



Torque
Black/gray
frame, clear lens




Tuffspec
White/Blue,
clear lens



Renegade
Metallic red/black
frame, clear lens



EYES & FACE PROTECTION



Raizor
White frame,
clear lens



Skyvo
White/black/red
frame, clear lens



Storm
White frame, clear
lens



Vulcan
White frame,
clear lens



Wade
White frame, clear
lens



3904
OTG adjustable
temple, clear lens



3927
Black frame,
gray lens



3928
Black/orange
frame, clear lens



3971
White frame,
clear lens



3977
White/orange frame,
clear lens



3980
Black frame,
clear lens



3990
White/orange
frame, clear lens



6969
Black/red frame,
clear lens



8292
Metal frame,
clear lens



8289
Black/red frame,
clear lens



90960
Black/red frame,
clear lens



91186
Visitor spectacles,
clear lens



91269
Black/orange
frame, clear lens



91293RA
Visitor spectacles,
clear lens



91380ST
Black/orange
frame, clear lens



91541
White frame,
clear lens



91692
Black/orange
frame, clear lens



91659
Black frame,
clear lens



91971
Black frame,
clear lens



92061
White/orange frame,
clear lens



Astroflash
Safety
spectacles with
LED



92085
Black/orange
frame, clear
lens



92087
Gray/yellow
frame, clear
lens



92113
Black frame,
clear lens



92114
Black frame,
mirror lens



EYES & FACE PROTECTION

ROYAL



Solaris
Frameless design,
clear or mirror lens



Windsor
White frame with side
shield, clear lens



Marion
White / Yellow
frame, clear lens



Majestic
Dynamic design
Lens:
- Clear
- Smoke
- Clear Silver Mirror
- Smoke Silver Mirror
- Smoke Red Mirror
- Smoke Yellow Mirror



Honeywell

SPERIAN

PULSAFE

uvex



Uvex Bandit
Blue frame, clear lens



Uvex Skyper
Blue frame, clear
lens



Uvex Skyper X2
Black frame, clear
lens



Uvex Fitlogic
Black frame, clear lens



Uvex I-VO
Blue/orange
frame, clear lens



**Uvex Astrospec
3000S**
Slim clear lens,
Black frame



Uvex Astro OTG
Over the glass,
Clear lens



Uvex 9186
Black frame, clear
or gray lens



Uvex 9182
Blue clear frame,
clear lens



**Uvex Ultraspec
2001**
Over-Spec, Gray
frame and lens



Uvex Astrospec 3000
Blue, Black or Patriot frame,
clear, amber, gray or green
lens, spare lens available



Uvex Spartan
Blue frame, clear
lens or gray lens



Optema
Blue frame, clear
or gray lens



SC1-A
Black frame,
clear lens



VL1-A
Black frame,
clear or gray
lens



A700
Black frame,
clear lens



A800
Black frame,
clear lens



A900
Black frame,
clear lens



Millenia
Black frame,
clear lens



EYES & FACE PROTECTION



Bobcat
Black frame,
gray lens



Lynx
Black frame,
clear lens



Modern image
Black frame,
clear lens



Wildcat
White frame,
clear lens



Strike Force
Black frame,
gray lens



Shark
Red/white/blue, yellow, maroon,
or blue frame, clear, gray or
multicolored lens



Chief
In clear, green, smoke,
amber or multi colored lens



Alston
Black frame, clear lens



Aztech
Black frame with side shields, clear
or wire mesh lens



Blake
Black frame, clear lens



Cortez
White/blue frame,
clear lens



Enigma
Metallic blue
frame, clear lens



Garnet
Light gray frame,
clear lens



Genesis
White/black frame,
clear lens



Kardel
White/black frame,
clear lens



Novak
White frame,
clear lens



Sierra
White/black frame,
clear lens



Raynox
White/black/red frame,
clear lens



Poseidon
White/black frame,
clear lens



Sidewinder
Black frame, clear lens



Thanos
Black frame, clear lens



Trevor
White frame mirror lens or
black frame smoke lens



Velocity
White/black frame, clear
lens



Zapwing
White frame mirror lens or
black frame smoke lens

Smith & Wesson



Kaoreda 143
Black frame, clear lens



Gardwel GB-555
Metal frame, clear lens



Smith & Wesson Magnum
Black frame, clear or gray lens



FACILITY MAINTENANCE & SAFETY

ELECTRICAL & LIGHTING



Extension Cords
Indoor - 6, 9, 12 ft.
Outdoor - 100, 125 ft.



Automatic Voltage Regulator
Stac - In 500, 1000, 1500, 2500 watts JAPAN



Multi Tester
Pocket type



Telephone Extension and Telephone Cord
Spiral and flat type
With splitter also available



Swan Coaxial Cable
RG6, RG11, RG58, RG59, RG62 (500ft)
JAPAN



RCA Cord



Headlamp
- LED
- rechargeable



Mini Mag-lite flashlight
AAA cell,
water/shock resistant



Brightstar / Fulton
Explosive proof lantern and flashlight
2 and 3 cell



SmithLight
- Intrinsically safe
- Robust solid construction manufactured from ABS747 IP 65
- Shock absorbing rubber fitted to base, rubber seal on lid seals and protect the light
- UV and Salt Water resistant
- Double sided light head the light head tilts down by up to 60°
- Work close to the light head, as it generates little or no heat
- Base of the Smith Light designed to accept many specialised mounting brackets
- Fitted with a main on / off switch to increase battery life
- Low battery alarm
- Integral battery chargers supplied, both AC & DC



Johnlite Rechargeable Search Light
Weather proof



Right angled flashlight



Miners Lamp
- LED
- rechargeable

LADDERS



Straight Ladder
Available in 8, 12 & 14 feet



Fiberglass Step Ladder
Available in 6, 8, 10, 12 & 14 feet



Fiberglass Extension ladder
Available in 20, 24, 28, 32, 36 & 40 feet



Aluminum Step Ladder
Available in 6, 8 & 10 feet



Aluminum Extension ladder
Available in 20, 24 & 28 feet



FACILITY MAINTENANCE & SAFETY

LOCKOUT TAGOUT




Brady Padlock



Tag



North LSE105F
Ten lockout station with fill (14" X 21")



North LSE106F
Departmental lockout station with fill (21" X 29")



North LK108FE
Electrical lockout tagout kit



Master Circuit Breaker Lockout



North LK109FE
Valve lockout tagout kit

STORAGE AND MATERIAL HANDLING



Adela Ratchet Tie Down
2" x 20" and 2" x 27" ft



Webbing Sling
Length & Width : as required



Justrite 10801
Safety can, type-1 round, 5 gal



Justrite 11200
SLIP - ON FUNNEL SPOUT



JUSTRITE 11089
Bolt on funnel spout



JERRY CAN 10951
SAFETY CAN (TYPE-1) SQUARE (5 GALLONS)

SECURITY



Ranger
Handheld Metal Detector



Megaphone



Whistle
(plastic or aluminum)



Security vest



Crowd Control Post
Retractable, Portable, Chrome Barrier



Expandable Baton



SafeDrive Personal Alcohol Detector



Convex Mirror
Indoor - dia. 45cm
Outdoor - dia. 80cm



FACILITY MAINTENANCE & SAFETY

SIGNS/TAGS & LABELS

Rubbermaid



Floor Sign



Square Cone
Available in
25" and 35"

SPILL CONTROL


Spill Kits also available....




White Oil-Only Mat Pads
For non-flammable petroleum
spills, 20"L x 15"W,
MAT423 - 200 light-wt.
MAT460 - 125 med-wt.
MAT403 - 100 heavy-wt.



HAZ-MAT Pads, for Acid &
Bases, 20"L x 16"W
MAT302 - 200 light-wt.
MAT301 - 100 heavy-wt.



**High-Visibility Yellow
Universal Mat Pads**
alerts workers to potential
hazards. 20"L x 15"W
MAT604 - 200 light-wt.



**Gray Universal Mat Pads
Heavy-Weight** 20"L x 15"W
MAT204 - 200 light-wt.
MAT412 - 125 med-wt.
MAT160 - 100 med-wt.
MAT203 - 100 heavy-wt.



HAZ-MAT Dikes.
for Acid & Bases, 20"L x 16"W
HA1010 - 10"L x 5"W
HA1020 - 10"L x 8"W



**White Oil-Only Absorbent
Booms**
BOOM406 - 10"L x 3"W
BOOM405 - 10"L x 5"W



Cleaning Rag
Round and Square



**Original Universal Absorbent
Socks**
SOCKS204 42"L x 3"W



Absorbent Pillows
For drips, leaks or spills, reach for a
PIG® Pillow!
PIL201 21" x 17", 16 pillows
PIL204 10" x 10", 40 pillows



Universal Loose Absorbent
Stop wasting time and money cleaning up spills!
Pound for pound, Absorbent pulls in three times
more liquid than clay, and it even absorbs water!
PLP201 one 23-lb. bag

WASTE RECEPTACLES

Hooded bin, ashtray bin, round brute,
rolling bin, trolling bin, can trashbin,
waste segregation, polar bin





FALL PROTECTION

HARNESSES

Honeywell

MILLER
Fall Protection

SPERIAN



- Miller 552**
- Stretchable elastic webbing
 - Patent pending front D-ring and side D-rings
 - Mating buckles throughout
 - Sub-pelvic strap



- Miller 751**
Full body welder's harness



- Miller 850/ 851**
- New stretchable elastic webbing in leg, shoulder and body straps
 - Friction buckle shoulder straps
 - Mating buckle leg straps
 - Sub-pelvic strap



- Miller DL-30**
- single rear d-ring
Miller DL-31
- front + rear d-ring
Miller DL-35
- front + rear d-ring with work positioning belt



- D-ring at the back
- Sub-pelvic strap
- Made of polyester

Elk River Freedom - Parachute mating buckles on chest and leg straps

Elk River Towermate - Quick Connect buckles on chest and leg straps



- Elk River Eze Wear**
- D-ring at the back
 - Tongue buckle leg straps
 - Full strength chest strap with mating buckle connection
 - Belt loop slots at waist
 - Sub-pelvic strap
 - Made of nylon and polyester



Guardline 236

Nylon harness (parachute type)



Blue Eagle NP-787

Nylon harness with 6 ft. lanyard, small hook



- Comfortable to wear (due to the flexibility Nylon belt)
- Adjustable chest, waist & thigh
- Meet CE Standard



Adela H-4528 - with small hook

Adela H-4538 - with big hook (rebar)

Adela H-45382E - with 2 shock absorbing big hook

Adela HD-4528 - with 2 d-ring front and back



Liftek

- 7 modes of adjustments
- 1 fall arrest D-ring
- 2 work positioning belt with tool holder rings
- with shock absorbing 2 snap hook lanyard
- CE, EN approved





FALL PROTECTION

LANYARDS / LIFELINES

Adela Rope Grab 14mm and 16mm with or w/o lanyard



Tuscana Carabiner:
Light alloy, auto-twist lock screw



Petzl Carabiner:
Attached Screw



Protecta self retracting lifeline
30 meters & 50 meters



Miller Falcon self retracting lifeline
-6.2 meters
-10 meters
-20 meters



Rose self retracting lifeline
Dyna lock
30 feet



H3101 and H-7105 (gold) forging steel rebar



Tie Off Sling



510
Nylon lanyard (6 FT.) with snap hook both ends (3/8")



Adela EA-41
Single lanyard with shock absorber and snap hook in both ends



Adela EF-31
Nylon lanyard (6 FT.) with shock absorber, single rebar



Adela WFL-21
Manyard single with shock absorber carabiner end



Adela WF-32
2 leg manyard (6 FT.) with shock absorber, rebar



Adela EF-32
2 leg lanyard (6 FT.) with shock absorber, rebar



Adela WFL-62
2 leg manyard shock absorber double hook with swivel



Miller Rebar Chain
13-link rebar chain assembly with 2 plated locking snap hooks with 3/4 inch throat openings & 1 plated locking snap hook with a 2 inch throat opening. Swivel attachment.



Miller 216 WLS
Six-foot Manyard shock-absorbing lanyard with two plated locking snap hook with 3/4 inch throat opening



Miller (232 WLS-1)
Two-legged, six-foot Manyard shock-absorbing lanyard with three plated locking snap hooks with 3/4 inch throat openings

Miller (901 RLS-1)
Adjustable nylon rope lanyard with two plated locking snap hooks with 3/4 inch throat opening and an integral SofStop shock absorber.



Elk River 28006
lanyard 6 FT., snap hook in both ends



Elk River Zorber
shock absorbing nylon lanyard (1" x 6 FT)



Elk River shock absorbing nylon lanyard
(1/2" x 6 FT.)



FALL PROTECTION

LINEMAN'S EQUIPMENTS



Tool pouch
125 - 5 pocket
127 - 7 pocket



Klein 5268N
- Lineman's belt (32" - 40")
- cushioned body pad
- full top grain leather, fastened together with stainless steel rivets
- Meets OSHA and ASTM standards.



Buckingham
- Lineman's belt (38" -46")
- Highest quality leather
- Full float body belt



Blue Eagle NP-739
Lineman's safety belt



Adela SB-9312
- 70 mm soft waist belt with 50mm webbing
- webbing length: 120cm.
White rope in 200cm with one fall arrester, one double lock hook, Dia.22mm.
- Two D-ring.



Klein 5295
Positioning strap



Adela H-113
- 45mm X1.2M Nylon Belt.
- 45mmx 2M Nylon Webbing
- buckle
- 3 "D" ring
- adjusting loop
- 2 Double-lock snap hook
- rope hook bag
- cushion belt

SAFETY BELTS



NP727 - Double lock hook, buckle, D-ring, dark blue
NP737 - Double lock hook, buckle, 2 D-rings, yellow



ADELA safety belt
with small or big hook



FUJII SB-100



Elk River Waist Belt
with two D-ring



Miner's Belt
With or without lamp holder



FUJII SB-120



FIRE PROTECTION

FIREFIGHTING EQUIPMENTS

ZETEX



Brass Fog Nozzle
1-1/2"
2-1/2"



Brass Straight Stream Nozzle
1-1/2"
2-1/2" (NST / NPT)



Fire Hose
Single and double jacket

National (US)
2-1/2" X 50'
Asahi (Japan)
1-1/2" X 50'
1-1/2" X 100'
2-1/2" X 50'
2-1/2" X 100'



Fire Nozzles
Pistol type, turbo jet



Fire Axe
imported, 6 LBS.
(2.025 G/ head)



Fire Blanket
4" x 6" FT.
5" x 6" FT.
6" x 6" FT.

FIREFIGHTING GEAR AND APPAREL



Fireman's Helmet (USA)
Bullard with visor, yellow
Firedex with visor, yellow
Morning Pride with visor, yellow



PBI Flame Resistant Hood



Shelby Fireman's Gloves



Sancheong Fireman Helmet (Korea)
SCA-1205 with visor, yellow
SCA-CFH with visor black or yellow



Kevlar Sleeves with thumb hole



Kevlar thread



Fire Fighter Suspenders



RANGER
Ranger fireman boots
size: 6" - 13"



PBI Material Fireman Suit



Nomex Fireman Suit
Chieftain (USA)
Morning Pride (USA)



PNP DESIGN
Bunker coat and pants with suspenders



Supertuff fireman boots
With steel toe
size 6" - 12"



FIRE PROTECTION

ZETEX



Fire Entry Suit
Zetex 2000 and 3000 series



Aluminized Proximity Suit



Aluminized Zetex hood
Fixed front or lift front (USA)



Aluminized Hood
with lift-front glassholder



All Aluminized Gloves
In 14",16"



All Aluminized Mitts
In 14",16"



Aluminized Combination
Two styles of fully lined aluminized glove



Aluminized Cape



Aluminized Apron



Aluminized Sleeves



Aluminized Leggings



Zetex Plus Mitten
In 12",14",18"



Zetex Plus Gloves
lined cuff type
In 12",14",18"

ZETEX

Chart

Aluminized Zetex radiant heat
Zetex Plain up to 1100
Zetex Plus up to 2000



ZETEX Insulating Tape
in 2", 3", 4",
5",6" x 100 ft



Zetex Plain Gloves
In 12",14",18"



Zetex Plain Mitten
In 12",14",18"



FR-1602
Kevlar fire resistant



Asbestos Gloves and Mittens
High heat resistant



Asbestos Apron



FIRST AID / EMERGENCY

EMERGENCY SHOWER / EYEWASH



Drench Showers
8122 – Plastic shower head
831H – All stainless steel

Eye / Face Wash (Axion)

7260BT – Wall mount, plastic bowl
7360BT – Wall mount, stainless steel bowl
7261 – Pedestal mount, plastic bowl
7361 – Pedestal mount, stainless steel bowl



7260BT



7360BT



7261



7361

Combination (Shower / Eyewash)



Galvanize with stainless steel bowl
8309
 - with foot pedal

PVC
9350 - Yellow
8336 - Green

Stainless steel



ENCON portable Eyewash (14 gallons)



Haws 7500
 Gravity operated portable eyewash 16 gal.



The Fend-All Porta Stream I and II eyewash station is SEI certified to meet ANSI Z358.1 as a primary 15-minute eyewash device. Portable with no plumbing required. Full flow nozzles have easily removed nozzle strap.



Eyesaline Wall Station
 Single - 16 and 32 oz.
 Double- 32 oz.



Eyesaline Concentrate
 70 oz. and 180 oz.



Eyesaline Refill bottle 16oz. and 32 oz.



FIRST AID / EMERGENCY

MARINE SAFETY



Datrex Life ring

- high impact low-density polyethylene
- 30", 2.5 kg orange with reflective tape
- USCG, Canadian Coast Guard and BV/MED approved
- made in USA



Titanic Life Ring
- Coast guard approved



Life ring, Local



Immersion Suit

- USCG/MED Approved / SOLAS Compliant
- Three-fingered mitt to keep your fingers warmer
- Dual-zipper pull tabs
- Inflatable high-rider ring for additional freeboard and buoyancy
- Snug-fitting face seal is flexible and comfortable
- Retro-reflective tape for extra visibility
- Sturdy storage bag with 2 handles for quick retrieval and donning of suit
- Suits made of 5mm neoprene
- 1-piece, sealed construction
- Inherently buoyant
- Comes with whistle
- Weighs only 14 lbs. (6.35 kg.)



Titanic Life Vest / Jacket
- working type



Rescue Rope

soft, has a stable diameter and stronger 12mm and 14mm



Stearns / Seahorse Flotation Work Vest

- Heavy Duty
- 3M reflective tape. - USCG Approved
- 17-1/2 lb.
- USA



Freedom Life Jacket

- Hammer Auto-Gas mechanism
- Cylinder size 33g
- Adjustable back strap
- USA

FIRST AID SUPPLIES



OSHA First Aid Kit (10, 25, 50 person)



North Bite and Sting Kit



Thermometer
Non-contact, infrared temperature

10 person (62 pieces)

- (1) Plastic case w/dividers, 9"x8-3/8"x2-1/2"
- (16) 3/4"x3" Adhesive plastic bandages
- (1) 1-3/4"x2" Small fingertip fabric bandage
- (1) 2"x4" Elbow & knee plastic bandage
- (1) Triangular sling/bandage w/ safety pins
- (4) 2"x2" Gauze dressing pads, (2) 2-packs
- (4) 3"x3" Gauze dressing pads, (2) 2-packs
- (2) 4"x4" Gauze dressing pads, (1) 2-pack
- (1) 2" Conforming gauze roll bandage
- (1) 3" Conforming gauze roll bandage
- (1) 5"x9" Trauma pad
- (1) Sterile eye pad
- (6) Alcohol cleansing pads
- (6) Antiseptic cleansing wipes (sting free)
- (3) Triple antibiotic ointment packs
- (1) Burn relief pack, 3.5 gm
- (1) 6"x9" Instant cold compress
- (6) Aspirin tablets, (3) 2-packs
- (1) 1"x5 yd. First aid tape roll
- (1) 4-1/2" Scissors, nickel plated
- (1) 4" Tweezers, plastic
- (2) Exam quality gloves, 1 pair
- (1) First aid guide

25 person (106 pieces)

- (1) Plastic case w/dividers, 9"x8-3/8"x2-1/2"
- (50) 3/4"x3" Adhesive plastic bandages
- (3) 1-3/4"x3" Large fingertip fabric bandages
- (2) 1-1/2"x3" Knuckle fabric bandages
- (1) Triangular sling/bandage w/ safety pins
- (6) 2"x2" Gauze dressing pads, (3) 2-pks
- (1) 2" Conforming gauze roll bandage
- (1) 5"x9" Trauma pad
- (1) Sterile eye pad
- (12) Antiseptic cleansing wipes (sting free)
- (6) Triple antibiotic ointment packs
- (3) Insect sting relief pads
- (1) Eye wash, 4 oz.
- (1) 4"x5" Instant cold compress
- (12) Aspirin tablets, (6) 2-packs
- (1) 1/2"x5 yd. First aid tape roll
- (1) 4-1/2" Scissors, nickel plated
- (1) 4" Tweezers, plastic
- (2) Exam quality gloves, 1 pair
- (1) First aid guide

50 person (196 pieces)

- (1) Plastic case, 10-3/4"x11x1/4"-3"
- (1 bx) 100 - 3/4"x3" Adhesive plastic bandages
- (1bx) Triangular sling/bandage w/ safety pins
- (1) 2"x5 yd. Latex free elastic bandage
- (2) 2" Conforming gauze roll bandages
- (1) 3" Conforming gauze roll bandage
- (2bx) 12 - 2"x2" Gauze dressing pads, (3) 2-pks
- (1bx) 1- 32 sq. in. Absorbent gauze compress, 1/bx
- (2bx) 4 - Sterile eye pads
- (1bx) 18 - Antiseptic cleansing wipes (sting free)
- (1bx) 10 - Triple antibiotic ointment packs
- (1bx) 10 - Insect sting relief pads
- (1) Eye wash, 4 oz.
- (1bx) CPR Pack: CPR one-way valve facemask, 2 large latex gloves, and 3 antiseptic wipes (sting free)
- (1bx) 1 - 4"x5" Instant cold compress
- (1bx) 20 Aspirin tablets, (10) 2-pks
- (1) 1/2"x10 yd. First aid tape roll
- (1) 4-1/2" Scissors, nickel plated
- (1) 4" Tweezers, plastic
- (4) Exam quality gloves, 2 pairs
- (1) First aid guide




FIRST AID / EMERGENCY


STRETCHERS / BACKBOARDS



Adjustable cervical collar
Immobilize the cervical spine. The Collar adjusts from low to tall to



Ferno Universal Head Immobilizer
Waterproof Plastic Coating Allows Easy Cleaning and Prevents Bacterial Growth. Designed to give minimal interference with X-ray, MRI or CT scanning procedures. Large ear holes allow you to monitor the patients ear canal. Closed-cell foam construction is lightweight, but provides excellent support. Dual-purpose head supports are tapered on one side so they can be used with a flat backboard or scoop stretcher.




Army Type Foldable Stretcher
Light Weight, easy clean, aluminium alloy framework. Washable, water proof & anti-fungus fabric. top with safety belts. Unfolded Size (LxWxH): 220x55x15cm. Folded Size (LxWxH): 95x20x9cm. Self-weight: 7 kg, Load Bearing: 159 kg.



JUNKIN

Junkin Basket type
Light weight 83" x 24" x 8", 31 lbs. Frame is constructed of 5/8" steel tubing. Cross braces and runners are 3/16" x 3/4" flat bars. Baskets are 18-ga., 1" hexagonal mesh netting.



Ferno Tactical Litter
Lightweight Yet Super Strong have integral handles with a nonslip surface for a better grip. Cover is made of a polypropylene mesh that is durable, flame retardant, nonslip, chemical- and mildew-resistant. Mesh allows liquids to flow freely away from your patient. Two attached polypropylene restraints secure patient during transport. 6"H x 23"W x 92"L when open and 7"H x 8"W x 46-1/2"L when folded. Load capacity is 1200 lbs. Black.



Raven Rescue Litter
A new lightweight litter system that is specifically designed to address the special challenges that face today's emergency response teams. The litter is a flame retardant, non-slip cover that allows hazardous chemicals to flow freely away from patients.



Iron Duck Ultra-Vue backboard
was designed to be the safest, strongest, and absolutely 100% x-ray translucent backboard ever built. oversized hand holds measure 2 Inches x 6 Inches for gloved hands. 600 lbs available with or without pins. 72 x 16 x 1.75



Reeves Spine Board
fiberglass 72" X 16" X 2.25", 13 lbs. Has a load capacity of 1,000 lbs and is constructed of FDA UL Quantum resin, which is hazmat impermeable and x-ray translucent. Its tapered design, sixteen (16) handholds, and multiple child and adult strapping locations, with strap and buckle set.



FOOT PROTECTION

SAFETY SHOES



WEI Safety Shoes
Neoprene sole with steel toe
also available for ladies
(Available in black and brown)



Jobmaster
Vulcaflex sole with steel toe
Low-cut and High-cut
(Available in black and brown)



Safe Sole
Oil resistant
Low-cut with steel toe
High-cut with steel toe
also available for ladies



Thedon Secure
Low-cut with steel toe, black
High-cut with steel toe, black



Wolverline
Low-cut with steel toe, black
High-cut with steel toe, black



Blue Eagle
Low-cut with steel toe, black
High-cut with steel toe, black



Foot Gard
Low-cut with steel toe
High-cut with steel toe
(Available in black and yellow)





FOOT PROTECTION



Camel 7010 - Low-cut with steel toe, split leather back



Camel 7060P- High-cut with steel toe and steel plate



Camel 8040 - Low-cut with steel toe, four lines design



HAMMER



Featherlite, Light Compressed Rubber Sole, Oil Resistant
• **FCR 803** Low-cut
• **FCR 807** Mid-cut
• **FCR 809** High-cut



Black with steel toe
10611 - Low-cut
10608 - High-cut



Highlander
Low-Cut and Hi-Cut, Black with reflector



Cambridge
Mid-Cut, Brown



Marlborough
High-Cut, Brown



Springfield
Low-Cut, Brown



Pylon
Low-Cut and High-Cut, Brown w/ reflector



Royal Bengal
Anti - Static Rubber Sole, Black ISO 9002 Certified
R805 - Low-cut
R806 - High-cut

ISO 9002 CERTIFIED



Red Wing
Slip-on Safety shoes (USA)



FOOT PROTECTION

SAFETY JOGGER

gogs EN ISO 20345-S3

Sole: PU/TPU
 Toecap: Composite
 Midsole: Kevlar
 Size Range: 35-47
 Lining: Cambrella
 Insole: Premoulded

METAL FREE



S3

cosmos EN ISO 20345-S3

Sole: PU/TPU
 Toecap: Composite
 Midsole: Kevlar
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded

METAL FREE



S3

safetyrun EN ISO 20345-S3

Sole: PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S1P

safetyboy EN ISO 20345-S3


Sole: PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S1P

x2000 EN ISO 20345-S1P

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S1P

galaxy EN ISO 20345-S3

Sole: PU/TPU
 Toecap: Composite
 Midsole: Kevlar
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded

METAL FREE



S3

nova EN ISO 20345-S3

Sole: PU/TPU
 Toecap: Composite
 Midsole: Kevlar
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded


METAL FREE



S3

proron EN ISO 20345-S3

Sole: Phylon + Rubber + Air Unit
 Toecap: Steel
 Midsole: Kevlar
 Size Range: EU 38-47 / UK 5-12
 Lining: S1P/SRA
 Insole: Cambrella
 Premoulded



S1P

torco1 EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Composite
 Midsole: Kevlar
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded

METAL FREE



S3

x2020p EN ISO 20345-S1P

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 37-47
 Lining: S1P
 Insole: Cambrella
 Premoulded



S1P

bestboot EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

bestboy EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

x1100n EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

climber EN ISO 20345-S1P

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S1P

bestsun EN ISO 20345-S1P

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded

Khusus Wanita



S1P

x0600 EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

bestrun EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

x1110 EN ISO 20345-S3

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded



S3

jumper EN ISO 20345-S1P

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 37-47
 Lining: Cambrella
 Insole: Premoulded



S1P

x0600 EN ISO 20345-S2

Sole: Dual density PU
 Toecap: Steel
 Midsole: Steel
 Size Range: 36-47
 Lining: Cambrella
 Insole: Premoulded

Khusus Laboratory



S2



p.28





FOOT PROTECTION

Full grain leather, Light weight, Oil, Acid and Chemical resistant, Impact steel toe-cap, Anti-static



Utah
Low-cut



Florida
Mid-cut



Dallas
Hi-cut



Texas
Pull on riggers
boot.



KWS 800
Low cut



KWS 701
Mid-Cut



KWD 805
Slip-On



KWS 803
High-Cut



KWD 901
High-Cut, Black or Brown

SAFETY BOOTS



Inyati
Nitrile/PVC, black
upper & yellow
sole w/ steel toe



Tingley
PVC rubber
boots w/ steel
toe (US)



Royal Bengal
With steel toe.
Oil, acid,
chemical
resistant



Supertuff
- with steel toe
(black w/ yellow sole
or all white)
- without steel toe
(black w/ orange
sole)



Ohyama Rain Boots
- for men (black or
white)
- for ladies (blue)



HAND PROTECTION

The table gives only general indications. It is important to bear in mind that the resistance of a glove depends on factor such as the exact nature of the chemical product, its temperature, concentration, the thickness of the glove, the immersion times, etc. It is recommended that a preliminary test be carried out to determine whether or not the glove is suitable for use in real condition. (source: MAPA chemical resistant table) We want you to be satisfied with your glove choice and that includes a proper fit. Oversized gloves can be hazardous while undersizing can cause fatigue. To determine size, measure circumference of hand. Using chart choose the best size. Length is measured from tip of middle finger to cuff edge. Hand and Wrist - 10" to 12" gloves. Middle forearm - 13" to 14" gloves. Elbow - 18" gloves. Shoulder - 32".

- Natural latex
- Neoprene
- Nitrile
- Vinyl (PVC)

3 = Excellent *may be used over long periods of contact with a chemical product*
 2 = Good *may be used over periods of short repeated contact with the chemical product.*
 1 = Fair *may be used against chemical splashes*
 0 = Not Recommended *usage of this glove is not recommended*

CHEMICAL RESISTANCE GUIDE CHART

	Natural latex	Neoprene	Nitrile	Vinyl (PVC)		Natural latex	Neoprene	Nitrile	Vinyl (PVC)		Natural latex	Neoprene	Nitrile	Vinyl (PVC)
Acetaldehyde	2	2	0	0	Ethylaniline	1	3	3	1	Paraffin oil	0	1	3	1
Acetone	1	1	0	0	Ethylene glycol	3	3	3	3	Peanut oil	0	3	3	1
Alcoholic beverages	3	3	3	3	Ethylic alcohol	2	3	3	3	Perchloroethylene	0	1	3	1
Amylic alcohol	1	2	2	1	2-Ethoxyethanol	2	3	3	1	Perfumes and essences	3	3	3	3
Ammonium acetate	3	3	3	3	2-Ethoxyethylacetate	1	3	2	0	Petrol	0	2	3	1
Ammonium carbonate	3	3	3	3	Fertiliser	3	3	3	3	Petroleum ether	0	1	3	0
Ammonium chloride	3	3	3	3	Fish & shellfish	1	3	3	1	Petroleum products	0	1	2	1
Ammonium nitrate	3	3	3	3	Fixing salt	3	3	3	3	Phenic acid	1	2	2	2
50% anhydride acetic acid	3	3	3	3	Flouride	3	3	3	3	Phosphoric acid 75%	3	3	3	3
Aniline	0	3	0	1	Fluorohydric acid 30%	2	3	2	2	Polyester resins	0	1	2	1
Animal fats	1	3	3	2	Formaldehyde 30%	2	2	2	2	Potassium bicarbonate	3	3	3	3
Asphalt	0	1	3	1	Formic acid 90%	2	3	1	3	Potassium bichromate	1	3	3	3
Beet	3	3	3	3	Formol	3	3	3	3	Potassium carbonate	3	3	3	3
Benzene	0	0	1	0	Fuels	0	1	3	2	Potassium choride	3	3	3	3
Benzoic alcohol	1	2	1	2	Furaldehyde	2	3	0	0	Potassium cyanide	3	3	3	3
Benzoic aldehyde	0	1	1	0	Gas oil	0	2	3	2	Potassium flakes	3	3	2	3
Bleach	2	3	3	2	Glacial acetic acid	2	3	3	1	Potassium nitrate	3	3	3	3
Borax	3	3	3	3	Glycerine	3	3	3	3	Potassium Permanganate	3	3	3	3
Brake fluid	1	3	3	2	Glycerophtalix paint	0	1	3	1	Potassium phosphate	3	3	3	3
Bromide	3	3	3	0	Glycol	3	3	3	3	Potassium sulphate	3	3	3	3
Butoxyethanol	2	3	3	1	Hairdressing bleaches	3	3	3	3	Poultry	1	3	3	0
Butter	0	3	3	1	Hexane	0	2	3	1	Setting agents	3	3	3	3
Butyl acetate	0	2	2	0	Household detergents	3	3	2	3	Shampoos	3	3	3	3
Butylic alcohol	2	3	3	3	Hydraulic fluid	0	1	3	1	Silicate	3	3	3	3
Calcium chloride	3	3	3	3	Hydraulic fluids(esters)	3	3	3	1	Sodium bicarbonate	3	3	3	3
Calcium hydroxide	3	3	3	3	Hydrochloric acid 30% & 5%	3	3	3	2	Sodium bisulphate	3	3	3	3
Calcium hypochloride	3	3	3	3	Hydrogen peroxide	1	3	3	0	Sodium carbonate	3	3	3	3
Calcium nitrate	3	3	3	3	Isobutylcetone	3	2	0	0	Sodium chloride	3	3	3	3
Calcium phosphate	3	3	3	3	Isobutylic acid	2	3	3	3	Sodium flakes	3	3	2	3
Carbon tetrachloride	0	1	2	1	Kerosene	0	2	3	2	Sodium hypochloride	3	3	3	3
Castor oil	0	3	3	1	Lactic acid 85%	2	3	3	3	Sodium nitrate	3	3	3	3
Chlorine	0	3	3	3	Lard oil	0	3	3	1	Sodium phosphate	3	3	3	3
Chloroacetone	3	3	0	0	Linseed oil	0	3	3	1	Sodium sulphate	3	3	3	3
Chloroform	0	0	1	0	Lubricating oil	0	1	3	1	Soybean oil	0	3	3	1
Chromic acid	0	0	2	2	Magnesium	3	3	3	3	Steam turbine oil	0	1	3	1
Citric acid	3	3	3	3	Mazout	0	2	3	2	Styrene	0	1	1	0
Concentrated ammonia	3	3	3	3	Methyl alcohol	1	3	3	3	Sulphites, bi-sulphates, hyposulphates	3	3	3	3
Concentrated pottassium powder	3	3	2	3	Methyl ethyl ketone	2	2	0	0	Tetrahydrofurane	1	1	0	0
Concentrated sodium powder	3	3	2	3	Methyl isobutyl ketone	1	1	0	0	Toluene	0	1	2	1
Concentrated sulphuric acid	1	2	0	2	Methylamine	2	3	3	3	Tributylphosphate	0	1	2	1
Creosote	1	3	3	3	Methylaniline	1	1	3	3	Trichlorethylene	0	1	1	0
Cresol	2	3	3	2	Methylene chloride	0	1	1	0	Triethanolamine 85%	3	3	3	3
Cutting oil	0	3	3	3	2-Methoxyethanol	2	3	3	1	Trinitrobenzene	0	1	2	1
Cyclohexane	0	3	3	1	Milk and dairy products	1	3	3	0	Trinitrotoluene	0	1	2	1
Cyclohexanol	3	3	3	3	Mineral fats	0	1	3	1	Triphenylphosphate	1	2	3	1
Cyclohexanone	1	1	0	0	Monochlorobenzene	0	1	1	0	Turnipseed oil	0	1	3	0
Dead lime	3	3	3	3	Monoethanolomine	3	3	3	3	Turpentine	0	1	3	0
Diacetone alcohol	3	3	2	0	Napththa	0	2	3	2	Unhydrated lime	3	3	3	3
Dibutyl phthalate	1	3	3	0	Naphthalene	0	1	2	0	Vinegar & condiments	3	3	3	2
Dibutylether	0	1	2	1	Nitric acid 20%	3	3	2	2	Vinyl acetate	0	1	1	0
Dicloroethane	0	1	1	0	Nitrobenzene	0	1	0	0	Washing powders	3	3	3	3
Diesel oil	0	1	3	1	Nitrohydrochloric acid	0	2	1	1	Water paint	3	3	3	3
Diethanolamine	3	3	3	3	Nitropropane	2	2	1	0	Weedkillers	2	3	3	2
Diluted sulphuric acid	3	3	3	3	Non alcohol beverages	3	3	3	3	White spirit	0	2	3	1
Diocetyl phthalate	1	3	3	0	Octyl alcohol	3	3	3	3	Wood turpentine	0	1	3	1
Dyes (hair)	3	3	3	3	Oleic acid	2	3	3	2	Xylene	0	1	2	1
Ethyl acetate	0	2	1	0	Olive oil	0	3	3	1	Xylephene	0	1	2	1
Ethylamine	0	2	3	0	Oxalylic acid	3	3	3	3	Zinc sulphate	3	3	3	3



HAND PROTECTION

NATURAL LATEX / RUBBER GLOVES



With orange lining
LO-14 (14")
LO-18 (18")
LO-24 (24")



LC-13
 with grip,
 13"



Sensuous

Household Gloves

Mapa Spontex - yellow
Sensuous - yellow,
 orange, black



MAPA 301
 Super Jersette, 13"



Mapa 307
 Jersetlite 13"



Mapa 497
 Ultrafood
 embossed, 13"



Brunswick
 with grip, 14"



Summitech G14
 industrial unlined
 rubber, 13"

NEOPRENE GLOVES



MAPA Chem-Ply
 flame resistant
407 (13")
414 (17")



MAPA Technic
 with cotton
 flocked, embossed
420 (13")
450 (15")



Mapa Temp-tec
332
 Chemical, cold and
 hot resistant



Mapa NL-34
 with lining (12")



Showa
 with lining
 (12")



Ansell Edmond
 With cotton lining
 14" or knitted
 wrist 10"

VINYL / PVC GLOVES



Green PVC
 Available in 11",
 14" and 16"



Red PVC
 Available in
 11", 14" 16"
 and 18"



Yellow PVC
 Available in
 14"



Red PVC
 with knitted
 wrist. Available
 in 10"

BUTYL GLOVES



Mapa Butoflex
 Butyl gloves
 Available in 14"



North
 Butyl gloves
 Available in
 14"



HAND PROTECTION

DISPOSABLE GLOVES



Plastic gloves,
disposable
(100 pieces/ box)



Latex gloves,
disposable
(100 pieces/ box)



Nitrile gloves,
disposable
(100 pieces/ box)

NITRILE GLOVES



Safewear Flocklined
GNF 2215 - 15", 22mm
GNF 1815 - 15", 18mm
GNF 1813 - 13", 18mm



Summitech GTF09C
flocked, embossed, 13"

Marigold G-25
flocked, embossed, 13"

MAPA AF-18 flocked,
embossed, 13



MAPA 377
Fully coated smooth 38 cm"



MAPA
Cotton flocked,
embossed
492 13"
491 15"
493 16"



MAPA 495
Cotton flocked,
embossed, blue, 13"



MAPA AK-22
Knit lined 13"



MAPA 485
Smooth
embossed, 13"

HI-TEMP GLOVES



Ansell Crusader Flex
for intermittent handling
of moderately hot
objects up to 400° F



Cryo gloves
For ultra cold or hot
environments
Available in
15" and 18"



MAPA Temp-cook
Thermal protection up to
250°C, 45 cm



MAPA Temp-proof
thermal insulation from 480
degrees F to -22 degrees F in
wet/steamy environments.



Mapa Temp-Tec 332

- Neoprene
- Handling hot components up to 200°C
 - Working in cold rooms
 - Chemical treatment of metals.
 - Extrusion operations.



HAND PROTECTION

GENERAL PURPOSE GLOVES



Guardline Knitted
CR-15 super heavy
CR-14 heavy
CR-12 medium
CR-10 thin
CR-16 hi-viz



Guardline PVC dotted
- Knitted
- Knitted (Hi-viz)
- Canvas

Lima
denim w/
leather patch



Jersey
Anti Static



Guardline Atom
Rubberized orange
palm, heavy duty



Guardline RCC
Rubber coated
with wrinkle finish



Guardline KRO
Rubberized
orange
Heavy, medium,
thin



Gladiator
Blue latex coated



Ansell Hyflex
Nitrile Palm
Coated Gloves



Kleenguard G40
Purple nitrile foam
coated



Memphis 9780
Blue nitrile coated



Summitech RL6
Blue nitrile coated



Magic
Rubberized
blue

CUT RESISTANT GLOVES



CR-1001
Kevlar standard



CR-1002
Kevlar non-slip




SPERIAN
Stainless steel mesh
gloves



HEAD PROTECTION

ACCESSORIES



Speedy loop and quick lock systems
For head and face combination

Suspensions
Adjustable ratchet and pinlock head bands (plastic or nylon)



Chinstrap
With chin cup; elastic and non-elastic

HARD HATS



E - 2
Super electric; ANSI Type 1 Class E,C,G (thermoplastic) 8 point
Colors:



P - 2
Heat resistant; ANSI Type 1 Class C,G (fiberglass) 8 point
Colors:



Bullard
Colors:



North
Colors:



Blue Eagle
Colors:



CHOB
ABS shell; ANSI / CE Type 1 Class G
Colors:



NORTH
ABS shell, ANSI Type 1 Class E,G
Colors:



V - GARD
ABS shell with Fast-Trac, ratchet suspension ANSI Type 1 Class E,G
Colors:



BLUE EAGLE
ABS shell; 6-point plastic suspension with pinlock adjustment; CE EN 397; Type 1 Class G
Colors:



W-2 SAFETY CAP
Colors:



BULLARD
ABS shell, ANSI Type 1 Class E,G
Colors:



Vispro Bravo
ABS with 6 point suspension, EN Class 0
Colors:



E - 1
Full brim hard hat; ANSI Type 1 Class E,C,G
Colors:



MSA FULLBRIM
Full brim hard hat; ANSI Type 1 Class E,C,G



LONGDAR FULLBRIM
Full brim hard hat; ANSI / CE
Colors:



Camp Skylor Plus
Rescue helmet with chin strap and lamp holder

HEAD PROTECTION

EARMUFFS



Peltor H6F
Folded (NRR 21dB)



Peltor H7A
(NRR 27dB)



Bilsom Mach 1
(NRR 18dB)



Bilsom Viking V3
(NRR 29dB)



Bilsom Thunder T3
(NRR 30dB)



Peltor H9A
(NRR 25dB)



Peltor H10A
(NRR 30 dB)



Bilsom Viking V1
(NRR 25dB)



Bilsom Thunder T1H
Cap mounted
(NRR 23dB)



Bilsom Thunder T3H
Cap mounted
(NRR 27dB)



3M A - 601
(NRR 27dB)



3M HC - 700C
(NRR 27dB)



3M HC - 700A
(NRR 27dB)



3M A - 818
(NRR 30dB)



Bilsom Clarity
Cap mounted
(NRR 20dB)



Blue Ear EM - 62
(NRR 21dB)



Blue Ear EM - 68
(NRR 22dB)



Blue Ear EM - 92
Heavy Duty (NRR 24dB)



Blue Ear EM - 66
Folded (NRR 24dB)



Blue Ear EM - 103
Folded (NRR 27dB)



Blue Ear EP - 104
(NRR 21dB)



Blue Ear EP - 106
(NRR 21dB)



Blue Ear EP - 107
Folded (NRR 24dB)



Blue Ear EP - 167
Cap Mounted
(NRR 22dB)



Blue Ear EP - 138
Folded (NRR 31dB)



HEARING PROTECTION



2029
Cap Mounted (NRR 25dB)



1000
(NRR 20dB)



3000
(NRR 25dB)

EARPLUGS



Foam, disposable (NRR 33dB)
MAX 1 - Uncorded
MAX 30 - Corded



CLASSIC - Uncorded and Corded
Foam, disposable (NRR 31dB)



Howard Leight
Wall-mounted dispenser with 400 pairs earplugs. The fully transparent, eye-catching design encourages use.



Airsoft
Molded, Patented with cord (NRR 27dB)



Smartfit
Molded corded with case (NRR 25dB)



Fusion
Molded with detachable nylon cord (NRR 27dB)



Max Lite
LOW PRESSURE PU Foam, disposable (NRR 27dB)



WEI Earplug
Patented with nylon cord and case (NRR 27dB)



B/E NP-535
EARPLUG CORDED WITH neck string BLUE ROUNDED CASE.



B/E NP-38
EARPLUG CORDED WITH YELLOW SQUARED CASE, KEY CHAIN



3M 1271
Corded, with Carrying Case 24 db



Express - Uncorded and Corded Assorted color and soft flexible grips (NRR 25dB)



Earflex
Conically shaped plugs (NRR 28dB)



Caboflex
Conically shaped plugs (NRR 20dB) spare parts available.



Ultrafit - Uncorded and Corded Patented flange design (NRR 25dB)



Tracer
Metal detectable plugs, Corded (NRR 25dB)



RESPIRATORY PROTECTION

Dust Masks



<p>3M 8210 N95</p>  <p>For Woodworking, Grinding, Sanding, Sweeping, Other dusty conditions</p>	<p>3M 8212 N95</p>  <p>for Welding, Torch Cutting, Soldering, Brazing</p>	<p>3M 8233 N100</p>  <p>For Lead, Cadmium, Arsenic, Pharmaceutical Mfg., Welding, Brazing, Soldering</p>	<p>3M 8246 R95</p>  <p>For Aluminum smelting, Paper processing, Brewing operations, Glass etching, Chemical processing</p>	<p>3M 8247 R95</p>  <p>For Foundry operations, Undercoating, Lab settings, Agriculture Petrochemical processing</p>
<p>3M 9210 N95</p>  <p>For Grinding, Sanding, Sweeping, Bagging, Other general maintenance</p>	<p>3M 9332 FFP2</p>  <p>For Fine Toxic Dust, Including Chrome, Zinc, Asbestos, Glass and Mineral Fibres</p>	<p>Moldex 2200 N95</p>  <p>Dura-Mesh shell resists collapsing, Molded nose bridge seals easily without a metal nose band</p>	<p>Moldex 2300N95</p>  <p>Dura-Mesh shell resists collapsing, Exhale Valve reduces heat</p>	<p>Moldex 2300 N95</p>  <p>For most welding applications, Added carbon layer and valve</p>
<p>Vispro V-1252 FFP2</p> 	<p>V-1213 FFP1/ V-1201 FFP2</p>  <p>Vispro Foldable</p>	<p>Vispro V-1259 FFP3</p> 	<p>Sperian 801 N95</p> 	<p>3300 economy</p> 
		<p>F-1 Sponge mask, washable</p> <p>F-14 Sponge mask with carbon filter, washable</p>	<p>Kleenguard</p>  <p>N95</p>	<p>Motor face mask Neoprene for motorbiker</p> 
<p>6001</p>  <p>Soft mask, dust filter</p>	<p>6002</p>  <p>Soft mask, carbon filter</p>	<p>1005</p>  <p>Surgical face mask, ear-loop mask, 3-ply</p>	<p>1005 - SGS</p>  <p>Surgical face mask, ear-loop 3-ply with carbon filter</p>	<p>Osley smiling transparent mask</p> 
<p>Cotton face mask</p>  <p>water absorbent, earloop or tie strap style.</p>	<p>Molded Plastic dust masks with replaceable filter</p> 			<p>NP22 - yellow NP22A - yellow w/ carbon filter 1800 - gray 2800 - green 1900 - transparent w/ carbon filter 1800-1 - replacement filter 1900-1 - charcoal replacement filter</p>



RESPIRATORY PROTECTION

Full Face Mask



SCA-7300S
Chest type Silicone



SCA-5630N
For ammonia



SCA-5700S
Chin type Silicone



SCA-5530N
For acid gases



SCA-5560
Dual cartridge



SCA-5640N
For ammonia



M-3
Chin type



M-2



A2B2
Acid gases



K-2
Ammonia



K-1
Ammonia
cartridge



E-1
Organic vapor & acid
gases cartridge



Fenzy
Chin Type



Optifit
For S and T series



3M 7800
Silicone



3M 6800
Neoprene



Half Face Mask



NORTH- 5500
Neoprene



NORTH- 7700
Silicone



N-7500-3
For organic vapor and acid
gases

N-7500-1
For paint and pesticides



MSA Comfo-II
GMC - organic vapor / acid gases
GME - organic vapor / ammonia /
chlorine



SHIGEMATSU



DR-30AH



GM-31



UIAH
DUST & FUMES
CARTRIDGE



CA-104HS
HYDROGEN
SULFIDE
CARTRIDGE



CA-IPI-OV
Chemical cartridge
(GM-31)



DR-28



GARDWEL 1065
Single halfmask



GARDWEL 1050
Dual halfmask



REPLACEMENT AND CARTRIDGE:
3012 (dust, mist filter)
3053 (organic vapor and acid gases)
3057 (spray paint)
3057-1 (pre-filter)



RESPIRATORY PROTECTION

SPERIAN

SURVIVAIR

SanCheong



Valueair



Premier

S-series and T-series dual half mask with or without head strap (cartridges available)

- T-08** - UNI-SORB, MULTI / CONTAMINANT
- S-04** - AMMONIA CARTRIDGE
- S-05** - ORGANIC VAPOR / ACID GASES
- T-SERIES**
- T-04** - AMMONIA CARTRIDGE
- T-05** - ORGANIC VAPOR / ACID GASES



Sancheong SCA-5400S SILICONE



SCA-5720 for organic vapor
SCA-5520 for acid gases



7093 P-100, PARTICULATE FILTER



2091 Dust and mist filter



2071 Fumes, radiation and asbestos filter



3200



5N11 PREFILTER



502 ADAPTOR FOR P-100

3M



3M 7501



6003 For acid gases

6001 For organic vapor
6006 For multi-gas



3M 7200



3M 6200



7251 For organic vapor
7253 For acid gases
7254 For ammonia and methytamine
7255 For dusts, mists, fumes



NP-303 Single, dust



NP-304 Dual, dust



SP51



RC101



SP52



RC33



SP53



RC43



NP- 305 Single, chemical



NP- 306 Dual, chemical



RC205

RC206

RC209

RC201 / RC1 - for dust filter
RC202 / RC2 - for organic vapours, mists and fumes
RC203 / RC3 - for spray painting and organic vapors

RC205 / RC5 - for acid gases
RC206 / RC6 - or organic, inorganic vapours and acid gases

RC209 / RC9 - for agricultural sprays.



NP-307 Single, chemical




NP-308 Dual, chemical



RC5

RC6

RC9



BE-1006



CR-6 - organic vapor
CR-7 - dust/mist



RESPIRATORY PROTECTION

AIR RESPIRATORS



Blue Eagle NP-312
Chemical hood with double respirator



Blue Eagle NP-503
Sand blasting hood



Blue Eagle NP-505
Air supplied spray painting hood



Clemco Apollo
Supplied-Air Respirator

SCBA



SCOTT SIGMA has been packaged to provide a simple and effective solution for use in industry. Proven pneumatic system provides excellent performance. Ergonomically designed backplate and polyester webbing harness. Fully adjustable cylinder band allows sabres full range of cylinder to be used. Easy maintenance and low through life costs. CE marked to EN137 & EN139, AS1716, MED approved



SANCHEONG SCBA specially waist belt design for safety and comfort. Enables the user to breathe with the ambient air. The gauge can be seen easily read in the dark. The facepiece band is from a high quality rubber. The low air warning device is located on the user's shoulder. The hose is wrapped up with stainless steel. The air respirator has a by-pass valve. The Breathing vessel is Aluminum (Carbon Fiber). Usage time is APPROX 30 Min.



MSA WORKMASK II combines the capabilities of an SCBA and an air-line respirator in one lightweight, economical unit designed When used in the air-line mode, the cylinder is bypassed. Upon disconnection of the air line, air is automatically supplied from the unit's low-pressure 30-minute-rated Composite II Cylinder. Key components include: an Ultravue or Ultra Elite facepiece; a 30" breathing tube; a regulator; a low-pressure warning bell; a cylinder; and a durable nylon harness.



signed with a polycarbonate lens regulator has only three protected housing. tem and plate. Chest-mounted includes a shelf and dimensions: 20"W x



FENZY AERIS c/w 6 litre x 200 bar steel cylinder (Industrial Type). Conformance to EN137 & 136, SOLAS with EC approval from Bureau Veritas. Replaceable anti-scratch and anti-chlorine coated polycarbonate lens with stainless steel half rims. Positive pressure is automatically secured in the facemask once it is connected. No breathe required. Airflow is automatically cut-off once it is disconnected from the facemask, thus saving on air. Two-click quick connector. New compensating pressure reducer for 200 or 300 bar cylinders. Swivel mounted to facilitate easy fitting of all types of cylinders. Unique safety pressure relief valve. Adjustable straps to accommodate from 4 liters to 9 liter cylinders.

TRAFFIC CONTROL



Plastic Traffic Cone
Orange Red, Durable,
Available in 18", 24", 30"

Rubberized Traffic Cone
Rubberized, Strong, Flexible,
Orange Red
Available in 13", 18", 28"



Strobe light
install on the top
of traffic cone.



Rubberized Traffic Cone with Black Base

Orange Red - Available in 28", 30", 35"
Neon Green - Available in 30"
Yellow - Available in 30"
Electric Blue - Available in 30"



Barricade light
install on the top
of traffic cone.
Red or yellow



**Polar and
Dorman**
Barricade Lights



**Triangle
Warning Device**
With or without LED (
case included)



Corner Guard
800mm x
100mm, 10mm
thick




**Retractable
Conebar**
with 2 sections, 4
reflective yellow tape



**Traffic
Delineator Post**
Reflective, t-top,
octagon base



Windsock




Safety Net
For construction
110 mtrs. per roll



**Traffic
Plastic Chain**
Traffic Plastic Post
available in 36" and
42"



Rope Light
Weather proof



Traffic Plastic Barrier
SB-1 : 36 x 18 x 36
SB-2 : 42 x 19 x 36



Traffic Baton
30cm and 55cm



FultonW-15
Directoral Light



Bright Star
Directoral Light



TRAFFIC SAFETY

TRAFFIC SAFETY APPAREL



N400-O - orange with gray, mesh



N401-O - Orange with gray, mesh



N402-O - Orange with yellow reflector, x-back mesh



N402-G - Y. Green with white reflector, x-back mesh



N403-O - orange with gray, economy, poly



N403-G - Y. Green with gray, economy, poly



N404-G - Y. Green with gray, mesh



N405 - Orange with yellow reflector, X back



N405-S - with side strap



N406-B - Dark Blue or **N406-G** Y. Green with white reflector vertical



N407-O - Orange with yellow reflector, mesh



N407-G - Y. Green with white reflector, mesh



N408-O - orange with gray, poly



N408-G - Green with gray, poly



N408-Y - Green with gray, poly



N409-O - Orange with yellow reflector, x-back mesh



N410-O - Orange with yellow reflector and strap, mesh



N410-G - Green with white reflector and strap, mesh



N411-O - Orange with yellow reflector, poly



N411-G - Orange with yellow reflector, poly



N412-G - Y. Green with orange / gray reflector with pocket, poly



-O - white with orange reflector and mesh



N413-O - white with orange reflector and strap, mesh



N414 - Orange with yellow reflector, mesh



N415-G - Y. Green with white reflector, poly



N415-O - orange with white reflector, poly



N416-G - Y. Green with gray reflective stripes, poly



N416-O - orange with gray reflective stripes, poly



TRAFFIC SAFETY



N417-O - Orange with yellow reflector



N417-G - Green with white reflector vertical type



N418-O - Orange with yellow reflector with ID holder



N418-G - Green with white reflector vertical type with ID holder



N419-Y - Yellow with white reflector, X back poly



N420
Green PVC reflective tape with PP lining 2" Heavy Duty



N421-O
Orange PVC reflective tape with PP lining 2"



N421-G
Green PVC reflective tape with PP lining 2"



N422-O - Orange with white reflector



Traffic ReflectORIZED Gloves Available in yellow green, orange and yellow green/orange combination



Reflective slash belt



N428-Y - Dark blue with yellow reflector with ID holder



N428-O - Dark blue with white reflector with ID holder



Reflective PVC Tapes
In white, green, orange 2"



Reflective Poly Tapes
In orange, green, yellow and all gray 2"



OPP, warning adhesive tapes
Yellow/black (48mm x 20mm)




Reflective PVC Stickers
In green or yellow honeycomb 2" and 4"

BARRICADE TAPES



Detectable Tape Electric Line
Below Yellow or red stripes



Red and white stripes
(3" x 1000 feet)



Black and yellow stripes
(3" x 1000 feet)



Danger
(3" x 1000 feet)



Caution
(3" x 1000 feet)
(3" x 500 feet)



Detectable Tape
With color coding

- ALSO AVAILABLE: (3" x 1000 ft)
- **Caution Buried Water Line Below**
Color: Black and Blue
 - **Caution Buried CATV Line Below**
Color: Black and Orange
 - **Caution Buried High Voltage Line Below**
Color: Black and Red
 - **Caution Buried Electric Line Below**
Color: Black and Yellow
 - **Water Line Buried Below** 2" x 1000 ft



Dispenser -
Lightweight indestructible

ALSO AVAILABLE: (3" x 1000 ft)

- **Caution Do Not Enter**
- **Caution Construction Area**
- **Caution Radiation Area**
- **Danger Do Not Enter**
- **Danger Keep Out**
- **Police Line Do Not Cross**
- **Fire Line Do Not Cross**
- **Crime Scene Do Not Cross**
- **Security Line Do Not Cross**
- **Authorized Personnel Only**



WELDING SUPPLIES & SAFETY

WELDING MASK

OTOS



Automatic darkening welding mask
Chameleon II (silver)
 Switching speed: 1/20,000
 (0.00005 sec)



Chameleon W-86N

Honeywell

NORTH

FORE-METAL



FM 710
 Fiberglass, fixed front

MODEL 706
 Fiberglass, Lift up front (2" X 4-1/2")



FM 990
 Thermoplastic, fixed front
 (4-1/2" X 5-1/2")



FM 906
 Thermoplastic, Lift up front (2 X4-1/4")



Leather Welding Hood
FM 870
 with lift-front glassholder. Screened ventilation ports.



FM 152
 Fiberglass, hand type



GW-152
 Hand type, outside handle



633N - Nylon shell.
633P - Polypropylene shell
633F - FRTP shell.

- Fixed lens holder.
- Lens Size: 4 1/4"x2"



633PA3 - with ABS bracket.
633PA4 - with semi-aluminum bracket

- Lift-front lens holder
- Lens size: 4 1/4" x 2"
- Polypropylene shell



FS-701
 Lift Up Style



WH-50
 High impact resistant



Filter Plates
 Filter, safety / cover plates and lenses for welding helmets and goggles . Clear and dark glasses available



WELDING SUPPLIES & SAFETY

WELDING CLOTHING




**Leather (top or split)
Apron, Cape, Sleeves, Leggings**



**Welding Blanket
ZETEX CLOTH STYLE
600 & 1100**



**Denim/Maong
Apron, Cape, Sleeves, Leggings**



Frommelt brand, green color, size: 6' x 9'

WELDING GOGGLES

Honeywell NORTH FIBER-METAL



VG-H5
Cup type,
50MM



VG-200H5
Rectangle lift up
front (2" X 4-1/2")



VG-800H5
Flip front 50MM



B/E 207
Cup type



B/E 208
Rectangle lift
up front



B/E 8008-C
Flip front
(twin lens)



B/E 204A
high impact
polycarbonate lens



B/E 209
Rectangle, fixed
front (2" X 4-1/4")



**Fibermetal
Welding
Spectacles**



B/E 247
Smelter goggles,
metal frame with
cobalt blue lens



Yamamoto 227
Smelter goggles,
metal frame with
cobalt blue lens



WELDING SUPPLIES & SAFETY

WELDING GLOVES



AL-220
Imported with lining,
heavy duty 14 or 16"



AL-180
With lining orange,
13" or 16"



VT-5400
With lining,
14"



RT-2165
Reversible
with lining 16"



TLW-1300
Top leather 13"



VT-2185
Top leather with
lining, 16"



TW-4000
Chrome leather
14", 16"



Covertex
Imported Long
or Short



Tigmaster
Suede 12"



QM109
Sheep skin
Tig gloves



QM909
Cowhide skin
Tig gloves



Local
Pig skin
Tig gloves



P-5
Reversible
top



BB-300
Full leather
cuff type



F-6
Imported full
premium
leather



BW
Cow grain
leather palm



Bernard
Imported with
garter USA



Hard
Grain leather
with cotton
back



Cowhide
Imported with
buckle USA

WELDING ELECTRODES

WYLER ENTERPRISES, INC. is an Exclusive Distributor of PHILIPS/ WELDWELL ELECTRODES of Napier, New Zealand. There are Techniques for Selected Applications of electrodes such as:

- a.) Electrodes for **Welding Mild Steel**
- b.) Low hydrogen Electrodes for **Welding Mild and Medium Tensile steels**
- c.) Electrodes for **Welding High Tensile Steel**
- d.) Electrodes for **Welding Creep Resistant Steels**
- e.) Electrodes for **Welding Problem Steels**
- f.) Electrodes for **Welding Stainless Steels**
- g.) Electrodes for **Welding Cast Iron**
- h.) Electrodes for **Hardfacing**
- i.) Electrodes for **Special Metals**
- j.) Electrodes for **Gouging and Cutting**





WELDING SUPPLIES & SAFETY

ARC ACCESSORIES



Arc Air Torch with 7" cable

- Uni-Air K-3 (350 amps)
- Uni-Air K-4 (400 amps)
- Uni-Air K-5 (500 amps)

Arc Air Gouging Rod
for carbon, 3/16", 1/4",
5/16", 3/8"



Phoenix / Uni-Air
Electrode Oven
available in 10,13,15
up to 300 lbs.
capacity



Cable Connector
Lenco LC-10 (1 TO 1/0)
Lenco LC-40 (1 TO 2/0)
Lenco LC-40HD (3/0 TO 4/0)

Neoprene Welding Cable
in 1/0, 2/0, 3/0, 4/0 (USA)

Arc Welding Cable
in 38mm, 50mm,70mm,
90mm



Welding Rod Holder/
Electrode Holder
Lenco AF-25 (300 amps)
Lenco AF-3 (350 amps)
Lenco AF-35 (400 amps)
Jackson (300 and 500 amps)



Ground Clamp
Lenco EG-300 (300 amps)
Lenco G-200HD (200 amps)
Lenco G-300HD (300 amps)
Lenco G-500HD (500 amps)



Weld Fillet Gage
Measures concave or convex
seams. Stainless steel blades,
etched increments. 1/8" thru
1" and metric equivalents.



Chipping
Hammer



Stainless
Steel brush
with handle
USA



Inspection Mirror
Ullman. Circular
Telescoping Mirror 2 1/4"
mirror diam. Overall
length 10", extends to
14"

GAS WELDING AND CUTTING



-Harris
Cutting Outfit

-Victor
Journeyman



Cutting tip
for Victor, Harris,
Cigweld, Koike
available in 1,2,3
sizes.



Wypo tip
cleaner



Spark lighter
and flint stone



Cutting / grinding
disc and grinders

TIG WELDING




Weldcraft Tig torch assembly

- WP-17V, WP-17FV (150amp)
- WP-26V, WP-26FV (200amp)



Weldcraft consumables:
power cable assembly, water hose
assembly, torch back cap (long & short)
alumina gas lens, lava nozzle, cup
gasket (lower upper) coupler, collet,
collet stubby, collet body, gas lens collet
boy, alumina cap, ceramic cap, torch
handle ribbed and valve knob & stem.



Tungsten
Electrodes
pure tungsten rod and
2% thoriated ground
1/16, 3/32, 1/8, 5/5